

Longicorn Beetles of Korea
(Coleoptera: Cerambycidae)

Seung-Mo LEE

Division of Entomology, National Science Museum, #2, Waryong-Dong, Jongro-Gu, Seoul 110, Korea.

ABSTRACT

In the present paper, a total of 261 species of the family Cerambycidae from Korea are treated, of which 3 species are new for Korean fauna as:

Leptepania japonica (Hayashi),

Dious divaricatus (Bates),

Oberea pupillata (Gyllenhal),

and color illustrations of 188 species are given.

INTRODUCTION

This paper is a taxonomic revision of the family Cerambycidae from Korea treating all the reported collecting-records so far with new material hitherto unreported.

Totally 261 species including 3 newly recorded one from Korean Peninsula are arranged, and the original description, the first record from Korea, with combination changes in each species are listed respectively based on the critical examination.

As for the geographical localities, all of the sites recorded here are appeared after the administrative geographical names of Republic of Korea, even in case of North Korea, and the domestic provinces are abbreviated as following:

HB : Ham-Gyeong-Bug-Do
HN : Ham-Gyeong-Nam-Do
PB : Pyeong-An-Bug-Do
PN : Pyeong-An-Nam-Do
HH : Hwang-Hae-Do
GW : Gang-Weon-Do
GG : Gyeong-Gi-Do

CB : Chung-Cheong-Bug-Do
CN : Chung-Cheong-Nam-Do
JB : Jeol-La-Bug-Do
JN : Jeol-La-Nam-Do
GB : Gyeong-Sang-Bug-Do
GN : Gyeong-Sang-Nam-Do
JJ : Je-Ju-Do

All the material treated here as coll. loc. are collections of the author, with some specimens from Mt. Weonhyosan, Mt. Gajisan, Samnam-Myeon, and a few others are collections of prof. Y. J. Kwon, Dept. of Agricultural Biology, Coll. of Agriculture, Kyungpook Nat. University.

Arrangement in color plates is partly not accorded with the systematic order, but easy of technical proofing. The general references are omitted because they may be well covered separately by selective check list of each species.

ACKNOWLEDGEMENT

The author here with expresses his cordial thanks to prof. Y. J. Kwon, Dept. of Agricultural Biology, Coll. of Agriculture, Kyungpook Nat. University, to prof. K. Kusama, Shizuoka University, Japan, M.D. M. Kubota, and Mr. M. Kuboki for their kind help in various ways.

Special thanks are due to Mr. Yeong Hak Baek, Director-General, Staffs of Research and Planning Department, National Science Museum and Mr. Myeong-Cheol Lee, president of DAEMYEONG Planning & Publishing Co., who enables to issue this volume with his sacrificing endeavor, to this gentleman the author deeply appreciates.

SYSTEMATICS

Family CERAMBYCIDAE Leach (1815) (Haneulso-Gwa)

Subfamily DISTENIINAE Lacordaire (1869) (Ggalddagu-Haneulso-Agwa)

Tribe DISTENIINI Thomson (1860) (Ggalddagu-Haneulso-Jog)

Genus *Distenia* Serville (1825) (Ggalddagu-Haneulso-Sog)

Distenia Serville, 1825, Ent. Meth., 10 : 485

Type species: *Distenia columbina* Serville (1825) (South America)

Distenia gracilis (Blessig) (1872) (Ggalddagu-Haneulso)

Apheres gracilis Blessig, 1872, Hor. Soc. Ent. Ross., 9 : 168, pl. 8, f. 1 (Amurland)

Apheres gracilis, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 131 (Korea)

Distenia japonica Bates, Bates, 1888, Proc. Zool. Soc. London, : 378 (Korea)

Distenia gracilis, Okamoto, 1924, Bull. Agr. Exp. Sta. Chosen, 1 (2) : 189 (Quelpart Is. = Is. Je-Ju-Do)

Distenia (s. str.) *gracilis*, Tamanuki, 1939, Fauna Nip. Ceramb., : 16, f. 6 (Korea)

Collected Localities :

GW : Mt. Seol-Ag-San; Mt. O-Dae-San; So-Geum-Gang

GG : Gwang-Neung

GN : Mt. Ga-Ya-San

JJ : Mt. Hal-La-San

Subfamily PRIONINAE Latreille (1804) (Tob-Haneulso-Agwa)

Tribe EURYPODINI Gahan (1906) (Saseum-Haneulso-Jog)

Genus *Eurypoda* Saunders (1853) (Saseum-Haneulso-Sog)

Eurypoda Saunders, 1853, Trans. Ent. Soc. London, : 109

Type species : *Eurypoda antenata* Saunders (1853) (China)

Neoprion Lacordaire, 1869, Gen. Col., 8 : 131

Type species : *Neoprion parandraeformis* Lacordaire (1869) (Molucca)

Eurypoda (*Neoprion*) *batesi* Gahan (1894) (Saseum-Haneulso)

Eurypoda batesi Gahan, 1894, Ann. Mag. Nat. Hist., 6 (14) : 225 (Japan)

Eurypoda (*Neoprion*) *batesi*, S.M. Lee, 1980, Korean J. Ent., 10 (1) : 46 (Is. Je-Ju-Do)

Collected Locality

JJ : Seo-Gui-Po

Tribe CALLIPOGONINI Lameere (1904) (Jangsu-Haneulso-Jog)

Genus *Callipogon* Serville (1832) (Jangsu-Haneulso-Sog)

Callipogon Serville, 1932, Ann. Soc. Ent. France, 1 : 140

Type species : *Prionus barbatus* Fabricius (1781) (America meridionali)

Eoxenus Semenov, 1899, Hor. Soc. Ent. Ross., 32 : 570

Type species : *Callipogon (Eoxenus) relictus* Semenov (1899) (Vladivostok)

Callipogon (Eoxenus) relictus Semenov (1899) (Jangsu-Haneulso)

Callipogon (Eoxenus) relictus Semenov, 1899, Hor. Soc. Ent. Ross., 32 : 563 (Vladivostok)

Macrotoma (Bandar) fisheri Waterhouse, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 442 (Korea)

Callipogon relictus, Cho, 1934, J. Chosen Nat. Hist. Soc., 17 : 41, pl. 5, f. 1, 2 (Mt. Bug-Han-San, vic. Seoul)

Callipogon (s. str.) *relictus*, Gressitt, 1951, Longicornia, 2 : 17 (Korea)

Callipogon (Eoxenus) relictus, Nakane, 1974, Ins. Nat., 9 (4) : 2 (North Korea)

Collected Locality

GG : Gwang-Neung

Tribe MEGOPIDINI Gressitt (1940) (Beodeul-Haneulso-Jog)

Genus *Megopis* Serville (1832) (Beodeul-Haneulso-Sog)

Megopis Serville, 1832, Ann. Soc. Ent. France, 1 : 161

Type species : *Megopis mutica* Serville (1832) (Molucca)

Aegosoma Serville, 1832, Ann. Soc. Ent. France, 1 : 162

Type species : *Prionus scabricornis* Scopoli (1763) (Europe)

Megopis (Aegosoma) sinica (White) (1853) (Beodeul-Haneulso)

Aegosoma sinicum White, 1853, Cat. Col. Brit. Mus., 7 : 30 (Shanghai)

Aegosoma sinicum, Bates, 1888, Proc. Zool. Soc. London, : 378 (Korea)

Megopis sinica sinica, Okamoto, 1924, Bull. Agr. Exp. Sta. Chosen, 1 (2) : 188 (Quelpart Is. = Is. Je-Ju-Do)

Megopis sinica, Okamoto, 1927, Ins. Mats., 2 (2) : 77 (Quelpart Is. = Is. Je-Ju-Do Suigen = Su-Weon; Mt. Chii = Mt. Ji-Ri-San; Shakuoji = Seog-Wang-Sa)

Megopis mandibularis Fairmaire, Morita, 1936, Ent. World, 4 (34) : 859 (Gun-San)

Megopis (Aegosoma) sinica sinica, Gressitt, 1951, Longicornia, 2 : 16 (Korea)

Megopis (Aegosoma) sinica, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, : 362 (Korea)

Collected Localities

GW : Mt. Bang-Dae-San; So-Geum-Gang

GG : Gwang-Neung; Mt. Bug-Han-San, vic. Seoul; Mt. Nam-San, Seoul; Seoul City; Mt. Yong-Mun-San; Mt. Cheon-Ma-San

CN : On-Yang

GB : An-Sim; Mt. Un-Mun-San

Tribe PRIONINI Fairmaire (1864) (Tob-Haneulso-Jog)

Genus *Prionus* Geoffroy (1762) (Tob-Haneulso-Sog)

S.M. LEE: Longicorn beetles of Korea

Prionus Geoffroy, 1762, Hist. Abr. Ins. Paris, 1 : 198

Type species : *Cerambyx coriarius* Linnaeus (1758) (Europe)

***Prionus insularis* Motschulsky (1857) (Tob-Haneulso)**

Prionus insularis Motschulsky, 1857, Etud. Ent., 6 : 36 (Japan)

Prionus insularis, Kolbe, 1886, Arch. Naturg., 52 (1) : 219 (Korea)

Prionus (Prionus) insularis, Hayashi, 1959, Ent. Rev. Japan, 10 (2) : 69 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. O-Dae-San; So-Geum-Gang

GG : Mt. Aeng-Mu-Bong; Gwang-Neung; Mt. Nam-San, Seoul; Seoul City; Mt. Yong-Mun-San

JB : Mt. Baeg-Yang-San

GB : Mt. So-Baeg-San; Dae-Gu; Do-Dong and Jeo-Dong, Is. Ul-Lung-Do

GN : Mt. Ga-Ya-San; Is. Geo-Je-Do

JJ : Mt. Hal-La-San; Jung-Mun

Tribe ANACOLINI Thomson (1860) (Bannalge-Haneulso-Jog)

Genus *Psephactus* Harold (1879) (Bannalge-Haneulso-Sog)

Psephactus Harold, 1879, Deut. Ent. Zeit., 23 : 367

Type species : *Psephactus remiger* Harold (1879) (Japan)

***Psephactus remiger* Harold (1879) (Bannalge-Haneulso)**

Psephactus remiger Harold, 1879, Deut. Ent. Zeit., 23 : 368 (Japan)

Psephactus remiger, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 442 (Mt. Zokuri = Mt. Sog-Ni-San)

Psephactus remiger remiger, Gressitt, 1951, Longicornia, 2 : 28 (Korea; Saishu Is. = Is. Je-Ju-Do)

Collected Localities

GW : So-Geum-Gang

GN : Mt. Ga-Ya-San; Geo-Chang

JJ : Mt. Hal-La-San

Subfamily SPONDYLINAE Serville (1832) (Geomjeong-Haneulso-Agwa)

Genus *Spondylis* Fabricius (1775) (Geomjeong-Haneulso-Sog)

Spondylis Fabricius, 1775, Syst. Ent., : 159

Type species : *Attelabus buprestoides* Linnaeus (1758) (Europe)

***Spondylis buprestoides* (Linnaeus) (1758) (Geomjeong-Haneulso)**

Attelabus buprestoides Linnaeus, 1758, Syst. Nat., 10 : 388 (Europe)

Spondylis buprestoides, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 131 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; So-Geum-Gang

GG : Gwang-Neung; Mt. Nam-San, Seoul

CB : Chu-Pung-Ryeong

JB : Mu-Ju

GB : Mt. Pal-Gong-San; Dae-Gu; Mt. Nae-Yeon-San

Subfamily ASEMINE Thomson (1864) (Neobjeog-Haneulso-Agwa)

Tribe ASEMINE Thomson (1860) (Neobjeog-Haneulso-Jog)

Genus *Cephalallus* Sharp (1905) (Neobjeog-Haneulso-Sog)

Cephalallus Sharp, 1905, Trans. Ent. Soc. London, : 148

Type species : *Cephalallus oberthuri* Sharp (1905) (North Yunnan, China)

Cephalallus unicolor (Gahan) (1906) (Neobjeog-Haneulso)

Criocephalus unicolor Gahan, 1906, Fauna Brit. India Col., 1 : 97 (North Khasi Hills, Assam; Tsushima)

Megasemum projectum Okamoto, 1927, Ins. Mats., 2 (2) : 63 (Mt. Kongo = Mt. Geum-Gang-San)

Megasemum sharpi Reitter, Matsushita, 1937, Kontyû, 11 (4) : 313 (Korea)

Criocephalus unicolor, Mori et Cho, 1939, Bot. Zool., 7 (10) : 33 (Mt. Geum-Gang-San)

Criocephalus sharpi, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 41 (Mt. Geum-Gang-San)

Arhopalus (Cephalallus) unicolor, Hayashi, 1957, Ent. Rev. Japan, 8 (2) : 59 (Korea)

Criocephalus oberthuri unicolor, Mitono, 1959, Ico. Ins. Jap. Tokyo, ed. 16 : 1223 (Korea)

Arhopalus unicolor, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 13 (Mt. Geum-Gang-San)

Cephalallus unicolor, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 269 (Korea)

Collected Locality

GW : So-Geum-Gang

Genus *Arhopalus* Serville (1834) (Keunneobjeog-Haneulso-Sog)

Arhopalus Serville, 1834, Ann. Soc. Ent. France, 3 : 77

Type species : *Cerambyx rusticus* Linnaeus (1758) (Europe)

Arhopalus rusticus (Linnaeus) (1758) (Keunneobjeog-Haneulso)

Cerambyx rusticus Linnaeus, 1758, Syst. Nat., 10 : 395 (Europe)

Criocephalus rusticus, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 131 (Korea)

Criocephalus coreanus Sharp, 1905, Trans. Ent. Soc. London, : 153 (Korea)

Criocephalus (s. str.) *rusticus*, Tamanuki et Ooishi, 1937, Mushi, 9 (2) : 112 (Korea)

Arhopalus (s. str.) *coreanus*, Gressitt, 1951, Longicornia, 2 : 34 (Korea)

Arhopalus coreanus, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 13 (Mu-San; Yong-Am; Pyeong-Yang)

Arhopalus rusticus, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 13 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; So-Geum-Gang

GG : Mt. Aeng-Mu-Bong; Mt. Bug-Han-San, vic. Seoul; Mt. Nam-San, Seoul; Seoul City; Mt. Cheon-Ma-San; Su-Weon

JN : Is. Hong-Do

GB : Mt. Pal-Gong-San; Dae-Gu; Mt. Ju-Wang-San; Do-Dong, Is. Ul-Lung-Do

Genus *Megasemum* Kraatz (1879) (Geomunneobjeog-Haneulso-Sog)

Megasemum Kraatz, 1879, Deut. Ent. Zeit., 23 : 97

Type species : *Megasemum quadricostulatum* Kraatz (1879) (Amurland)

S.M. LEE: Longicorn beetles of Korea

***Megasemum quadricostulatum* Kraatz (1879) (Geomunneobjeog-Haneulso)**

Megasemum quadricostulatum Kraatz, 1879, Deut. Ent. Zeit., 23 : 98 (Amurland)

Megasemum quadricostulatum, Okamoto, 1927, Ins. Mats., 2 (2) : 64 (Mt. Kongo = Mt. Geum-Gang-San)

Criocephalus quadricostulatum, Matsumura, 1931, 6000 Ill. Ins. Jap., : 254 (Korea)

Arhopalus (Megasemum) quadricostulatum, Gressitt, 1951, Longicornia, 2 : 37 (Korea)

Arhopalus quadricostulatum, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 13 (Mt. Geum-Gang-San)

Collected Localities

GW : Mt. Seol-Ag-San; So-Geum-Gang

Genus *Asemum* Eschscholtz (1830) (Jageunneobjeog-Haneulso-Sog)

Asemum Eschscholtz, 1830, Bull. Mosc., 2 : 66

Type species : *Cerambyx striatus* Linnaeus (1758) (Europe)

***Asemum striatum* (Linnaeus) (1758) (Jageunneobjeog-Haneulso)**

Cerambyx striatus Linnaeus, 1758, Syst. Nat., 10 : 396 (Europe)

Asemum punctulatum Blessig, Bates, 1888, Proc. Zool. Soc. London, : 378 (Gensan = Weon-San)

Asemum amurense Kraatz, Okamoto, 1927, Ins. Mats., 2 (2) : 64 (Suigen = Su-Weon; Sharei = Cha-Ryeong)

Asemum striatum, Mori et Cho, 1939, Bot. Zool., 7 (10) : 34 (Mt. Geum-Gang-San)

Asemum amurense ab. *similis* Plavilstshikov, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 40 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San

GG : Mt. Wang-Bang-San; Mt. Deog-Am-San; Gwang-Neung; Mt. Cheon-Ma-San; Mt. Un-Ag-San; Mt. Myeong-Ji-San; Nam-Han-San-Seong, vic. Seoul; Song-Chu; Su-Weon

GB : Mt. Pal-Gong-San

Genus *Tetropium* Kirby (1837) (Dansong-Haneulso-Sog)

Tetropium Kirby, 1837, Fauna Bor. Amer., 174

Type species : *Tetropium cinnamopterum* Kirby (1837) (North America)

***Tetropium castaneum* (Linnaeus) (1758) (Dansong-Haneulso)**

Cerambyx castaneus Linnaeus, 1758, Syst. Nat., 10 : 396 (Europe)

Tetropium castaneum, Okamoto, 1927, Ins. Mats., 2 (2) : 65 (Suigen = Su-Weon)

Tetropium castaneum gracilicorne Reitter, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 15, 19 (Korea)

Collected Locality

no Specimen

***Tetropium gracilicorne* Reitter (1889) (Gindansong-Haneulso)**

Tetropium gracilicorne Reitter, 1889, Deut. Ent. Zeit., 33 : 287 (Chabarowsk)

Tetropium castaneum gracilicorne, Cho, 1934, J. Chosen Nat. Hist. Soc., 17 : 79 (Mt. Gwan-Mo-Bong)

Tetropium gracilicorne, Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 28 (Yeon-Am, North Korea)

Collected Locality

no Specimen

Subfamily LEPTURINAE Leach (1815) (Ggot-Haneulso-Agwa)

Tribe RHAGIINI Mulsant (1839) (Sonamu-Haneulso-Jog)

Genus *Rhagium* Fabricius (1775) (Sonamu-Haneulso-Sog)*Rhagium* Fabricius, 1775, Syst. Ent., : 182Type species : *Cerambyx inquisitor* Linnaeus (1758) (Europe)*Rhagium rugipenne* Reitter (1898) (Sonamu-Haneulso)*Rhagium rugipenne* Reitter, 1898, Deut. Ent. Zeit., 357 (Siberia)*Rhagium (Hargium) inquisitor* Linnaeus, Okamoto, 1924, Bull. Agr. Exp. Sta. Chosen, 1 (2) : 189 (Quelpart Is. = Is. Je-Ju-Do)*Rhagium mordox* De Geer, Okamoto, 1927, Ins. Mats., 2 (2) : 68 (Quepart Is. = Is. Je-Ju-Do; Suigen = Su-Weon)*Rhagium inquisitor*, Saito, 1931, Bull. Suigen College, 4 : 7 (Mt. Kasan=Mt. Hwa-San, vic. Su-Weon)*Rhagium inquisitor rugipenne*, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 16 (Korea)*Rhagium inquisitor japonicum* Bates, Hirayama, 1937, Nat. Col. 1000 Ins. Ico., 2 : 161, pl. 72, f. 1 (Mt. So-Yo-San)*Rhagium (Hargium) inquisitor rugipenne*, Tamanuki, 1939, Fauna Nip. Ceramb., : 60, f. 21 (Korea)*Stenocorus* (s. str.) *inquisitor japonicus* Bates, Gressitt, 1951, Longicornia, 2 : 54 (Korea)*Rhagium rugipenne*, Hayashi, 1960, Niponius, 1 (6) : 3 (Korea)*Stenocorus inquisitor*, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 18 (Korea)

Collected Localities

GW : Sin-Tan-Ni, vic. Cheol-Weon

GG : Mt. Wang-Bang-San; Mt. Deog-Am-San; Gwang-Neung; Mt. Cheon-Ma-San; Weol-San-Ni, Yang-Ju-Gun; Nam-Han-San-Seong, vic. Seoul

Genus *Sachalinobia* Jacobson (1899) (Gomboggot-Haneulso-Sog)*Sachalinobia* Jacobson, 1899, Ann. Mag. Zool. Petr., 4 : 39Type species : *Sachalinobia retata* Jacobson (1899) (East Siberia) = *Brachyta koltzei* Heyden (1887) (Amurland)*Sachalinobia koltzei* (Heyden) (1887) (Gomboggot-Haneulso)*Brachyta koltzei* Heyden, 1887, Deut. Ent. Zeit., 31 : 304 (Amurland)*Sachalinobia koltzei*, Plavilstshikov, 1936, Faune URSS, 21 : 518 (Korea)*Sachalinobia rugipennis koltzei*, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 367 (Korea)

Collected Locality

no Specimen

Tribe STENOCORINI Thomson (1860) (Neolbuneogge-Haneulso-Jog)

Genus *Stenocorus* Fabricius (1775) (Neolbuneogge-Haneulso-Sog)*Stenocorus* Fabricius, 1775, Syst. Ent., : 178Type species : *Leptura meridiana* Linnaeus (1758) (Europe)

S.M. LEE: Longicorn beetles of Korea

***Stenocorus amurensis* (Kraatz) (1879) (Neolbuneogge-Haneulso)**

Toxotus amurensis Kraatz, 1879, Deut. Ent. Zeit., 23 : 100 (Amurland)

Stenocorus amurensis, Okamoto, 1927, Ins. Mats., 2 (2) : 67 (Gessei = Weol-Jeong-Sa; Sharei = Cha-Ryeong)

Stenocorus meridianus chrysogaster Schrank, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 16 (Korea)

Stenocorus meridianus Linnaeus, Mori et Cho, 1939, Volu. Jub. Prof. Yoshida, Osaka, : 522 (Korea)

Toxotus (s. str.) *amurensis*, Gressitt, 1951, Longicornia, 2 : 57 (Korea)

Stenocorus amurensis ab. *obscurissimus* Pic, Cho, 1957, Hum. Sci. Korea Univ., 2 : 250 (Korea)

Toxotus amurensis, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 19 (Cha-Ryeong; Sang-Chang-Pyeong; Mt. Nang-Nim-San; Weol-Jeong-Sa)

Collected Locality

GW : Mt. O-Dae-San

Genus *Pachyta* Zetterstedt (1828) (Munineolbuneogge-Haneulso-Sog)

Pachyta Zetterstedt, 1828, Fauna Ins. Lapp., 1 : 376

Type species : *Leptura octomaculata* Fabricius (1792) (Europe) = *Leptura quadrimaculata* Linnaeus (1758) (Europe)

***Pachyta bicuneata* Motschulsky (1860) (Munineolbuneogge-Haneulso)**

Pachyta bicuneata Motschulsky, 1860, Schrenk's Reisen Amurl. Col., : 147 (Amurland)

Pachyta bicuneata, Okamoto, 1927, Ins. Mats., 2 (2) : 67 (Gessei = Weol-Jeong-Sa; Ranan = Ra-Nam; Sharei = Cha-Ryeong)

Pachyta bicuneata ab. *bisbimaculata* Pic, Hirayama, 1940, Nat. Col. Beet. Ico., : 151, pl. 48, f. 13 (Korea)

Pachyta bicuneata var. *bisbimaculata*, Mitono, 1943, Kyushu Univ. For. Bull., 13 : 131 (Mu-San) Ham-Bug)

Pachyta bicuneata ab. *incolumis* Heyden, Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 26 (Yong-Am; Yeon-Am; Sang-Chang-Pyeong)

Collected Localities

HB : Hab-Su

HN : Mt. Un-Su-Ryeong

PN : Mt. Nang-Nim-San

GW : Mt. Geum-Gang-San

***Pachyta lamed* (Linnaeus) (1758) (Ginmunineolbuneogge-Haneulso)**

Leptura lamed Linnaeus, 1758, Syst. Nat., 10 : 391 (Europe)

Pachyta lamed, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 19 (North Korea)

Pachyta lamed ab. *nigrina* Pic, Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 26 (Yeon-Am)

Collected Localities

HN : Mt. Du-Un-Bong

PB : Hu-Chang

Genus *Brachyta* Fairmaire (1864) (San-Haneulso-Sog)

Brachyta Fairmaire, 1864, Gen. Col. Europe, 4 : 185

Type species : *Leptura interrogationis* Linnaeus (1758) (Europe)

Brachyta bifasciata* (Olivier) (1792) (Gounsang-Haneulso)Leptura bifasciata* Olivier, 1792, Enc. Meth. Ins., 7 : 520 (Siberia)*Pachyta daurica* Gebler, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 442 (Mosan = Mu-San)*Evodinus bifasciatus*, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 15, 19 (Korea)*Evodinus* (s. str.) *bifasciatus*, Gressitt, 1951, Longicornia, 2 : 61 (Korea)**Collected Localities**

GW : Mt. Geum-Gang-San; Mt. Seol-Ag-San

GG : Mt. So-Yo-San

Brachyta interrogationis* (Linnaeus) (1758) (San-Haneulso)Leptura interrogationis* Linnaeus, 1758, Syst. Nat., 10 : 398 (Europe)*Evodinus punctatus* Faldermann, Okamoto, 1927, Ins. Mats., 2 (2) : 68 (Sharei = Cha-Ryeong)*Pachyta punctata*, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 448 (Yotorei = ?)*Evodinus interrogationis*, Mochizuki, 1935, Rin-Sei (Fusen Kogen special issue), 2 (4) : 30 (Bu-Jeon plateau)*Evodinus* (s. str.) *interrogationis*, Gressitt, 1951, Longicornia, 2 : 61 (Korea)*Evodinus* (*Evodinus*) *interrogationis punctatus*, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 369 (Korea)**Collected Localities**

HB : Mt. Gwan-Mo-Bong; Hab-Su

Brachyta amurensis* (Kraatz) (1879) (Bomsan-Haneulso)Evodinus amurensis* Kraatz, 1879, Deut. Ent. Zeit., 23 : 69, pl. 1, f. 21 — 3 (Amurland)*Evodinus interrogationis* var. *amurensis*, Heyrovsky, 1932, Ent. Nach., 6 : 27 (Seishin = Cheong-Jin)*Evodinus interrogationis amurensis*, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 19 (North Korea)*Evodinus interrogationis kraatzi* Ganglbauer, Tamanuki, 1939, Fauna Nip. Ceramb., : 90, f. 40 (Korea)*Evodinus* (*Evodinus*) *amurensis*, S.M. Lee, 1979, Korean J. Ent. 9 (2) : 35 (Mt. Chi-Ag-San; Mt. So-Yo-San; Mt. Aeng-Mu-Bong; Mt. Deog-Am-San; Gwang-Neung; Mt. Cheon-Ma-San; Mt. Myeong-Ji-San)**Collected Localities**

GW : Mt. Chi-Ag-San

GG : Mt. So-Yo-San, Mt. Myeong-Ji-San; Mt. Aeng-Mu-Bong; Mt. Deog-Am-San; Gwang-Neung; Mt. Cheon-Ma-San; Yong-In

JB : Mt. Nae-Jang-San

GB : Ye-Cheon

Brachyta variabilis* (Gebler) (1817) (Munisan-Haneulso)Leptura variabilis* Gebler, 1817, Mem. Soc. Nat. Moscou, 21 (1) : 415 (Siberia)*Evodinus variabilis*, Plavilstshikov, 1936, Faune URSS, 21 : 516 (North Korea)*Evodinus* (s. str.) *variabilis*, Gressitt, 1951, Longicornia, 2 : 61 (North Korea)**Collected Locality**

HB : Mt. Gwan-Mo-Bong

Genus *Evodinus* Le Conte (1850) (Byeolbagisan-Haneulso-Sog)*Evodinus* Le Conte, 1850, J. Acad. Philad., 2 (1) : 325

S.M. LEE: Longicorn beetles of Korea

Type species : *Leptura monticola* Randall (1838) (East USA.)

Evodinellus Plavilstshikov, 1915, Rev. Russ. d'Ent., 15 : 355

Type species : *Leptura? borealis* Gyllenhal (1827) (Sweden)

Evodinus (Evodinellus) borealis (Gyllenhal) (1827) (Byeolbagisan-Haneulso)

Leptura? borealis Gyllenhal, 1827, Ins. Suecica, 1 (4) : 36 (Sweden)

Evodinus borealis, Tamanuki, 1933, Ins. Mats., 8 (2) : 71 (Mt. Kambo = Mt. Gwan-Mo-Bong)

Evodinus (Evodinellus) borealis, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 369 (Korea)

Collected Localities

HN : Mt. Un-Su-Ryeong

GW : Mt. Seol-Ag-San

JN : Mt. Ji-Ri-San

Genus *Gaurotes* Le Conte (1850) (Cheongdong-Haneulso-Sog)

Gaurotes Le Conte, 1850, J. Acad. Philad., 2 (1) : 324

Type species : *Leptura cyanipennis* Say (1823) (North America)

Carilia Mulsant, 1863, Col. France Long., 2 : 489

Type species : *Leptura virginea* Linnaeus (1758) (Europe)

Paragaurotes Plavilstshikov, 1921, Rev. Russ. d'Ent., 17 : 116

Type species : *Gaurotes ussuriensis* Blessig (1873) (Ussuriland)

Gaurotes (Carilia) thalassina (Schrank) (1781) (Jageuncheongdong-Hanelso)

Leptura thalassina Schrank, 1781, Enum. Ins., : 160 (Siberia)

Gaurotes virginea kozhevnikovi Plavilstshikov, Tamanuki, 1933, Ins. Mats., 8 (2) : 72

(Doryokoku — Sohyo = ? — Chang-Pyeong)

Gaurotes virginea Linnaeus, Cho, 1934, J. Chosen Nat. Hist. Soc., 17 : 47 (Mt. Gwan-Mo-Bong)

Gaurotes kozhevnikovi, Plavilstshikov, 1936, Faune URSS, 21 : 519 (Korea)

Gaurotes kozhevnikovi f. *komensis* Tamanuki, 1938, Ins. Mats., 12 (4) : 167 (Mt. Baji = Mt. Ma-Eui-San)

Gaurotes thalassina f. *nigriventris* Tamanuki, 1938, Ins. Mats., 12 (4) : 167 (Mt. Kambo = Mt. Gwan-Mo-Bong; Mt. Maji = Mt. Ma-Eui-San; Taitenpyo = Dae-Jeon-Pyeong)

Gaurotes (s. str.) *kozhevnikovi*, Tamanuki, 1939, Fauna Nip. Ceramb., : 101 (Korea)

Gaurotes (s. str.) *thalassina*, Tamanuki, 1939, Fauna Nip. Ceramb., : 101, f. 46 (Korea)

Gaurotes thalassina, Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 26 (Yeon-Am; Yong-Am)

Gaurotes (s. str.) *virginea thalassina*, Gressitt, 1951, Longicornia, 2 : 65 (Korea)

Gaurotes aemula Mannerheim, Heyrovsky, 1974, Frag. Fauni. Warszawa, 20 (3) : 30 (Korea)

Gaurotes (Carilia) thalassina, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 36 (Mt. Seol-Ag-San; Mt. Wang-Bang-San; Gwang-Neung; Mt. Sog-Ni-San)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Mt. Wang-Bang-San; Gwang-Neung

CB : Mt. Sog-Ni-San

Gaurotes (Paragaurotes) ussuriensis Blessig (1873) (Cheongdong-Haneulso)

- Gaurotes? (Acmaeops) ussuriensis* Blessig, 1873, Hor. Soc. Ent. Ross., 9 : 247 (Ussuriland)
Gaurotes ussuriensis, Okamoto, 1927, Ins. Mats., 2 (2) : 68 (Korea)
Gaurotes doris Bates, Saito, 1934, J. Chosen Nat. Hist. Soc., 17 : 36 (Mt. Hwa-San, vic. Su-Weon)
Gaurotes (Paragaurotes) ussuriensis, Tamanuki, 1939, Fauna Nip. Ceramb., : 104, f. 47 (Korea)
Gaurotes (Paragaurotes) doris, Tamanuki, 1939, Fauna Nip. Ceramb., : 105, f. 48 (Korea)
Gaurotes ussuriensis doris, Hayashi, 1961, Col. Ill. Ins. Japan, Col., : 136, pl. 42, f. 967 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Mt. So-Yo-San; Gwang-Neung; Mt. Myeong-Ji-San

GB : Mt. So-Baeg-San

Genus *Acmaeops* Le Conte (1850) (Pulsaeg-Haneulso-Sog)*Acmaeops* Le Conte, 1850, in Agassiz Lake, Sup. : 235Type species : *Leptura proteus* Kirby (1837) (North America)*Acmaeops septentrionis* (Thomson) (1866) (Hwangjulgipulsaeg-Haneulso)*Pachyta septentrionis* Thomson, 1866, Skand. Col., 8 : 61 (Scandinavia)*Acmaeops septentrionis*, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 31 (Mt. Gwan-Mo-Bong)*Acmaeops marginata* Fabricius, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 272 (Korea)*Acmaeops (Acmaeops) marginata*, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 15 (Korea)*Acmaeops (Acmaeops) septentrionis*, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 37 (Han-Dae-Ri; Mt. Seol-Ag-San)

Collected Localities

HN : Han-Dae-Ri

GW : Mt. Seol-Ag-San

Acmaeops smaragdulus (Fabricius) (1792) (Teolgaseumpulsaeg-Haneulso)*Leptura smaragdula* Fabricius, 1792, Ent. Syst., 1 (2) : 342 (Europe)*Acmaeops smaragdula*, Cho, 1934, J. Chosen Nat. Hist. Soc., 17 : 46 (Mt. Gwan-Mo-Bong; Mt. Baeg-Du-San)*Acmaeops* (s. str.) *smaragdula*, Gressitt, 1951, Longicornia, 2 : 69 (Korea)

Collected Locality

no Specimen

Acmaeops angusticollis (Gebler) (1833) (Pulsaeg-Haneulso)*Pachyta angusticollis* Gebler, 1833, Bull. Moscou, 6 : 304 (Siberia)*Acmaeops smaragdula* var. *angusticollis*, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 19 (Korea)*Acmaeops angusticollis*, Plavilstshikov, 1936, Faune URSS, 21 : 521 (Korea)*Acmaeops* (s. str.) *smaragdula angusticollis*, Tamanuki, 1939, Fauna Nip. Ceramb., : 113, f. 52 (Korea)*Acmaeops* (s. str.) *angusticollis*, Gressitt, 1951, Longicornia, 2 : 68 (Korea)*Acmaeops smaragdula angusticollis*, Cho, 1957, Hum. Sci. Korea Univ., 2 : 251 (Korea)

Collected Locality

no Specimen

Genus *Gnathacmaeops* Linsley et Chemsak (1972) (Julgipulsaeg-Haneulso-Sog)

S.M. LEE: Longicorn beetles of Korea

Gnathacmaeops Linsley et Chemsak, 1972, *Ceramb. N. Am.*, 6 (1) : 135

Type species : *Leptura pratensis* Laicharting (1784) (Europe)

Gnathacmaeops pratensis (Laicharting) (1784) (Julbagipulsaeg-Haneulso)

Leptura pratensis Laicharting, 1784, *Verz. Tyroler Ins.*, 2 : 134 (Europe)

Acmaeops (s. str.) *pratensis*, Tamanuki, 1939, *Fauna Nip. Ceramb.*, : 114, f. 53 (Korea)

Acmaeops pratensis, Cho, 1946, *Bull. Zool. Sec. Nat. Sci. Mus. Korea*, 1 (3) : 30 (Korea)

Collected Locality

no Specimen

Genus *Dinoptera* Mulsant (1863) (Nampulsaeg-Haneulso-Sog)

Dinoptera Mulsant, 1863, *Col. France Long.*, 2 : 494

Type species : *Leptura collaris* Linnaeus (1758) (Europe)

Dinoptera anthracina (Mannerheim) (1849) (Geugdongsulsaeg-Haneulso)

Pachyta anthracina Mannerheim, 1849, *Bull. Moscou*, 22 (1) : 246 (Siberia)

Acmaeops (*Dinoptera*) *anthracina*, Plavilstshikov, 1936, *Faune URSS*, 21 : 521 (Korea)

Acmaeops anthracina, Cho, 1949, *Bull. Zool. Sec. Nat. Sci. Mus. Korea*, 1 (3) : 31 (Cheong-Jin; Ju-UI)

Collected Locality

no Specimen

Dinoptera minuta (Gebler) (1832) (Nampulsaeg-Haneulso)

Pachyta minuta Gebler, 1832, *Mem. Soc. Nat. Moscou Nouv.*, 2 : 69 (East Siberia)

Acmaeops (*Dinoptera*) *minuta*, Matsushita et Tamanuki, 1935, *Ins. Mats.*, 10 (1, 2) : 4 (Shuotsuomppo = Ju-UI-On-Bo)

Acmaeops minuta, Mori et Cho, 1939, *Bot. Zool.*, 7 (10) : 34 (Mt. Geum-Gang-San)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San; Mt. O-Bong-San, vic. Chun-Cheon; Mt. Chi-Ag-San

GG : Mt. So-Yo-San; Mt. Wang-Bang-San; Gwang-Neung; Mt. Myeong-Ji-San; Mt. Cheon-Ma-San; Nam-Han-San-Seong, vic. Seoul

JB : Mt. Nae-Jang-San

GB : Mt. So-Baeg-San; Mt. Pal-Gong-San; Mt. Nae-Yeon-San

GN : Sam-Nam-Myeon; Mt. Weon-Hyo-San; Mt. Ga-Ji-San

Genus *Sivana* Strand (1942) (Uriggot-Haneulso-Sog)

Sivana Strand, 1942, *Fol. Zool. Hydrobiol.*, 11 : 391

Type species : *Sieversia bicolor* Ganglbauer (1887) (Korea)

Sivana bicolor (Ganglbauer) (1887) (Uriggot-Haneulso)

Sieversia bicolor Ganglbauer, 1887, *Hor. Soc. Ent. Ross.*, 20 : 134 (Korea)

Sieversia coreana Okamoto, 1927, *Ins. Mats.*, 2 (2) : 67 (Sharei = Cha-Ryeong)

Sivana bicolor, Gressitt, 1951, *Longicornia*, 2 : 76 (Korea)

Collected Localities

GW : Mt. Chi-Ag-San

GG : Gwang-Neung; Mt. Cheon-Ma-San

Genus *Pseudosieversia* Pic (1902) (Ddasaeg-Haneulso-Sog)

Pseudosieversia Pic. 1902, Echange, 18 : 19

Type species : *Pidonia rufa* Kraatz (1879) (East Siberia)

Pseudosieversia rufa (Kraatz) (1879) (Ddasaeg-Haneulso)

Pidonia rufa Kraatz, 1879, Deut. Ent. Zeit., 23 : 101 (East Siberia)

Pseudosieversia coreana Matsushita, 1934, Trans. Nat. Hist. Soc. Formosa, 24 : 539, f. 3 (Mt. Kongo = Mt. Geum-Gang-San)

Pseudosieversia rufa, Cho, 1937, J. Chosen Nat. Hist. Soc., 22 : 48 (Mt. Gwan-Mo-Bong; Hab-Su; Mt. Nang-Nim-San)

Sieversia rufa, Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 26 (Yeon-Am)

Collected Localities

HB : Hab-Su

PN : Mt. Nang-Nim-San

GW : Mt. Seol-Ag-San; Mt. Bang-Dae-San; Gang-Neung

GG : Gwang-Neung

Genus *Pidonia* Mulsant (1863) (Gagsi-Haneulso-Sog)

Pidonia Mulsant, 1863, Col. France Long., 2 : 570

Type species : *Leptura lurida* Fabricius (1792) (Europe)

Omphalodera Solsky, 1873, Hor. Soc. Ent. Ross., 9 : 244

Type species : *Omphalodera puziloi* Solsky (1873) (Amurland)

Mumon Hayashi, 1968, Bull. Osaka Jonan Wom. Jun. College, 3 : 15

Type species : *Grammoptera debilis* Kraatz (1879) (Amurland)

Pidonia (*Pidonia*) *amurensis* (Pic) (1900) (Sangagsi-Haneulso)

Pseudopidonia amurensis Pic. 1900, Echange, 16 : 81 (East Siberia)

Pseudopidonia amurensis, Matsushita et Tamanuki, 1937, Ins. Mats., 11 (4) : 149 (Hoden = Bo-Jeon)

Pidonia signifera, Mori et Cho, 1939, Bot. Zool. 7 (10) : 34 (Mt. Geum-Gang-San)

Pidonia (*Pseudopidonia*) *amurensis*, Tamanuki, 1942, Fauna Nip. Ceramb., : 43, f. 85 (Korea)

Pidonia amurensis, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 30 (Korea)

Pidonia (*Pidonia*) *amurensis*, Hayashi, 1968, Bull. Osaka Jonan Wom. Jun. College, 3 : 35 (Korea)

Pidonia (*Pidonia*) *signifera* Bates, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 39 (Mt. Seol-Ag-San; Mt. Tae-Baeg-San; Mt. Chi-Ag-San; Gwang-Neung; Mt. Cheon-Ma-San; Mt. Myeong-Ji-San; Mt. So-Baeg-San; Mt. Ji-Ri-San)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San; Mt. Chi-Ag-San

GG : Gwang-Neung; Mt. Myeong-Ji-San; Mt. Cheon-Ma-San; Mt. Yong-Mun-San; Mt. Su-Ri-San

JN : Mt. Ji-Ri-San

GB : Mt. So-Baeg-San; Mt. Pal-Gong-San; Mt. Su-Do-San

GN : Mt. Ga-Ji-San

Pidonia (*Pidonia*) *signifera* (Bates) (1884) (Deulgagsi-Haneulso)

Grammoptera signifera Bates, 1884, J. Linn. Soc. London, 18 : 215 (Japan)

Pseudopidonia signifera, Heyrovsky, 1932, Ent. Nachr., 6 : 27 (Seishin = Cheong-Jin)

Pidonia (*pseudopidonia*) *signifera*, Tamanuki et Ooishi, 1937, Mushi, 9 (2) : 109 (Korea)

Pidonia (*Pidonia*) *signifera*, Hayashi, 1968, Bull. Osaka Jonan Wom. Jun. College, 3 : 50 (Korea?)

S.M. LEE: Longicorn beetles of Korea

Collected Locality

no Specimen

***Pidonia (Pidonia) maculithorax* Pic (1901) (Gagsi-Haneulso)**

Pidonia maculithorax Pic, 1901, Bull. Mus. Paris, 7 (7) : 338 (Japan)

Pseudopidonia maculithorax, Matsushita, 1937, Kontyu, 11 (1, 2) : 106 (Yodai = ?)

Pidonia (s. str.) *maculithorax*, Tamanuki, 1942, Fauna Nip. Ceramb., : 21, f. 66, 67 (Korea)

Pidonia maculithorax, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 33 (Korea)

Collected Locality

no Specimen

***Pidonia (Pidonia) alticollis* (Kraatz) (1879) (Hongaseumgagsi-Haneulso)**

Grammoptera alticollis Kraatz, 1879, Deut. Ent. Zeit. 23 : 103 (East Siberia)

Pseudopidonia alticollis, Plavilstshikov, 1936, Fune URSS, 21 : 528 f. 141 (Korea)

Pseudopidonia tristicula Kraatz, Plavilstshikov, 1936, Faune URSS, 21 : 528, f. 141 (Korea)

Pidonia (Pseudopidonia) malthinoides Kraatz, Seki, 1938, Ins. World, 42 (1) : 5 (Mt. Ma-Eui-San)

Pidonia (Pseudopidonia) tristicula, Tamanuki, 1942, Fauna Nip. Ceramb., : 37, f. 79 (Korea)

Pidonia alticollis, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 33 (Korea)

Pidonia tristicula, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 34 (Korea)

Pidonia (Pseudopidonia) alticollis, Gressitt, 1951, Longicornia, 2 : 27 (Korea)

Pidonia (Pidonia) alticollis, Hayashi, 1969, Bull. Osaka Jonan Wom. Jun. College, 4 : 71 (North Korea)

Pidonia (Pidonia) tristicula, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 39 (Mt. Seol-Ag-San; Mt. Tae-Baeg-San)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San

GB : Mt. So-Baeg-San

***Pidonia (Pidonia) gibbicollis* (Blessig) (1873) (Julgagsi-Haneulso)**

Leptura (Anoplodera) gibbicollis Blessig, 1873, Hor. Soc. Ent. Ross., 9 : 258 (Amurland)

Leptura (Pidonia) gibbicollis, Bates, 1888, Proc. Zool. Soc. London, : 378 (Korea)

Pseudopidonia gibbicollis, Okamoto, 1927, Ins. Mats., 2 (2) : 72 (Sharei = Cha-Ryeong; Gesseiji = Weol-Jeong-Sa)

Pidonia gibbicollis, Mori et Cho, 1939, Vol. Jub. Prof. Yoshida, Osaka, 525 (Korea)

Pidonia (Pseudopidonia) gibbicollis, Gressitt, 1951, Longicornia, 2 : 73 (Korea)

Pidonia (Pidonia) gibbicollis, Hayashi, 1969, Bull. Osaka Jonan Wom. Jun. College, 4 : 80 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Dae-Gwal-Ryeong; Mt. Chi-Ag-San; Mt. Tae-Baeg-San

GG : Mt. Aeng-Mu-Bong; Mt. Myeong-Ji-San; Gwang-Neung; Mt. Cheon-Ma-San; Mt. Bug-Han-San, vic. Seoul

JN : Mt. Ji-Ri-San

GB : Mt. So-Baeg-San; Mt. Su-Do-San

GN : Tong-Do-Sa; Mt-Ga-Ya-San

***Pidonia (Pidonia) suvorovi* Baeckmann (1903) (Bugbanggagsi-Haneulso)**

Pidonia suvorovi Baeckmann, 1903, Rev. Russ. d'Ent., 3 : 115 (South East Siberia)

Pseudopidonia suvorovi, Plavilstshikov, 1936, Faune URSS, 21 : 241, 527 (Korea)

Pidonia suvorovi, Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 26 (Yeon-Am)

Pidonia (Pseudopidonia) suvorovi, Gressitt, 1951, Longicornia, 2 : 75 (Korea)

Pidonia (Pidonia) suvorovi, Hayashi, 1969, Bull. Osaka Jonan Wom. Jun. College, 4 : 81 (North Korea)

Collected Locality

GW : Mt. Seol-Ag-San

Pidonia (Pidonia) similis (Kraatz) (1879) (Sanjulgagsi-Haneulso)

Grammoptera similis Kraatz, 1879, Deut. Ent. Zeit., 23 : 102 (Amurland)

Pseudopidonia similis, Plavilstshikov, 1936, Faune URSS, 21 : 525 (Korea)

Pidonia similis, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 34 (Korea)

Pidonia (Pseudopidonia) similis, Gressitt, 1951, Longicornia, 2 : 74 (Korea)

Pidonia (Pidonia) similis, Hayashi, 1969, Bull. Osaka Jonan Wom. Jun. College, 4 : 84 (Korea)

Pidonia (Pidonia) maculithorax Pic, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 39 (Mt. Seol-Ag-San; Mt. O-Dae-San; Mt. Tae-Baeg-San)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. O-Dae-San; Dae-Gwal-Ryeong; Mt. Tae-Baeg-San

JN : Mt. Ji-Ri-San

GB : Mt. So-Baeg-San

Pidonia (Omphalodera) puziloi (Solsky) (1873) (Neogjeomgagsi-Haneulso)

Omphalodera puziloi Solsky, 1873, Hor. Soc. Ent. Ross., 9 : 245 (Amurland)

Omphalodera puziloi, Okamoto, 1927, Ins. Mats., 2 (2) : 69 (Sharei = Cha-Ryeong)

Omphalodera puziloi var. *flaviventris* Bates, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 16 (Korea)

Omphalodera puziloi ab. *nigriventris* Plavilstshikov, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 34 (Korea)

Pidonia (Omphalodera) puziloi, Gressitt, 1951, Longicornia, 2 : 75 (Korea)

Pidonia puziloi, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 40 (Cha-Ryeong; Mt. Gwan-Mo-Bong)

Collected Localities

HB : Cha-Ryeong

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San; Mt. Chi-Ag-San

CB : Mt. Sog-Ni-San

JB : Mt. Nae-Jang-San

JN : Mt. Ji-Ri-San

GB : Mt. So-Baeg-San; Mt. Pal-Gong-San

GN : Mt. Weon-Hyo-San; Mt. Ga-Ji-San

Pidonia (mumon) debilis (Kraatz) (1879) (Norangagsi-Haneulso)

Grammoptera debilis Kraatz, 1879, Deut. Ent. Zeit., 23 : 104 (Amurland)

Pseudopidonia debilis, Matsushita, 1932, Trans. Kansai Ent. Soc., 3 : 64 (Kyoindo = ?)

Pseudopidonia aegrota Bates, Matsushita, 1933, J. Fac. Agr. Hokkaido Univ., 34 : 188 (Korea)

Pionia debilis, Cho, 1934, J. Chosen Nat. Hist. Soc., 17 : 78 (Mt. Gwan-Mo-Bong; Nam-A-Dan)

Pidonia (Pseudopidonia) debilis, Tamanuki, 1942, Fauna Nip. Ceramb., : 51 (Korea)

Pidonia (Pseudopidonia) debilis debilis, Gressitt, 1951, Longicornia, 2 : 73 (Korea)

Pidonia (Mumon) debilis, Hayashi, 1968, Bull. Osaka Jonan Wom. Jun. College, 3 : 15 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Bang-Dae-San; Mt. O-Dae-San

GG : Mt. Cheon-Ma-San; Mt. Myeong-Ji-San

CB : Mt. Sog-Ni-San

JB : Mt. Nae-Jang-San

JN : Mt. Ji-Ri-San

S.M. LEE: Longicorn beetles of Korea

GB : Mt. So-Baeg-San; Mt. Pal-Gong-San

GN : Mt. Weon-Hyo-San

Tribe LEPTURINI Mulsant (1839) (Geomjeonggot-Haneulso-Jog)

Genus *Grammoptera* Serville (1835) (Aesungiggot-Haneulso-Sog)

Grammoptera Serville, 1835, Ann. Soc. Ent. France, 4 : 215

Type species : *Leptura praeusta* Fabricius (1787) (Europe)

Grammoptera gracilis Brancsk (1914) (Aesungiggot-Haneulso)

Grammoptera gracilis Brancsk, 1914, Bull. Mus. Kom. Trans., : 58 (East Siberia)

Grammoptera gracilis, Tamanuki, 1942, Fauna Nip. Ceramb., : 55 (Korea)

Collected Locality

GW : Mt. Seol-Ag-San

Genus *Alosterna* Mulsant (1863) (Ggomaggot-Haneulso-Sog)

Alosterna Mulsant, 1863, Col. France Long., 2 : 576

Type species : *Leptura tabacicolor* De Geer (1775) (Europe)

Alosterna elegantula (Kraatz) (1879) (Ggomaggot-Haneulso)

Grammoptera elegantula Kraatz, 1879, Deut. Ent. Zeit., 23 : 105 (Amuland)

Alosterna elegantula, Plavilstshikov, 1936, Faune URSS, 21 : 547 (Korea)

Grammoptera elegantula, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 34 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San

GG : Gwang-Neung

GB : Mt. So-Baeg-San; Mt. Pal-Gong-San

Alosterna tabacicolor (De Geer) (1775) (Bugbangggot-Haneulso)

Leptura tabacicolor De Geer, 1775, Mem. Ins., 5 : 139 (Europe)

Alosterna tabacicolor bivittis Motschulsky, Plavilstshikov, 1936, Faune URSS, 21 : 547 (Korea)

Alosterna tabacicolor, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 35 (Korea)

Alosterna bivittis, Cho, 1957, Hum. Sci. Korea Univ., 2 : 254 (Korea)

Collected Locality

GW : Mt. Tae-Baeg-San

Genus *Cornumutula* Letzner (1843) (Sejulggot-Haneulso-Sog)

Cornumutula Letzner, 1843, Arb. Schles. Ges. vaterl. Cult., : 173

Type species : *Cornumutula lineata* Letzner (1843) (Europe)

Cornumutula quadrivittata (Gebler) (1830) (Sejulggot-Haneulso)

Leptura quadrivittata Gebler, 1830, Ledeb. Reise, 2 (2) : 193 (Siberia)

Cornumutula quadrivittata, Mochizuki, 1939, Keichu Rikabuho, 4 : 39, f. 4 (Mt. Du-Ryu-San)

Collected Locality

no Specimen

Genus *Nivellia* Mulsant (1863) (Udanggot-Haneulso-Sog)

Nivellia Mulsant, 1863, Col. France Long., 2 : 564

Type species : *Leptura sanguinosa* Gyllenhal (1827) (Sweden)

Nivellia (Nivellia) sanguinosa (Gyllenhal) (1827) (Udanggot-Haneulso)

Leptura sanguinosa Gyllenhal, 1827, Ins. Suecica, 1 (4) : 21 (Sweden)

Nivellia sanguinosa, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 19 (North Korea)

Nivellia sanguinolenta Gyllenhal, Doi, 1938, Mushu, 11 (1) : 97 (Gaima = Gae-Ma Plateau)

Nivellia (Nivellia) sanguinosa, Hayashi, 1960, Niponius, 1 (6) : 12 (Korea)

Collected Localities

HN : Bo-Cheon-Po; Mt. Un-Su-Ryeong

Nivellia (Nivellia) extensa (Gebler) (1841) (Geomjeongudanggot-Haneulso)

Leptura extensa Gebler, 1841, Bull. Moscou, 14 : 613 (Nerchinsk, East Siberia)

Nivellia extensa, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 37 (Mt. Gwan-Mo-Bong)

Nivellia (Nivellia) extensa, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 41 (Mt. Seol-Ag-San; Mt. Tae-Baeg-San)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San

Genus *Judolia* Mulsant (1863) (Allagggot-Haneulso-Sog)

Judolia Mulsant, 1863, Col. France Long., 2 : 496

Type species : *Leptura sexmaculata* Linnaeus (1758) (Europe)

Pachytodes Pic, 1891, Mat. Long., 1 : 65

Type species : *Leptura cerambyciformis* Schrank (1781) (Europe)

Judolia (Judolia) sexmaculata (Linnaeus) (1758) (Allagggot-Haneulso)

Leptura sexmaculata Linnaeus, 1758, Syst. Nat., 10 : 398 (Europe)

Strangalia trifasciata Fabricius, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 441 (Keizanchin = He-San-Jin; Mt. Daitoku = Mt. Dae-Deog-San)

Judolia sexmaculata, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 14 (Korea)

Judolia sexmaculata var. *parallelopipeda* Motschulsky, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 19 (Korea)

Judolia erratica Dalman, Cho, 1937, J. Chosen Nat. Hist. Soc., 22 : 46 (Hab-Su; Mt. Nang-Nim-San)

Judolia sexmaculata parallelopipeda, Cho, 1942, J. Chosen Nat. Hist. Soc. 9 (34) : 56 (Dae-Heung-Dong, Gang-Ge-Gun)

Anoplodera (Judolia) sexmaculata, Gressitt, 1951, Longicornia, 2 : 90 (Korea)

Judolia (Judolia) parallelopipeda, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, : 377 (Korea)

Anoplodera sexmaculata, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 47 (North Korea)

Judolia (Judolia) sexmaculata, Ohbayashi, 1963, Ico, Ins. Jap. Col., Tokyo, 2 : 279, pl. 140, f. 8 (Korea)

Collected Localities

HB : Hab-Su; Mt. Nam-Seol-Ryeong

PN : Mt. Nang-Nim-San

GW : Mt. Seol-Ag-San

Judolia (Pachytodes) longipes (Gebler) (1832) (Sanallagggot-Haneulso)

S.M. LEE: Longicorn beetles of Korea

Pachyta longipes Gebler, 1832, Nouv. Mem. Moscou, 2 : 67 (Siberia)

Judolia (Pachytodes) longipes, Plavilstshikov, 1925, Rev. Esp. Ent., 1 (3) : 311 (Korea)

Judolia longipes, Matsushita et Tamanuki, 1935, Ins. Mats., 10 (1, 2) : 4 (Mt. Kambbo = Mt. Gwan-Mo-Bong)

Anoplodera (Pachytodes) longipes, Gressitt, 1951, Longicornia, 2 : 91 (Korea)

Anoplodera longipes, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 48 (Yeon-Am; Mt. Gwan-Mo-Bong)

Collected Locality

GW : Mt. Seol-Ag-San

Judolia (Pachytodes) cometes (Bates) (1884) (Keunallaggot-Haneulso)

Leptura (Judolia) cometes Bates, 1884, J. Linn. Soc. London, 18 : 218 (Japan)

Leptura cometes, Ishii, 1940, Keichu Rikabuho, 5 : 53 (Mt. So-Yo-San)

Judolia (Pachytodes) cometes, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 42 (Korea)

Collected Locality

no Specimen

Genus *Judolidia* Plavilstshikov (1936) (Meogggot-Haneulso-Sog)

Judolidia Plavilstshikov, 1936, Faune URSS, 21 : 399, 572

Type species : *Judolidia znojkoii* Plavilstshikov (1936) (Ussuriland) = *Leptura bangi* Pic (1901) (Japan)

Judolidia bangi (Pic) (1901) (Meogggot-Haneulso)

Leptura bangi Pic, 1901, Bull. Mus. Paris, 7 (7) : 340 (Yokohama)

Judolidia znojkoii Plavilstshikov, 1936, Faune URSS, 21 : 440, 573, f. 131 (East Siberia; Korea)

Judolidia bangi, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 35 (Korea)

Anoplodera (judolidia) bangi, Gressitt, 1951, Longicornia, 2 : 90 (Korea)

Judolia bangi, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, : 377 (Korea)

Anoplodera bangi, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 47 (korea)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Mt. So-Yo-San; Mt. Aeng-Mu-Bong; Gwang-Neung; Mt. Myeong-Ji-San; Mt. Cheon-Ma-San

JB : Mt. Nae-Jang-San

JN : Mt. Ji-Ri-San

Genus *Anoplodera* Mulsant (1839) (Sanggot-Haneulso-Sog)

Anoplodera Mulsant, 1839, Col. France Long., : 285

Type species : *Leptura sexguttata* Fabricius (1775) (Europe).

Pseudalosterna Plavilstshikov, 1934, Ent. Blat. Berlin, 30 : 132

Type species : *Pseudalosterna orientalis* Plavilstshikov (1934) (East Siberia) = *Leptura* (s. str.) *misella* Bates (1884) (Japan)

Anoplocleromorpha Pic, 1901, Bull. Mus. Paris, 7 : 59

Type species : *Leptura* (s. str.) *excavata* Bates (1884) (Japan)

Anastrangalia Casey, 1924, Mem. Col., 11 : 279

Type species : *Leptura sanguinea* Le Conte (1859) (North America)

Corymbia Des Gozis, 1886, Rech. L'Espece Typique, : 33

Type species : *Leptura rubra* Linnaeus (1758) (Europe)

***Anoploclera (Anoploclera) baeckmanni* (Plavilstshikov) (1936) (Hamgyeongsanggot-Haneulso)**

Leptura (Anoploclera) baeckmanni Plavilstshikov, 1936, Faune URSS, 21 : 553, 567, f. 169 (East Siberia)

Leptura (Anoploclera) baeckmanni, Tamanuki, 1938, Ins. Mats., 12 (4) : 168 (Mt. Baji = Mt. Ma-Eui-San)

Leptura baeckmanni, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 35 (Mt. Ma-Eui-San)

Anoploclera (s. str.) *baeckmanni*, Gressitt, 1951, Longicornia, 2 : 87 (Korea)

Anoploclera baeckmanni, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 44 (Mt. Ma-Eui-San)

Collected Locality

no Specimen

***Anoploclera (Anoploclera) renardi* (Gebler) (1848) (Bugbongsanggot-Haneulso)**

Leptura renardi Gebler, 1848, Bull. Moscou, 21 (1) : 420 (Siberia)

Leptura renardi, Tamanuki, 1942, Fauna Nip. Ceramb., : 99, f. 127 (Korea)

Anoploclera (s. str.) *renardi*, Gressitt, 1951, Longicornia, 2 : 87 (Korea)

Anoploclera renardi, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 45 (Deog-Nip)

Collected Locality

no Specimen

***Anoploclera (Pseudalosterna) misella* (Bates) (1884) (Ggomasanggot-Haneulso)**

Leptura misella Bates, 1884, J. Linn. Soc. London, 18 : 216 (Japan)

Leptura (Pseudalosterna) misella, Tamanuki, 1942, Fauna Nip. Ceramb., : 84, f. 113 (Korea)

Leptura misella, Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 27 (Yeon-Am)

Anoploclera (Anoplocleromorpha) misella, Gressitt, 1951, Longicornia, 2 : 86 (Korea)

Pseudalosterna misella, Hayashi, 1960, Niponius, 1 (6) : 7 (Korea)

Anoploclera misella, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 44 (Yeon-Am)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Chi-Ag-San

CB : Mt. Sog-Ni-San

GB : Mt. So-Baeg-San

GN : Mt. Weon-Hyo-San

***Anoploclera (Anoplocleromorpha) cyanea* (Gebler) (1832) (Namsaegsanggot-Haneulso)**

Leptura cyanea Gebler, 1832, Mem. Soc. Nat. Moscou Nouv., 2 : 70 (East Siberia)

Leptura (Anoplocleromorpha) cyanea, Okamoto, 1927, Ins. Mats., 2 (2) : 72 (Sharei = Cha-Ryeong)

Leptura cyanea, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 450 (Mt. Hakuto = Mt. Baeg-Du-San)

Anoploclera (Anoplocleromorpha) cyanea cyanea, Gressitt, 1951, Longicornia, 2 : 85 (Korea)

Anoploclera cyanea, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 44 (Mt. Baeg-Du-San; Mt. Gwan-Mo-Bong; Cha-Ryeong; Pung-Yu-Ri; Deog-Nip; Mt. Nang-Nim-San; Mt. Geum-Gang-San)

Anoplocleromorpha cyanea, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 277 (Korea)

Anoploclera (Anoplocleromorpha) cyanea, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 27 (Korea)

Collected Localities

GW : Mt. Hyang-No-Bong; Mt. Seol-Ag-San; Mt. Tae-Baeg-San

GG : Gwang-Neung

CB : Mt. Sog-Ni-San

S.M. LEE: Longicorn beetles of Korea

GB : Mt. So-Baeg-San

Anoploclera (Anastrangalia) rufihumeralis (Tamanuki) (1938) (Bulguneoggesanggot-Haneulso)

Leptura (Anoploclera) rufihumeralis Tamanuki, 1938, Ins. Mats., 15 (4) : 167 (Mt. Baji = Mt. Ma-Eui-San)

Leptura rufihumeralis, Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 27 (Yeon-Am)

Anoploclera (s. str.) *rufihumeralis*, Gressitt, 1951, Longicornia, 2 : 88 (Korea)

Anoploclera rufihumeralis, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 45 (Mt. Ma-Eui-San; Mt. Du-Ryu-San; Yeon-Am)

Anoploclera (Anastrangalia) rufihumeralis, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 43 (Mt. Du-Ryu-San)

Collected Locality

HB : Mt. Du-Ryu-San

Anoploclera (Anastrangalia) scotodes (Bates) (1873) (Sugeomunsanggot-Haneulso)

Leptura scotodes Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 194 (Nagasaki)

Leptura sanguinolenta Linnaeus, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 131 (Korea)

Leptura scotodes, Cho, 1934, J. Chosen Nat. Hist. Soc., 17 : 46 (Mt. Geum-Gang-San; Mt. Gwan-Mo-Bong)

Anoploclera (s. str.) *scotodes scotodes*, Gressitt, 1951, Longicornia, 2 : 89 (Korea)

Anoploclera (s. str.) *scotodes continentalis* Plavilstshikov, Gressitt, 1951, Longicornia, 2 : 89 (Korea)

Anoploclera (Aredolpona) scotodes, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, : 378 (Korea)

Anoploclera sanguinolenta, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 46 (Mt. Gwan-Mo-Bong; Hab-Su; Hu-Chang; Sam-Po; Su-Weon; Gwang-Neung; Mt. Baeg-Yang-San)

Anoploclera scotodes, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 46 (Mt. Geum-Gang-San; Mt. Gwan-Mo-Bong; Gwang-Ju, Jeon-Nam)

Marthaleptura scotodes continentalis, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 278 (Korea)

Anoploclera (Anastrangalia) scotodes, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 44 (Mt. Seol-Ag-San; Mt. Tae-Baeg-San; Gwang-Neung)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San

GG : Gwang-Neung

Anoploclera (Anastrangalia) sequensi (Reitter) (1898) (Yeobgeomunsanggot-Haneulso)

Leptura sequensi Reitter, 1898, Wine. Ent. Ztg., 17 : 194 (East Siberia)

Leptura cincta Fabricius, Bates, 1888, Proc. Zool. Soc. London, : 378 (Korea)

Leptura fulva De Geer, Okamoto, 1927, Ins. Mats., 2 (2) : 71 (Sharei = Cha-Ryeong; Mt. Kongo = Mt. Geum-Gang-San)

Leptura dubia Scopoli, Okamoto, 1927, Ins. Mats., 2 (2) : 72 (Korea)

Leptura sequensi, Tamanuki, 1933, Ins. Mats., 8 (2) : 85 (North Korea)

Leptura sachalinensis Matsushita?, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 19 (North Korea)

Anoploclera (s. str.) *sequensi*, Gressitt, 1951, Longicornia, 2 : 89 (Korea)

Anoploclera (Aredolpona) sequensi, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, : 379 (Korea)

Anoploclera sequensi, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 46 (Korea)

Marthaleptura sequensi, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 278, pl. 139, f. 19

(Korea)

Anoplodera (Anastrangalia) sequensi, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 28 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San; Yeong-Weol

GG : Mt. Cheon-Ma-San; Mt. Yong-Mun-San; Mt. Un-Ag-San; Mt. Myeong-Ji-San

GB : Mt. Sam-Bang-San; Mt. Pal-Gong-San

GN : Mt. Ga-Ya-San

Anoplodera (Corymbia) rubra (Linnaeus) (1758) (Bulgunsanggot-Haneulso)

Leptura rubra Linnaeus, 1758, Syst. Nat., 10 : 397 (Europe)

Leptura succedanea Lewis, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 131 (Korea)

Leptura virens Linnaeus, Doi, 1935, Bull. Sci. Mus. Keijo Korea, 35 : 4 (Is. Wan-Do)

Anoplodera (s. str.) rubra dichroa Blanchard, Gressitt, 1951, Longicornia, 2 : 88 (Korea)

Anoplodera (Aredolpona) rubra succedanea, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, : 378 (Korea)

Anoplodera rubra succedanea, Hayashi, 1961, Col. Ill. Ins. Jap. Osaka, 1 : 142, pl. 44, f. 1009 (Korea)

Anoplodera rubra, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 45 (Korea)

Corymbia succedanea, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 278, pl. 139, f. 15 (Korea)

Anoplodera (Corymbia) rubra succedanea, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 29 (Korea)

Anoplodera (Corymbia) rubra, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 44 (Whole Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. O-Dae-San; So-Geum-Gang; Gang-Neung; Mt. Chi-Ag-San

GG : Mt. Aeng-Mu-Bong; Mt. Deog-Am-San; Gwang-Neung; Mt. Do-Bong-San; Mt. Bug-Han-San, vic. Seoul; Mt. Nam-San, Seoul; Nam-Han-San-Seong, vic. Seoul; Jeon-Deung-Sa, Is. Gang-Hwa-Do

CN : Mt. Ge-Ryong-San

GB : Mt. So-Baeg-San; Bu-Seog-Sa; So-Su-Seo-Weon; Mt. Ju-Wang-San; Jig-Ji-Sa; Mt. Nae-Yeon-San; Do-Dong, Is. Ul-Lung-Do; Mt. Pal-Gong-San

GN : Mil-Yang

Anoplodera (Corymbia) variicornis (Dalman) (1817) (Allagsuyeomsanggot-Haneulso)

Leptura variicornis Dalman, 1817, in Schonherr, Syn. Ins., 1 (3) : 482, Nota f. (Europe)

Leptura variicornis, Okamoto, 1927, Ins. Mats., 2 (2) : 71 (Gessei = Weol-Jeong-Sa; Sharei = Cha-Ryeong; Mt. Kongo = Mt. Geum-Gang-San)

Anoplodera (s. str.) variicornis, Gressitt, 1951, Longicornia, 2 : 89 (Korea)

Anoplodera (Aredolpona) variicornis, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 379 (Korea)

Anoplodera variicornis, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 47 (North and Middle Korea)

Corymbia variicornis, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 278, pl. 139, f. 16 (Korea)

Anoplodera (Corymbia) variicornis, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 29 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. O-Dae-San

Genus *Leptura* Linnaeus (1758) (Ggot-Haneulso-Sog)

Leptura Linnaeus, 1758, Syst. Nat., 10 : 397

Type species : *Leptura quadri-fasciata* Linnaeus (1758) (Europe)

S.M. LEE: Longicorn beetles of Korea

Megaleptura Casey, 1913, Mem. Col., 4 : 267

Type species : *Leptura emarginata* Fabricius (1787) (Canada)

Pedostrangalia Sokolow, 1896, Hor. Soc. Ent. Ross., 30 : 461

Type species : *Strangalia (Pedostrangalia) kassjanowi* Sokolow (1896) (Transcaspia)

Leptura (Leptura) quadrifasciata Linnaeus (1758) (Bugbanggot-Haneulso)

Leptura quadrifasciata Linnaeus, 1758, Syst. Nat., 10 : 398 (Europe)

Strangalia (s. str.) *quadrifasciata*, Plavilstshikov, 1936, Faune URSS, 21 : 578 (Korea)

Leptura (s. str.) *quadrifasciata*, Gressitt, 1951, Longicornia, 2 : 101 (Korea)

Leptura quadrifasciata, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 51 (Korea)

Collected Locality

no Specimen

Leptura (Leptura) aethiops Poda (1761) (Ggot-Haneulso)

Leptura aethiops Poda, 1761, Ins. Mus. Graecensis, : 38 (Greece)

Leptura atra Fabricius, Kolbe, 1886, Arch. Naturg., 52 (1) : 225 (Korea)

Leptura (Stenura) aethiops, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Leptura (Stenura) adustipennis Solsky, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Strangalia atra, Okamoto, 1924, Bull. Agr. Exp. Sta. Chosen, 1 (2) : 190 (Quelpart Is. = Is. Je-Ju-Do)

Strangalia aethiops, Okamoto, 1927, Ins. Mats., 2 (2) : 69 (Korea)

Strangalia (s. str.) *coreana* Matsushita, 1933, Ins. Mats., 7 (3) : 104 (Korea)

Strangalia adustipennis ab. *coreana*, Plavilstshikov, 1933, Ent. Nachr., 7 (4) : 130 (Korea)

Strangalia (s. str.) *aethiops* ab. *coreana*, Plavilstshikov, 1933, Ent. Nachr., 7 (4) : 131 (Korea)

Leptura dimorpha Bates, Cho, 1934, J. Chosen Nat. Hist. Soc., 17 : 45, f. 8 (Mt. Baeg-Bong, Gang-Weon-Do)

Strangalia adustipennis, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 37 (Korea)

Leptura (s. str.) *aethiops aethiops*, Gressitt, 1951, Longicornia, 2 : 96 (Korea)

Leptura (s. str.) *aethiops adustipennis*, Gressitt, 1951, Longicornia, 2 : 96 (Korea)

Strangalia aethiops f. *dimorpha*, Cho, 1957, Hum. Sci. Korea Univ., 2 : 256 (Korea)

Leptura (Leptura) aethiops, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, : 380 (Korea)

Leptura (Leptura) aethiops dimorpha, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, : 380 (Korea)

Leptura aethiops, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 49 (Korea)

Collected Localities

HB : Dae-Taeg

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San; Gang-Chon

GG : Mt. Gam-Ag-San; Mt. So-Yo-San; Mt. Wang-Bang-San; Mt. Aeng-Mu-Bong; Gwang-Neung; Mt. Deog-Am-San; Mt. Bug-Han-San, vic. Seoul; Mt. Cheon-Ma-San; Mt. Yong-Mun-San; Mt. Myeong-Ji-San; Mt. Hwa-Ag-San

JB : Mt. Nae-Jang-San

GB : An-Dong; Mt. So-Baeg-San; Mt. Sam-Bang-San; Jig-Ji-Sa; Mt. Pal-Gong-San

GN : Sam-Nam-Myeon; Mil-Yang; Tong-Do-Sa

JJ : Mt. Hal-La-San

Leptura (Leptura) arcuata Panzer (1793) (Allaggot-Hanoulso)

Leptura arcuata Panzer, 1793, Fauna Ins. Germ., 7 : 524 (Germany)

Strangalia (Leptura) arcuata, Kolbe, 1886, Arch. Naturg., 52 (1) : 225 (Korea)

Leptura (Stenura) arcuata, Bates, 1888, Proc. Zool. Soc. London, : 378 (Korea)

Strangalia arcuata, Okamoto, 1927, Ins. Mats., 2 (2) : 70 (Korea)

Judolia cometes Bates, Yoshino, 1935, Ins. World, 39 (480) : 14 (Dae-Deog-Ni, Jeon-Nam)

Leptura (s. str.) *arcuata*, Gressitt, 1951, Longicornia, 2 : 97 (Korea)

Leptura arcuata, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 50 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. O-Dae-San; So-Geum-Gang; Mt. Tae-Baeg-San; Gang-Chon

GG : Mt. So-Yo-San; Mt. Aeng-Mu-Bong; Mt. Cheon-Ma-San; Mt. Myeong-Ji-San; Gwang-Neung

GB : Mt. So-Baeg-San; Mt. Pal-Gong-San

GN : Sam-Nam-Myeon; Mt. Ga-Ji-San

JJ : Mt. Hal-La-San

Leptura (*Leptura*) *duodecimguttata* Fabricius (1801) (Yeoldujeombagiggot-Haneulso)

Leptura duodecimguttata Fabricius, 1801, Syst. Eleuth., 2 : 353 (Kiel, Germany)

Strangalia duodecimguttata, Okamoto, 1927, Ins. Mats., 2 (2) : 70 (Sharei = Cha-Ryëong)

Leptura (s. str.) *duodecimguttata duodecimguttata*, Gressitt, 1951, Longicornia, 2 : 98 (Korea)

Leptura (*Leptura*) *duodecimguttata*, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, : 382 (Korea)

Leptura duodecimguttata, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 50 (Korea)

Collected Localities

HB : Mt. Gwan-Mo-Bong; Mt. Un-Su-Ryeong

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San

GG : Gwang-Neung; Mt. Cheon-Ma-San; Mt. Myeong-Ji-San

JB : Mt. Nae-Jang-San

Leptura (*Leptura*) *ochraceofasciata* (Motschulsky) (1861) (Neogjulggot-Haneulso)

Stenura ochraceofasciata Motschulsky, 1861, Etud. Ent., 10 : 21 (Japan)

Strangalia ochraceofasciata, Cho, 1934, J. Chosen Nat. Hist. Soc., 17 : 44 (Mt. Gwan-Mo-Bong; Mt. Baeg-Du-San; Mu-San-Ryeong)

Leptura ochraceofasciata, Esaki et al., 1938, Ins. Jap. Ill. Ico., : 308, pl. 139, f. 542 (Korea)

Leptura (s. str.) *ochraceofasciata*, Gressitt, 1951, Longicornia, 2 : 101 (Korea)

Collected Locality

no Specimen

Leptura (*Megaleptura*) *regalis* (Bates) (1884) (Keunneogjulggot-Haneulso)

Strangalia regalis Bates, 1884, J. Linn. Soc. London, 18 : 223 (Sapporo; Iga, Japan)

Leptura (*strangalia*) *maindroni* Pic ab. *coreana* Pic, 1901, Bull. Mus. Paris, 7 : 61 (Korea)

Strangalia regalis ab. *coreana*, Nishio, 1940, Ent. World, 8 (82) : 830 (Korea)

Strangalia regalis, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 39 (Korea)

Leptura (*Macroleptura*) *regalis*, Keihin Kontyu Dokokai, 1959, New. Ins. Coll. Tokyo, : 383 (Korea)

Collected Locality

no Specimen

Leptura (*Megaleptura*) *thoracica* Creutzer (1799) (Honggaseumggot-Haneulso)

Leptura thoracica Creutzer, 1799, Ent. Versuche, : 125 (Karlshad, Czechoslovakia)

Leptura (*Stenura*) *thoracica*, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Strangalia thoracica, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 19 (Korea)

Strangalia thoracica ab. *pliginskii* Plavilstshikov, Seki, 1938, Ins. World, 42 (1) : 5 (Hu-Chang)

Leptura (s. str.) *thoracica*, Gressitt, 1951, Longicornia, 2 : 102 (Korea)

Leptura thoracica ab. *pliginskii*, Cho, 1957, Hum. Sci. Korea Univ., 2 : 256 (Korea)

S.M. LEE: Longicorn beetles of Korea

Leptura (Macroleptura) thoracica, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, : 383 (Korea)

Macroleptura thoracica, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 282, pl. 141, f. 5 (Korea)

Leptura (Megaleptura) thoracica, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 33 (Korea)

Collected Locality

GW : Mt. Seol-Ag-San

Leptura (Podostrangalia) femoralis (Motschulsky) (1860) (Noranjeomggot-Haneulso)

Stenura femoralis Motschulsky, 1860, Etud. Ent., 9 : 40 (Amurland)

Strangalia (Podostrangalia) femoralis, Plavilstshikov, 1936, Faune URSS, 21 : 587 (Korea)

Strangalia xanthoma Bates f. *murayamai* Matsushita, 1937, Kontyu, 11 (1, 2) : 102 (Koryo = Gwang-Neung)

Strangalia (Sphenalia) xanthoma ab. *murayamai*, Matsushita et Tamanuki, 1937, Ins. Mats., 11 (4) : 148 (Korea)

Strangalia femoralis, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 37 (Korea)

Strangalia xanthoma ab. *murayamai*, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 37 (Gwang-Neung)

Leptura (Podostrangalia) femoralis, Gressitt, 1951, Longicornia, 2 : 103 (Korea)

Leptura (Podostrangalia) xanthoma, Gressitt, 1951, Longicornia, 2 : 103 (Korea)

Leptura (Pseudostrangalia) femoralis, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, : 385 (Korea)

Leptura femoralis, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 52 (Korea)

Leptura xanthoma, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 52 (Korea)

Podostrangalia femoralis, Hayashi, 1961, Col. Ill. Ins. Jap. Osaka, Col., : 146, pl. 45, f. 1035 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Mt. So-Yo-San; Mt. Aeng-Mu-Bong; Gwang-Neung; Mt. Un-Ag-San

Genus *Oedecnema* Thomson (1857) (Altongdariggot-Haneulso-Sog)

Oedecnema Thomson, 1857, Arch. Ent., 1 : 319

Type species : *Leptura dubia* Fabricius (1781) (Siberia)

Oedecnema dubia (Fabricius) (1781) (Altongdariggot-Haneulso)

Leptura dubia Fabricius, 1781, Spec. Ins., 1 : 249 (Siberia)

Oedecnema dubia, Okamoto, 1927, Ins. Mats., 2 (2) : 69 (Koryo = Gwang-Neung; Shakuoji = Seog-Wang-Sa; Sharei = Cha-Ryeong)

Strangalia decemmaculata Matsushita, Doi, 1938, Mushi, 11 (1) : 97 (Gaima = Gae-Ma Plateau)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Mt. So-Yo-San; Gwang-Neung; Mt. Myeong-Ji-San

Genus *Strangalomorpha* Solsky (1873) (Ggalddaguggot-Haneulso-Sog)

Strangalomorpha Solsky, 1873, Hor. Soc. Ent. Ross., 9 : 253

Type species : *Strangalomorpha tenuis* Solsky (1873) (Amurland)

Strangalomorpha tenuis Solsky (1873) (Ggalddaguggot-Haneulso)

Strangalomorpha tenuis Solsky, 1873, Hor. Soc. Ent. Ross., 9 : 254 (Suyfur, Amurland)

- Strangalomorpha tenuis*, Plavilstshikov, 1936, Faune URSS, 21 : 551 (Korea)
Strangalia (Strangalomorpha) tenuis, Gressitt, 1951, Longicornia, 2 : 113 (Korea)
Strangalia tenuis, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 53 (Mt. Geum-Gang-San)

Collected Localities

- GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San
 GG : Mt. Cheon-Ma-San; Mt. Myeong-Ji-San
 JB : Mt. Nae-Jang-San
 GB : Mt. So-Baeg-San; Mt. Pal-Gong-San
 GN : Mt. Ga-Ya-San

Genus *Strangalia* Serville (1835) (Julggalddaguggot-Haneulso-Sog)

Strangalia Serville, 1835, Ann. Soc. Ent. France, 4 : 220

Type species : *Leptura luteicornis* Fabricius (1775) (North America)

Strangalia (Strangalia) attenuata (Linnaeus) (1758) (Julggalddaguggot-Haneulso)

Leptura attenuata Linnaeus, 1758, Syst. Nat., 10 : 398 (Europe)

Strangalia attenuata, Okamoto, 1927, Ins. Mats., 2 (2) : 70 (Mt. Kongo = Mt. Geum-Gang-San;
 Sharei = Cha-Ryeong; Kwainei = Hoe-Ryeong)

Strangalia (s. str.) *attenuata*, Gressitt, 1951, Longicornia, 2 : 114 (Korea)

Collected Locality

GB : Mt. Su-Do-San

Tribe EROSCHEMINI Lacordaire (1869) (Myeongju-Haneulso-Jog)

Genus *Corennys* Bates (1884) (Myeongju-Haneulso-Sog)

Corennys Bates, J. Linn. Soc. London, 18 : 224

Type species : *Corennys sericata* Bates (1884) (Japan)

Corennys sericata Bates (1884) (Myeongju-Haneulso)

Corennys sericata Bates, 1884, J. Linn. Soc. London, 18 : 225 (Japan)

Corennys sericata, Koo, 1963, Kor. J. Zool., 6 (1) : 27 (Mt. Myeong-Ji-San)

Collected Locality

no Specimen

Tribe NECYDALINI Thomson (1866) (Beol-Haneulso-Jog)

Genus *Necydalis* Linnaeus (1758) (Beol-Haneulso-Sog)

Necydalis Linnaeus, 1758, Syst. Nat., 10 : 421

Type species : *Necydalis major* Linnaeus (1758) (Europe) "Uncertain"

Necydalis major Linnaeus (1758) (Beol-Haneulso)

Necydalis major Linnaeus, 1758, Syst. Nat., 10 : 421 (Europe)

Necydalis major, Cho, 1934, J. Chosen Nat. Hist. Soc., 17 : 49, pl. 5, f. 14 (Gab-San, Ham-Nam)

Necydalis (Necydalis) major, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 39 (Korea)

Necydalis (Necydalis) major major, Sakaguti, 1981, Ins. World, 5 : pl. 38, f. 1 (Korea)

Collected Locality

no Specimen

S.M. LEE: Longicorn beetles of Korea

Necydalis pennata Lewis (1879) (Keunbeol-Haneulso)

Necydalis pennata Lewis, 1879, Ann. Mag. Nat. Hist. London, 5 (4) : 464 (Japan)

Necydalis (Necydalisca) pennata, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 40 (Is. Je-Ju-Do)

Necydalis (Necydalis) pennata f. *edenina* Bates, Sakaguti, 1981, Ins. World, 5 : pl. 38, f. 15
(Mt. Hal-La-San, Je-Ju-Do)

Collected Locality

GW : Mt. Tae-Baeg-San

Necydalis sachalinensis Matsumura et Tamanuki (1927) (Bugbangbeol-Haneulso)

Necydalis sachalinensis Matsumura et Tamanuki, 1927, Ins. Mats., 1 (4) : 176 (Sakhalin)

Necydalis sachalinensis, Mochizuki et Tsunekawa, 1937, J. Chosen Nat. Hist. Soc., 22 : 88
(Seoul)

Necydalis (Necydalisca) sachalinensis, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 146
(Korea)

Collected Locality

no Specimen

Subfamily CERAMBYCINAE Latreille (1804) (Haneulso-Agwa)

Tribe METHIINI Lacordaire (1869) (Cheongjul-Haneulso-Jog)

Genus *Xystrocera* Serville (1834) (Cheongjul-Haneulso-Sog)

Xystrocera Serville, 1934, Ann. Soc. Ent. France, 3 : 69

Type species : *Cerambyx globosus* Olivier (1795) (Orient)

Xystrocera globosa (Olivier) (1795) (Cheongjul-Haneulso)

Cerambyx globosus Olivier, 1795, Entomologie, 4 (67) : 27 (Java)

Xystrocera globosa, Okamoto, 1927, Ins. Mats., 2 (2) : 65 (Suigen = Su-Weon; Moppo = Mog-Po)

Collected Localities

GG : Mt. Do-Bong-San; Yang-Ji; Su-Weon

JN : Is. Hong-Do

Genus *Leptoxenus* Bates (1877) (Holjug-Haneulso-Sog)

Leptoxenus Bates, 1877, Ent. Month. Mag., 14 : 37

Type species : *Leptoxenus ibidiiiformis* Bates (1877) (Japan)

Leptoxenus ibidiiiformis Bates (1877) (Holjug-Haneulso)

Leptoxenus ibidiiiformis Bates, 1877, Ent. Month. Mag., 14 : 37 (Japan)

Leptoxenus ibidiiiformis, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 58 (Mt. So-Yo-San)

Collected Localities

GN : Mt. Ga-ji-San; Mt. Weon-Hyo-San

Tribe CERAMBYCINI Leach (1815) (Haneulso-Jog)

Genus *Massicus* Pascoe (1867) (Haneulso-Sog)

Massicus Pascoe, 1867, Ann. Mag. Nat. Hist., 3 (19) : 319

Type species : *Cerambyx pascoei* Thomson (1857) (Malaysia)

Massicus raddei (Blessig) (1872) (Haneulso)

Neocerambyx raddei Blessig, 1872, Hor. Soc. Ent. Ross., 9 : 170 (Amurland)

Mallambyx raddei, Okamoto, 1927, Ins. Mats., 2 (2) : 65 (Suigen = Su-Weon; Shakuoji = Seog-Wang-Sa; Mt Kongo = Mt. Geum-Gang-San)

Massicus raddei, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 43 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Bang-Dae-San

GG : Gwang-Neung; Mt. Aeng-Mu-Bong; Mt. Do-Bong-San; Mt. Nam-San, Seoul; Seoul City; Cheong-Pyeong; Geum-Dong-Ni

CB : Chu-Pung-Ryeong

CN : Gong-Ju

GB : Dae-Gu

JJ : Mt. Hal-La-San; Jung-Mun

Genus *Margites* Gahan (1891) (Jageun-Haneulso-Sog)

Margites Gahan, 1891, Ann. Mag. Nat. Hist., 6 (7) : 26

Type species : *Cerambyx egenus* Pascoe (1853) (North China)

Margites fulvidus (Pascoe) (1858) (Jageun-Haneulso)

Pachydissus fulvidus Pascoe, 1858, Trans. Ent. Soc. London, 2 (4) : 236 (North China)

Ceresium coreanum Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 440 (Mt. Kambo = Mt. Gwan-Mo-Bong; Suigen = Su-Weon)

Rhytidodera simulans White, Nakatomi, 1934, Ent. World, 11 (12) : 655 (Seoul)

Margites fulvidus, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 50 (Mt. Nae-Jang-San; Dae-Gu)

Collected Localities

JB : Mt. Nae-Jang-San

GB : Dae-Gu

JJ : Seo-Gui-Po

Genus *Rhytidodera* White (1853) (Nambangjageun-Haneulso-Sog)

Rhytidodera White, 1853, Cat. Col. Brit. Mus., 7 : 132

Type species : *Rhytidodera bowringii* White (1853) (Hong-Kong)

Rhytidodera integra Kolbe (1886) (Nambangjageun-Haneulso)

Rhytidodera integra Kolbe, 1886, Arch. Naturg., 52 (1) : 237 (Korea)

Collected Locality

no Specimen

Tribe HESPEROPHANINI Mulsant (1839) (Teolbo-Haneulso-Jog)

Genus *Trichoferus* Wollaston (1854) (Teolbo-Haneulso-Sog)

Trichoferus Wollaston, 1854, Ins. Maderens, : 427

Type species : *Cerambyx cinereus* Villers (1787) (South Europe)

Trichoferus campestris (Faldermann) (1835) (Teolbo-Haneulso)

Callidium campestris Faldermann, 1835, Mem. Acad. Peter., 2 (2) : 445 (Yunnan, China)

Hesperophanes flavopubescens Kolbe, 1886, Arch. Naturg., 52 (1) : 219 (Seoul)

S.M. LEE: Longicorn beetles of Korea

Hesperophanes rusticus Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 133 (Korea)

Hesperophanes compestris, Okamoto, 1927, Ins. Mats., 2 (2) : 66 (Mt. Chii = Mt. Ji-Ri-San;
Suigen = Su-Weon; Sharei = Cha-Ryeong; Mt. Kongo = Mt. Geum-Gang-San)

Hesperophanes turkestanicus Heyden, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, :
460 (S. Zenra-do = Jeon-Nam; Kogen-do = Gang-Weon-Do; Keiki-do = Gyeong-Gi-Do)

Trichoferus campestris, Gressitt, 1951, Longicornia, 2 : 149 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; So-Geum-Gang

GG : Seoul City; Su-Weon

GB : Mt. Pal-Gong-San; An-Sim

Tribe PHORACANTHINI Lacordaire (1869) (Bamsaeg-Haneulso-Jog)

Genus *Allotraeus* Bates (1877) (Bamsaeg-Haneulso-Sog)

Allotraeus Bates, 1877, Ent. Month. Mag., 14 : 36

Type species : *Allotraeus sphaerioninus* Bates (1877) (Japan)

Allotraeus (Allotraeus) sphaerioninus Bates (1877) (Bamsaeg-Haneulso)

Allotraeus sphaerioninus Bates, 1877, Ent. Month. Mag., 14 : 37 (Japan)

Allotraeus sphaerioninus, Doi, 1935, Bull. Sci. Mus. Keijo Korea, 35 : 4 (Is. Wan-Do)

Allotraeus (Allotraeus) sphaerioninus, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 50 (Mt. Na
Jang-San)

Collected Locality

JB : Mt. Nae-Jang-San

Tribe CALLIDIOPINI Lacordaire (1869) (Nenunbagi-Haneulso-Jog)

Genus *Stenygrinum* Bates (1873) (Nenunbagi-Haneulso-Sog)

Stenygrinum Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 154

Type species : *Stenygrinum quadrinotatum* Bates (1873) (Japan)

Stenygrinum quadrinotatum Bates (1873) (Nenunbagi-Haneulso)

Stenygrinum quadrinotatum Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 154 (Ippongi, Japan)

Stenygrinum quadrinotatum, Okamoto, 1924, Bull. Agr. Exp. Sta. Chosen, 1 (2) : 189 (Quelpart
Is. = Is. Je-Ju-Do)

Stenygrinum quadrinotatum ab. *conjunctum* Matsushita, 1932, Ins. Mats., 7 (1, 2) : 66 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Mt. Cheon-Ma-San; Mt. Yong-Mun-San; Geum-Dang-Ni

JB : Mt. Nae-Jang-San

GB : Mt. So-Baeg-San

Genus *Stenodryas* Bates (1873) (Hogdari-Haneulso-Sog)

Stenodryas Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 153

Type species : *Stenodryas clavigera* Bates (1873) (Japan)

Stenodryas clavigera Bates (1873) (Hogdari-Haneulso)

Stenodryas clavigera Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 154 (Japan)

Stenodryas clavigera, Mochizuki et Masui, 1939, Keichu Rikabuho, 4 : 70, 78 (Mt. So-Yo-San)

Collected Locality

no Specimen

Genus *Ceresium* Newman (1842) (Seom-Haneulso-Sog)

Ceresium Newman, 1842, Entomologist, 1 : 322

Type species : *Ceresium raripilum* Newman (1842) (Manila)

Ceresium holophaeum Bates (1873) (Ullungseom-Haneulso)

Ceresium holophaeum Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 153 (Hyogo-Ken, Japan)

Ceresium flavipes Fabricius, Ueki et Sagata, 1935, Suigen College Koyu Kaiho, 91, App., : 5
(Is. Ul-Lung-Do)

Ceresium holophaeum, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 51 (Is. Ul-Lung-Do)

Collected Localities

GB : Na-Ri-Dong, Jeo-Dong and Do-Dong, Is. Ul-Lung-Do

Ceresium longicorne Pic (1926) (Seom-Haneulso)

Ceresium longicorne Pic, 1926, Mel. Exo. Ent., 45 : 24 (Formosa)

Ceresium longicorne, S.M. Lee, 1981, Korean J. Ent., 11 (2) : 45 (Yeong-Cheon, Gyeong-Bug)

Collected Locality

GB : Yeong-Cheon

Tribe OBRINI Mulsant (1839) (Yeot-Haneulso-Jog)

Genus *Stenhomalus* White (1855) (Songsari-Haneulso-Sog)

Stenhomalus White, 1955, Cat. Col. Brit. Mus., 8 : 243

Type species : *Stenhomalus fenestratus* White (1855) (North India)

Stenhomalus taiwanus Matsushita (1933) (Songsari-Haneulso)

Stenhomalus taiwanus Matsushita, 1933, J. Fac. Agr. Hokkaido Univ., 34 : 307 (Formosa)

Stenhomalus taiwanus, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 51 (Gwang-Neung)

Collected Localities

GG : Mt. Wang-Gang-San; Mt. Cheon-Ma-San; Mt. Bug-Han-San, vic. Seoul

Genus *Obrium* Curtis (1825) (Yeot-Haneulso-Sog)

Obrium Curtis, 1825, Brit. Ent., 2 : 91

Type species : *Cerambyx cantharinus* Linnaeus (1767) (Europe)

Obrium obscuripenne Pic (1904) (Yeot-Haneulso)

Obrium obscuripenne Pic, 1904, Echange, 19 : 17 (Amurland)

Obrium obscuripenne, S.M. Lee, 1981, Korean J. Ent., 11 (2) : 45 (Gwang-Neung)

Collected Localities

GG : Gwang-Neung

GN : Mt. Weon-Hyo-San

Tribe MOLORCHINI Mulsant (1862) (Ggomabeol-Haneulso-Jog)

S.M. LEE: Longicorn beetles of Korea

Genus *Leptepania* Heller (1924) (Yongjung-Haneulso-Sog)

Leptepania Heller, 1924, Ent. Blat. Berlin, 20 (1) : 27

Type species : *Epania*? *longicollis* Heller (1915) (Luzon Is.)

Leptepania japonica (Hayashi) (1948) (Yongjung-Haneulso)

Molorchus (*Linomius*) *japonicus* Hayashi, 1948, Ent. Rev. Japan, 1 (1) : 5 (Osaka-Fu)

Collected Locality

GN : Sam-Nam-Myeon, 24. May 1980, 1♀, Leg. Y.J. Kwon; New to Korean fauna.

Genus *Molorchus* Fabricius (1792) (Ggomabeol-Haneulso-Sog)

Molorchus Fabricius, 1792, Ent. Syst. 2 : 356

Type species : Uncertain "by usual sense *Necydalis minor* Linnaeus (1758) (Europe)"

Molorchus minor (Linnaeus) (1758) (Ggomabeol-Haneulso)

Necydalis minor Linnaeus, 1758, Syst. Nat., 10 : 421 (Europe)

Molorchus minor, Cho, 1936, Trans. Nat. Hist. Soc. Formosa, 26 : 93 (Kanhoku, Kanboho = Mt. Gwan-Mo-Bong, Ham-Bug; Heihoku, Koshyo = Hu-Chang, Pyeong-Bug)

Molorchus (s. str.) *minor*, Gressitte, 1951, Longicornia, 2 : 172 (Korea)

Collected Locality

no Specimen

Molorchus kobotokensis Ohbayashi (1963) (Bomggomabeol-Haneulso)

Molorchus kobotokensis Ohbayashi, 1963, Frag. Col. Kyoto, 2 : 10 (Mt. Takao, Tokyo)

Molorchus (*Linomius*) *kobotokensis*, S.M. Lee, 1981, Korean J. Ent., 11 (2) : 45 (Mt. Seol-Ag-San; Mt. So-Baeg-San)

Collected Localities

GW : Mt. Seol-Ag-San

GB : Mt. So-Baeg-San

Molorchus kojimai (Matsushita) (1939) (Sanggomabeol-Haneulso)

Epania kojimai Matsushita, 1939, Ins. Mats., 13 (2, 3) : 56 (Yokohama)

Molorchus (*Linomius*) *kojimai*, S.M. Lee, 1981, Korean J. Ent., 11 (2) : 46 (Mt. Seol-Ag-San)

Collected Locality

GW : Mt. Seol-Ag-San

Tribe PYRESTINI Lacordaire (1869) (Gulgunsuyeom-Haneulso-Jog)

Genus *Pyrestes* Pascoe (1857) (Gulgunsuyeom-Haneulso-Sog)

Pyrestes Pascoe, 1857, Trans Ent. Soc. London, 2 (4) : 96

Type species : *Pyrestes eximius* Pascoe (1857) (Borneo)

Pyrestes haematicus Pascoe (1857) (Gulgunsuyeom-Haneulso)

Pyrestes haematicus Pascoe, 1857, Trans. Ent. Soc. London, 2 (4) : 97 (North China)

Leptoxenus coreanus Okamoto, 1927, Ins. Mats., 2 (2) : 66 (Mt. Chii = Mt. Ji-Ri-San)

Pyrestes cardinalis Pascoe, Nakatomi, 1934, Ent. World, 11 (12) : 656 (Seoul)

Pyrestes haematicus, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 42 (Mt. So-Yo-San; Mt. Sog-Ni-San)

Pyrestes haematicus f. *coreanus*, Hayashi, 1956, Ent. Rev. Japan, 7 (2) : 40 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Bang-Dae-San; So-Geum-Gang

GG : Mt. Bug-Han-San, vic. Seoul; Jeon-Deung-Sa, Is. Gang-Hwa-Do

JN : Mt. Ji-Ri-San; Is. Sang-Baeg-Do

GB : Mt. So-Baeg-San

Tribe ROSALIINI Fairmaire (1864) (Ruri-Haneulso-Jog)

Genus *Rosalia* Serville (1833) (Ruri-Haneulso-Sog)

Rosalia Serville, 1833, Ann. Soc. Ent. France, 2 : 56

Type species : *Cerambyx alpinus* Linnaeus (1758) (Europe)

Rosalia (Rosalia) coelestis Semenov (1911) (Ruri-Haneulso)

Rosalia coelestis Semenov, 1911, Rev. Russe d'Ent., 11 : 118, pl. 1 (South East Siberia)

Rosalia batesi Harold, Cho, 1936, Trans. Nat. Hist. Soc. Formosa, 26 : 93 (Heihoku, Koshyo = Hu-Chang, Pyeong-Bug)

Rosalia (s. str.) *batesi*, Gressitt, 1951, Longicornia, 2 : 213 (Korea)

Rosalia (s. str.) *coelestis*, Gressitt, 1951, Longicornia, 2 : 213 (Korea)

Collected Locality

no Specimen

Tribe CALLICHROMINI Thomson (1860) (Chorog-Haneulso-Jog)

Genus *Aromia* Serville (1833) (Sahyang-Haneulso-Sog)

Aromia Serville, 1833, Ann. Soc. Ent. France, 2 : 559

Type species; *Cerambyx moschatus* Linnaeus (1758) (Europe)

Aromia bungii (Faldermann) (1835) (Beotnamusahyang-Haneulso)

Cerambyx bungii Faldermann, 1835, Mem. Acad. Peter., 2 : 433, pl. 5, f. 5 (Mongolia)

Callichroma bungii, Kolbe, 1886, Arch. Naturg., 52 (1) : 221 (Korea)

Aromia ruficollis Redtenbacher, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Aromia cyanicornis Guérin-Meneville, Okamoto, 1927, Ins. Mats., 2 (2) : 72 (Korea)

Aromia cyanicornis f. *ruficollis*, Matsumura, 1931, 6000 Ill. Ins. Jap., : 250, f. 761 (Korea)

Aromia cyanicornis ruficollis, Kamiya et Adachi, 1933, Nat. Col. Col. Ico. Tokyo, : pl. 41, f. 2 (Korea)

Aromia bungii, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 42 (Korea)

Aromia (s. str.) *bungii*, Gressitt, 1951, Longicornia, 2 : 200 (Korea)

Collected Localities

GW : Sin-Nam

GG : Mt. Wang-Bang-San; Seoul City; Mt. Nam-San, Seoul

CN : On-Yang

GB : Dae-Gu

Aromia moschata (Linnaeus) (1758) (Sahyang-Haneulso)

Cerambyx moschatus Linnaeus, 1758, Syst. Nat., 10 : 391 (Europe)

Aromia moschata f. *ambrosiaca* Steven, Matsumura, 1931, 6000 Ill. Ins. Jap., : 251, f. 763 (Korea)

S.M. LEE: Longicorn beetles of Korea

Aromia moschata, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 471 (Korea)

Aromia moschata ambrosiaca, Kamiya et Adachi, 1933, Nat. Col. Col. Tokyo, : pl. 37, f. 3 (Korea)

Aromia moschata var. *orientalis* Plavilstshikov, 1933, Ent. Nachr., 7 : 12 (Korea)

Aromia moschata orientalis, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 17, 19 (Korea)

Aromia (s. str.) *moschata orientalis*, Gressitt, 1951, Longicornia, 2 : 201 (Korea)

Collected Locality

HB : Gyeong-Weon

Genus *Tomentaromia* Plavilstshikov (1934) (Chorogsahyang-Haneulso-Sog)

Tomentaromia Plavilstshikov, 1934, Best. Tab. Eur. Col., 112 : 52

Type species : *Callichroma faldermannii* Saunders (1850) (North China)

***Tomentaromia faldermannii* (Saunders) (1850) (Chorogsahyang-Haneulso)**

Callichroma faldermannii Saunders, 1850, Trans. Ent. Soc. London, 2 : 111, pl. 4, f. 7 (North China)

Aromia faldermannii, Kano, 1927, Trans. Nat. Hist. Soc. Formosa, 17: 285 (Korea)

Collected Locality

no Specimen

Genus *Chelidonium* Thomson (1864) (Chorog-Haneulso-Sog)

Chelidonium Thomson, 1864, Syst. Ceramb., : 175, 420

Type species : *Cerambyx argentatus* Dalman (1817) (China)

***Chelidonium provosti* (Fairmaire) (1887) (Keunchorog-Haneulso)**

Callichroma provosti Fairmaire, 1887, Ann. Soc. Ent. France, 6 (7) : liv (Peiping)

Chelidonium provosti, S.M. Lee, 1981, Korean J. Ent., 11 (2) : 46 (Dae-Gu)

Collected Locality

GB : Dae-Gu

***Chelidonium quadricolle* Bates (1884) (Chorog-Haneulso)**

Chelidonium quadricolle Bates, 1884, J. Linn. Soc. London, 18 : 226 (Japan)

Chloridolum quadricolle, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 443 (Bukkokuji = Bul-Gag-Sa)

Chelidonium quadricolle, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 43 (Seoul; Si-Heung; Gae-Pung; Su-Weon; Dae-Gu)

Collected Localities

GG : Mt. Aeng-Mu-Bong; Gwang-Neung

GB : Dae-Gu

Genus *Chloridolum* Thomson (1864) (Pulsaeg-Haneulso-Sog)

Chloridolum Thomson, 1864, Syst. Ceramb., : 174, 420

Type species : *Callichroma bivittata* White (1853) (India)

***Parachloridolum* Plavilstshikov, 1934, Best.-Tab. Eur. Col., 112 : 67**

Type species : *Callichroma japonica* Harold (1879) (Japan)

Chloridolum (Chloridolum) sieversi* (Ganglbauer) (1887) (Honggaseumpulsaeg-Haneulso)Aromia (Chloridolum) sieversi* Ganglbauer, 1887, Hoe. Soc. Ent. Ross., 20 : 135 (Korea)*Aromia bangi* Reitter, 1895, Wien. Ent. Ztg., 14 : 209 (Korea)*Aromia coreana* Fairmaire, 1897, Notes Leyden Mus., 19 : 232 (Korea)*Chloridolum sieversi*, Okamoto, 1927, Ins. Mats., 2 (2) : 73 (Korea)*Chloridolum* (s. str.) *sieversi*, Gressitt, 1951, Longicornia, 2 : 206 (Korea)*Aromia moschata* Linnaeus, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 53 (Mt. Geum-Gang-San; Mt. Seol-Ag-San; Yong-Dae-Ri) 'partial'**Collected Localities**

GW : Mt. Geum-Gang-San; Mt. Seol-Ag-San; Yong-Dae-Ri, In-Je-Gun

Chloridolum (Parachloridolum) thaliodes* Bates (1884) (Keunpulsae-Haneulso)Chloridolum thaliodes* Bates, 1884, J. Linn. Soc. London, 18 : 226 (Sapporo, Hokkaido)*Chloridolum thaliodes*, Haku, 1936, J. Chosen Nat. Hist. Soc., 21 : 121 (vic. Dae-Gu)*Chloridolum (Parachloridolum) thaliodes*, Gressitt, 1951, Longicornia, 2 : 207 (Korea)**Collected Locality**

no Specimen

Chloridolum (Parachloridolum) japonicum* (Harold) (1879) (Pulsaeg-Haneulso)Callichroma japonica* Harold, 1879, Stettiner Ent. Zeit., 40 : 335 (Japan)*Chloridolum sieversi* Ganglbauer var. *coreanum* Okamoto, 1924, Bull. Agr. Exp. Sta. Chosen, 1 (2) : 190 (Quelpart Is. = Is. Je-Ju-Do; Suigen = Su-Weon; Mt. Kongo = Mt. Geum-Gang-San)*Chloridolum coreanum*, Okamoto, 1927, Ins. Mats., 2 (2) : 73 (Quelpart Is. = Is. Je-Ju-Do; Suigen = Su-Weon; Mt. Kongo = Mt. Geum-Gang-San)*Chloridolum sieversi* ab. *okamotoi* Plavilstshikov, 1934, Best.-Tab. Eur. Col., 112 : 55 (Korea)*Chloridolum japonicum* ab. *achardi* Pic, Masui, 1937, Keichu Rikabuho, 2 : 53 (Seoul)*Chloridolum japonicum*, Hirayama, 1937, Nat. Col. 1000 Ins. Ico., 2 : 162, pl. 72, f. 9 (Korea)*Chloridolum (Parachloridolum) japonicum*, Gressitt, 1951, Longicornia, 2 : 206 (Korea)*Chloridolum sieversi*, Cho, 1956, Hum. Sci. Korea Univ., 1 : 140 (Is. Je-Ju-Do)**Collected Localities**

GW : So-Geum-Gang

GG : Seoul City

CN : Mt. Gwang-Deog-San

GB : Ham-Chang, Sang-Ju-Gun

Genus *Leontium* Thomson (1864) (Ggalddagupulsaeg-Haneulso-Sog)*Leontium* Thomson, 1864, Syst. Ceramb., : 175, 420Type species : *Leontium viride* Thomson (1864) (Eastern Asia)***Leontium viride* Thomson (1864) (Ggalddagupulsaeg-Haneulso)***Leontium viride* Thomson, 1864, Syst. Ceramb., : 175 (Eastern Asia)*Leontium viride*, Hayashi et Eda, 1947, Trans. Kinki Col. Soc., 2 (5) : 33 (Fusenkogen = Bu-Jeon-Go-Weon)*Chloridolum (Leontium) viride*, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 60 (Korea)**Collected Locality**

no Specimen

Genus *Polyzonus* Castelnau (1840) (Noranddi-Haneulso-Sog)

S.M. LEE: Longicorn beetles of Korea

Polyzonus Castelnau, 1840, Hist. Col., 2 : 438

Type species : *Saperda fasciatus* Fabricius (1781) (Siberia)

Polyzonus fasciatus (Fabricius) (1781) (Noranndi-Haneulso)

Saperda fasciatus Fabricius, 1781, Spec. Ins., 1 : 232 (Siberia)

Polyzonus fasciatus, Kolbe, 1886, Arch. Naturg., 52 (1) : 221 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; So-Geum-Gang; Mt. Chi-Ag-San; Mt. O-Bong-San, vic. Chun-Cheon

GG : Mt. Aeng-Mu-Bong; Mt. Deog-Am-San; Mt. Myeong-Ji-San; Cheong-Pyeong; Gwang-Neung; Mt. Do-Bong-San; Mt. Cheon-Ma-San; Mt. Nam-San, Seoul

CB : Jug-Ryeong

JB : Mt. Nae-Jang-San

GB : Mt. So-Baeg-San; Yong-Yeon-Sa

Tribe CALLIDIINI Mulsant (1839) (Samnamu-Haneulso-Jog)

Genus *Rhopalopus* Mulsant (1839) (Geomjeongsamnamu-Haneulso-Sog)

Rhopalopus Mulsant, 1839, Col. France Long., : 39

Type species : *Callidium insubricum* Germar (1824) (Dalmatia, Europe)

Prorrhopalopus Plavilstshikov, 1921, Rev. Russe d'ent., 17 : 121

Type species : *Rhopalopus signaticollis* Solsky (1973) (Amurland)

Rhopalopus (Prorrhopalopus) signaticollis Solsky (1873) (Geomjeongsamnamu-Haneulso)

Rhopalopus signaticollis Solsky, 1873, Hor. Soc. Ent. Ross., 9 : 177 (Suytun, Amurland)

Rhopalopus (Prorrhopalopus) signaticollis, Plavilstshikov, 1940, Faune URSS, 22 : 246, 679, f. 120 (North Korea)

Rhopalopus signaticollis, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 67 (Korea)

Collected Locality

no Specimen

Genus *Pronocera* Motschulsky (1875) (Honggaseumsamnamu-Haneulso-Sog)

Pronocera Motschulsky, 1875, Bull. Moscou, 49 (2) : 149

Type species : *Pronocera daurica* Motschulsky (1875) (Dauria; Mongolia) = *Callidium brevicollis* Gebler (1833) (Siberia)

Pronocera brevicollis (Gebler) (1833) (Honggaseumsamnamu-Haneulso)

Callidium brevicollis Gebler, 1833, Bull. Moscou, 6 : 302 (Siberia)

Pronocera brevicollis var. *daurica* Motschulsky, Cho, 1936, Trans. Nat. Hist. Soc. Formosa, 26 : 93 (Heihoku Koshyo = Hu-Chang, Pyeong-Bug)

Pronocera brevicollis daurica, Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 28 (Yeon-Am)

Pronocera brevicollis ab. *daurica*, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 43 (Korea)

Pronocera brevicollis, Gressitt, 1951, Longicornia, 2 : 219 (Korea)

Collected Localities

GW : Mt. Geum-Gang-San; Mt. Seol-Ag-San

Genus *Semanotus* Mulsant (1839) (Hyangnamu-Haneulso-Sog)

Semanotus Mulsant, 1839, Col. France Long., : 54

Type species : *Cerambyx undatus* Linnaeus (1758) (Europe)

Semanotus bifasciatus (Motschulsky) (1875) (Hyangnamu-Haneulso)

Hylotrupes bifasciatus Motschulsky, 1875, Bull. Moscou, 49 (1) : 148 (China)

Sympiezocera sp., Saito, 1931, Bull. Suigen College, 4 : 10, pl. 1, f. 2 (Korea)

Semanotus sinensis Gahan, Saito, 1932, Mushi, 5 : 110 (Su-Weon)

Semanotus bifasciatus, Mitono, 1938, Nihonno-Kotyu (Beetles of Japan), 2 (1) : 3 — 4 (Korea)

Semanotus bifasciatus bifasciatus, Gressitt, 1951, Longicornia, 2 : 221 (Korea)

Collected Localities

GG : Seoul; Su-Weon

GN : Tong-Do-Sa

Genus *Palaeocallidium* Plavilstshikov (1940) (Cheongsamnamu-Haneul-Sog)

Palaeocallidium Plavilstshikov, 1940, Faune URSS, 22 : 291, 694

Type species : *Callidium coriaceum* Paykull (1800) (Europe)

Callidiellum Linsley, 1940, Ent. New., 51 : 254

Type species : *Semanotus cupressi* Van Dyke (1923) (California)

Palaeocallidium (Palaeocallidium) chlorizans (Solsky) (1870) (Cheongsamnamu-Haneulso)

Semanotus chlorizans Solsky, 1870, Hor. Soc. Ent. Ross., 7 : 384 (Irkutsk)

Callidium (Palaeocallidium) chlorizans, Plavilstshikov, 1940, Faune URSS, 22 : 294, 692 (North Korea)

Callidium chlorizans, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 69 (Korea)

Palaeocallidium chlorizans, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 291, pl. 146, f. 5 (Korea)

Palaeocallidium (Palaeocallidium) chlorizans, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 62 (Korea)

Collected Locality

no Specimen

Palaeocallidium (Callidiellum) rufipenne (Motschulsky) (1860) (Aecheongsamnamu-Haneulso)

Callidium rufipenne Motschulsky, 1860, Etud. Ent., 9 : 19 (Izu, Japan)

Callidium rufipenne, Nakatomi, 1934, Ent. World, 11 (12) : 655 (vic. Seoul)

Semanotus rufipennis, Matsushita, 1937, Kontyu, 11 (1, 2) : 106 (Koryo = Gwang-Neung)

Callidium (Palaeocallidium) rufipenne, Gressitt, 1951, Longicornia, 2 : 225 (Korea)

Palaeocallidium rufipenne, Hayashi, 1961, Col. Ill. Ins. Jap. Osaka, Col. : 156, pl. 48, f. 1099 (Korea)

Palaeocallidium (Callidiellum) rufipenne, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 62 (Korea)

Collected Locality

GG : Su-Weon

Genus *Callidium* Fabricius (1775) (Samnamu-Haneulso-Sog)

Callidium Fabricius, 1775, Syst. Ent., : 187

Type species : *Cerambyx violaceus* Linnaeus (1758) (Europe)

S.M. LEE: Longicorn beetles of Korea

Callidium (callidium) violaceum (Linnaeus) (1758) (Samnamu-Haneulso)

Cerambyx violaceus Linnaeus, 1758, Syst. Nat., 10 : 395 (Europe)

Callidium violaceum, Cho, 1936, Trans. Nat. Hist. Soc. Formosa, 26 : 93 (Kanhoku Kwanboho = Mt. Gwan-Mo-Bong, Ham-Bug; Gosui = Hab-Su; Mosan = Mu-San)

Callidium (s. str.) *violaceum*, Gressitt, 1951, Longicornia, 2 : 226 (Korea)

Collected Locality

no Specimen

Genus *Oupyrrhidium* Pic (1900) (Juhongsamnamu-Haneulso-Sog)

Oupyrrhidium Pic, 1900, Cat. Long., : 50

Type species : *Callidium cinnabarinum* Blessig (1872) (South East Siberia)

Oupyrrhidium cinnabarinum (Blessig) (1872) (Juhongsamnamu-Haneulso)

Callidium cinnabarinum Blessig, 1872, Hor. Soc. Ent. Ross., 9 : 179 (South East Siberia)

Oupyrrhidium cinnabarinum, Plavilstshikov, 1940, Faune URSS, 22 : 286, 691, f. 144 – 5 (Korea)

Phyrridium sanguineum Linnaeus, Cho, 1942, J. Chosen Nat. Hist. Soc., 9 (24) : 57 (Ja-Seong-Gun Jang-To, Pyeong-Bug)

Oupyrrhidium cinnabarinum, Gressitt, 1951, Longicornia, 2 : 226 (Korea)

Collected Locality

GW : Mt. Ga-Ri-San

Genus *Phymatodes* Mulsant (1836) (Ddi-Haneulso-Sog)

Phymatodes Mulsant, 1839, Col. France Long., : 47

Type species : *Cerambyx variabile* Linnaeus (1761) (Europe) = *Cerambyx testaceus* Linnaeus (1758) (Europe) var.

Paraphymatodes Plavilstshikov, 1934, Best.-Tab. Eur. Col., 112 : 215

Type species : *Callidium fasciatum* Villers (1789) (South Europe)

Poecilium Fairmaire, 1864, Gen. Col. Eur., 4 : 134

Type species : *Leptura alni* Linnaeus (1767) (Europe)

Phymatodes (paraphymatodes) albicinctus Bates (1873) (Ddi-Haneulso)

Phymatodes albicinctus Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 198 (Ohmura, Japan)

Phymatodes albofasciatus Motschulsky, Kano, 1933, Kontyu; 6 (5, 6) : 274 (Rizanken = ?)

Phymatodes albicinctus, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 44 (Rizanken = ?)

Phymatodes (Paraphymatodes) albicinctus, Gressitt, 1951, Longicornia, 2 : 228 (Korea)

Collected Locality

GW : Mt. Seol-Ag-San

Phymatodes (Poecilium) maaki (Kraatz) (1879) (Hongddi-Haneulso)

Callidium maaki Kraatz, 1879, Deut. Ent. Zeit., 23 : 88 (Amuland)

Phymatodes (Poecilium) maaki, Plavilstshikov, 1940, Faune URSS, 22 : 329, 703, f. 174 – 5 (Korea)

Phymatodes maaki, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 44 (Korea)

Collected Locality

JB : Mt. Ma-Eui-San

GB : Mt. Pal-Gong-San

Tribe CLYTINI Mulsant (1839) (Julbeom-Haneulso-Jog)

Genus *Xylotrechus* Chevrolat (1860) (Horang-Haneulso-Sog)

Xylotrechus Chevrolat, 1860, Ann. Soc. Ent. France, 3 (8) : 456

Type species : *Clytus sartorii* Chevrolat (1860) (Mexico)

Xylotrechus chinensis (Chevrolat) (1852) (Horang-Haneulso)

Clytus chinensis Chevrolat, 1852, Rev. Mag. Zool., 2 (4) : 416 (Shanghai)

Xylotrechus chinensis, Okamoto, 1927, Ins. Mats., 2 (2) : 74 (Korea)

Xylotrechus (Xylotrechus) chinensis, Gressitt, 1951, Longicornia, 2 : 238 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Gwang-Neung

CN : Gong-Ju

GB : Yeong-Cheon; Seog-Po, Is. Ul-Lung-Do

Xylotrechus adpersus (Gebler) (1830) (Bugbanghorang-Haneulso)

Clytus adpersus Gebler, 1830, Ledebour Reisen, 2 (2) : 181 (Siberia)

Xylotrechus adpersus, Matsushita, 1938, Kontyu, 12 (3) : 94 (Kannan Horyuri = Pung-Yu-Ri, Ham-Nam)

Xylotrechus (s. str.) *adpersus*, Gressitt, 1951, Longicornia, 2 : 239 (Korea)

Collected Locality

no Specimen

Xylotrechus hircus (Gebler) (1825) (Galsaeghorang-Haneulso)

Clytus hircus Gebler, 1825, in Hummel, Essais Ent., 4 : 54 (Siberia)

Xylotrechus hircus, Plavilstshikov, 1940, Faune URSS, 22 : 355, 711, f. 194 — 6 (Korea)

Xylotrechus (s. str.) *hircus*, Gressitt, 1951, Longicornia, 2 : 244 (Korea)

Collected Locality

no Specimen

Xylotrechus rusticus (Linnaeus) (1758) (Julhorang-Haneulso)

Leptura rusticus Linnaeus, 1758, Syst. Nat., 10 : 398 (Europe)

Clytus (Xylotrechus) rusticus, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Xylotrechus rusticus, Okamoto, 1927, Ins. Mats., 2 (2) : 73 (Sharei = Cha-Ryeong)

Xylotrechus (s. str.) *rusticus*, Gressitt, 1951, Longicornia, 2 : 151 (Korea)

Collected Locality

GG : Seoul City

Xylotrechus clarinus Bates (1884) (Bugjahorang-Haneulso)

Xylotrechus clarinus Bates, 1884, J. Linn. Soc. London, 18 : 231 (Junsai, Hokkaido)

Xylotrechus grayi White, Matsuo, 1937, Keichu Rikabuho, 2 : 20, f. 3 (Seoul)

Xylotrechus clarinus, Mochizuki et Tsunekawa, 1937, J. Chosen Nat. Hist. Soc., 22 : 87 (Seoul)

Xylotrechus (s. str.) *clarinus*, Gressitt, 1951, Longicornia, 2 : 242 (Korea)

Collected Localities

GG : Seoul City; Mt. Nam-San, Seoul

Xylotrechus cuneipennis (Kraatz) (1879) (Sejulhorang-Haneulso)

Clytus (Xylotrechus) cuneipennis Kraatz, 1879, Deut. Ent. Zeit., 23 : 110, pl. 1, f. 5 (Amurland)

S.M. LEE: Longicorn beetles of Korea

Xylotrechus pallipennis Matsumura, Cho, 1934, J. Chosen Nat. Hist. Soc., 17 : 45, pl. 5, f. 6
(Hae-In-Sa, Gyeong-Nam)

Xylotrechus cuneipennis, Cho 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 45 (Hae-In-Sa, Gyeong-Nam)

Xylotrechus (s. str.) *cuneipennis*, Gressitt, 1951, Longicornia, 2 : 242 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San

GB : Mt. So-Baeg-San

***Xylotrechus rufilius* Bates (1884) (Honggaseumhorang-Haneulso)**

Xylotrechus rufilius Bates, 1884, J. Linn. Soc. London, 18 : 233 (Junsai, Hokkaido)

Xylotrechus rufilius, Cho, 1936, Trans. Nat. Hist. Soc. Formosa, 26 : 93 (Heihoku, Manpochin = Man-Po-Jin, Pyeong-Bug)

Xylotrechus (s. str.) *rufilius*, Gressitt, 1951, Longicornia, 2 : 250 (Korea)

Collected Locality

no Specimen

***Xylotrechus grayii* (White) (1855) (Byeolgaseumhorang-Haneulso)**

Clytus grayii White, 1855, Cat. Col. Brit. Mus., 8 : 261, pl. 6, f. 4 (North China)

Xylotrechus grayii, Mochizuki et Masui, 1939, Keichu Rikabuho, 4 : 70 (Seoul)

Collected Locality

CN : Mt. Gwang-Deog-San

***Xylotrechus pyrrhoderus* Bates (1873) (Podohorang-Haneulso)**

Xylotrechus pyrrhoderus Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 200 (Japan)

Xylotrechus pyrrhoderus, Machida et Aoyama, 1930, Chosen Gaichu Hen, 2 : 184, f. 90 (Korea)

Xylotrechus (s. str.) *pyrrhoderus pyrrhoderus*, Gressitt, 1951, Longicornia, 2 : 249 (Korea)

Collected Locality

GG : Su-Weon

***Xylotrechus atronotatus* Pic (1917) (Jejuhorang-Haneulso)**

Xylotrechus atronotatus Pic, 1917, Mat. Long., 10 (2) : 11 (Formosa)

Xylotrechus atronotatus var. *subcalaris* Pic, 1917, Mat. Long., 10 (1) : 11 (Quelpart Is. = Is. Je-Ju-Do)

Xylotrechus atronotatus subcalaris, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 44 (Is. Je-Ju-Do)

Xylotrechus atronotatus, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 73 (Is. Je-Ju-Do)

Collected Locality

no Specimen

***Xylotrechus polyzonus* (Fairmaire) (1888) (Aehorang-Haneulso)**

Clytus polyzonus Fairmaire, 1888, Rev. d'Ent., 7 : 143 (Pekin)

Xylotrechus polyzonus, Matsushita et Tamanuki, 1935, Ins. Mats., 10 (1, 2) : 4 (Korea)

Xylotrechus jeholensis Kano, Ohbayashi, 1939, Trans. Kansai Ent. Soc., 8 : 117 (Fusen-Kogen = Bu-Jeon-Go-Weon)

Xylotrechus (s. str.) *polyzonus*, Gressitt, 1951, Longicornia, 2 : 249 (Korea)

Collected Locality

GG : Mt. Do-Bong-San

Genus *Clytus* Laicharting (1784) (Julbeom-Haneulso-Sog)

Clytus Laicharting, 1784, Verz. Tyrol. Ins., 2 : 88

Type species : *Leptura arietis* Linnaeus (1758) (Europe)

***Clytus arietoides* Reitter (1899) (Julbeom-Haneulso)**

Clytus arietoides Reitter, 1899, Deut. Ent. Zeit., : 281 (East Siberia)

Clytus arietoides, Heyrovsky, 1932, Ent. Nachr., 6 : 28 (Seishin = Cheong-Jin)

Cyrtoclytus? sp?, Matsuo, 1937, Keichu Rikabuho, 2 : 22 f. 10 (Do-Nae, Ham-Nam)

Collected Locality

no Specimen

***Clytus fulvohirsutus* Pic (1904) (Dujulbeom-Haneulso)**

Clytus fulvohirsutus Pic, 1904, Echange, 20 : 18 (South-East Siberia)

Clytus fulvohirsutus, Heyrovsky, 1974, Frag. Fauni, Warszawa, 20 (3) : 34 (Mjohjang-ri, Hamg-jongpukto = Myo-Hyang-Ni, Ham-Bug)

Collected Locality

no Specimen

***Clytus melaenus* Bates (1884) (Hinjulbeom-Haneulso)**

Clytus melaenus Bates, 1884, J. Linn. Soc. London, 18 : 230 (Junsai, Hokkaido)

Clytus melaenus, Ohbayashi, 1939, Trans. Kansai Ent. Soc., 8 : 118 (Fusen-Kogen = Bu-Jeon-Go-Weon)

Collected Localities

GG : Mt. Gam-Ag-San

GN : Mt. Ga-Ya-San

***Clytus raddensis* Pic (1904) (Sanhinjulbeom-Haneulso)**

Clytus raddensis Pic, 1904, Echange, 20 : 18 (South East Siberia)

Clytus raddensis, Plavilstshikov, 1940, Faune URSS, 22 : 413, 729, f. 246 - 7 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San

Genus *Cyrtoclytus* Ganglbauer (1882) (Beolhorang-Haneulso-Sog)

Cyrtoclytus Ganglbauer, 1882, Best.-Tab. Eur. Col., 7 : 688, 736

Type species : *Callidium (Clytus) capra* Germar (1824) (Siberia)

***Cyrtoclytus capra* (Germar) (1824) (Beolhorang-Haneulso)**

Callidium (Clytus) capra Germar, 1824, Ins. Spec. Nov., : 518 (Siberia)

Clytus capra, Bates, 1888, Proc. Zool. Soc. London, : 379 (Korea)

Cyrtoclytus capra, Okamoto, 1927, Ins. Mats., 2 (2) : 74 (Suigen = Su-Weon; Koryo = Gwang-Neung; Mt. Kongo = Mt. Geum-Gang-San; Sharei = Cha-Ryeong; Gesseiji = Weol-Jeong-Sa)

Cyrtoclytus sp.?, Matsuo, 1937, Keichu Rikabuho, 2 : 23, f. 12 (Mt. So-Yo-San)

Cyrtoclytus caproides Bates, Narita, 1937, Keichu Rikabuho, 2 : 67 (Mt. So-Yo-San)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San

GG : Mt. Aeng-Mu-Bong; Gwang-Neung; Mt. Cheon-Ma-San; Mt. Yong-Mun-San; Mt. Un-Ag-San; Mt. Myeong-Ji-San; Mt. Bug-Han-San, vic. Seoul

GB : Ga-Chang; Mt. Hwang-Hag-San; Mt. Su-Do-San

Genus *Brachyclytus* Kraatz (1879) (Honghorang-Haneulso-Sog)

S.M. LEE: Longicorn beetles of Korea

Brachyclytus Kraatz, 1879, Deut. Ent. Zeit., 23 : 107

Type species : *Brachyclytus singularis* Kraatz (1879) (Amurland)

Brachyclytus singularis Kraatz (1879) (Honghorang-Haneulso)

Brachyclytus singularis Kraatz, 1879, Deut. Ent. Zeit., 23 : 107, pl. 1, f. 6 (Amurland)

Brachyclytus singularis, Mochizuki et Masui, 1939, Keichu Rikabuho, 4 : 70, 77 (Mt. So-Yo-San)

Collected Locality

no Specimen

Genus *Plagionotus* Mulsant (1842) (Sobeom-Haneulso-Sog)

Plagionotus Mulsant, 1842, Col. France Long. Lamell. Rec. et Add. Long., : 1

Type species : *Leptura detrita* Linnaeus (1758) (Europe)

Plagionotus pulcher (Blessig) (1872) (Jageunsobeom-Haneulso)

Clytus (Plagionotus) pulcher Blessig, 1872, Hor. Soc. Ent. Ross., 9 : 184 (Amurland)

Plagionotus pulcher, Okamoto, 1927, Ins. Mats., 2 (2) : 74 (Gesseiiji = Weol-Jeong-Sa)

Collected Localities

GW : Mt. Seol-Ag-San; So-Geum-Gang

Plagionotus christophi (Kraatz) (1879) (Sobeom-Haneulso)

Clytus (Plagionotus) christophi Kraatz, 1879, Deut. Ent. Zeit., 23 : 108, pl. 1, f. 4 (Amurland)

Plagionotus christophi, Mochizuki et Masui, 1939, Keichu Rikabuho, 4 : 70, 78 (Seoul)

Collected Localities

GW : Gang-Chon

GG : Mt. Cheon-Ma-San; Gwang-Neung

JJ : Mt. Hal-La-San

Genus *Hayashiclytus* Ohbayashi (1963) (Cheugbeom-Haneulso-Sog)

Hayashiclytus Ohbayashi, 1963, Fragmenta Col., 3 : 11

Type species : *Clytus acutivittis* Kraatz (1879) (Amurland)

Hayashiclytus acutivittis (Kraatz) (1879) (Cheugbeom-Haneulso)

Clytus (Xylotrechus) acutivittis Kraatz, 1879, Deut. Ent. Zeit., 23 : 111, pl. 11, f. 1 (Amurland)

Rhaphuma acutivittis, Cho, 1934, J. Chosen Nat. Hist. Soc., 17 : 44, pl. 5, f. 5 (Mt. Gwan-Mo-Bong)

Hayashiclytus acutivittis, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 294, pl. 147, f. 23 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Hyang-No-Bong; Mt. O-Dae-San; Mt. Tae-Baeg-San

GG : Gwang-Neung; Mt. Cheon-Ma-San; Mt. Myeong-Ji-San

JB : Mt. Nae-Jang-San

GB : Mt. So-Baeg-San; Mt. Pal-Gong-San

GN : Mt. Weon-Hyo-San

Genus *Chlorophorus* Chevrolat (1863) (Beom-Haneulso-Sog)

Chlorophorus Chevrolat, 1863, Mem. Soc. Sc. Liege, 18 : 290

Type species : *Clytus annularis* Fabricius (1801) (Siam) = *Callidium annularis* Fabricius (1787) (Siam)

***Chlorophorus duodecimmaculatus* (Kraatz) (1879) (Yugjeombagibeom-Haneulso)**

Clytus duodecimmaculatus Kraatz, 1879, Deut. Ent. Zeit., 23 : 91 (Amurland)

Chlorophorus sexmaculatus, Okamoto, 1927, Ins. Mats., 2 (2) : 75 (Sharei = Cha-Ryeong)

Chlorophorus herbsti Brahm *faldermanni* Faldermann, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 19 (Korea)

Chlorophorus sp.?, Matsuo, 1937, Keichu Rikabuho, 2 : 24, f. 15 (He-San-Jin)

Chlorophorus faldermanni, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 78 (Mt. Gwan-Mo-Bong; Han-Dae-Ri; Deog-Nip)

Collected Locality

GG : Su-Weon

***Chlorophorus diadema* (Motschulsky) (1853) (Beom-Haneulso)**

Clytus diadema Motschulsky, 1853, Etud. Ent., 2 : 48 (Pekin, North China)

Clytus plebejus Fabricius var. *latofasciatus* Motschulsky, Kolbe, 1886, Arch. Naturg., 52 (1) : 220 - 1 (Seoul)

Clytus (Clytanthus) herzianus Ganglbauer, 1887, Hor. Soc. Ent., 20 : 134 (Korea)

Chlorophorus herzianus, Okamoto, 1927, Ins. Mats., 2 (2) : 75 (Mt. Chii = Mt. Ji-Ri-San; Shakuoji = Seog-Wang-Sa; Mt. Kongo = Mt. Geum-Gang-San; Sharei = Cha-Ryeong)

Chlorophorus diadema, Plavilstshikov, 1932, Ent. Blatt., 28 : 60 (Korea)

Chlorophorus diadema f. *herzianus*, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 17 (Korea)

Chlorophorus diadema ab. *herzianus*, Matsushita, 1934, Trans. Nat. Hist. Soc. Formosa, 24 (133) : 240 (Korea)

Chlorophorus diadema ab. *victori* Plavilstshikov, Matsushita, 1934, Trans. Nat. Hist. Soc. Formosa, 24 (133) : 240 (Korea)

Chlorophorus diadema herzianus, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 46 (Korea)

Rhaphuma diadema, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 294, pl. 147, f. 15-b (Korea)

Demonax transilis Bates, Mungyobu, 1967, Rep. Acad. Surv. Mt. Sul Ak, : 196 (Mt. Seol-Ag-San)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. O-Dae-San; So-Geum-Gang; Mt. Tae-Baeg-San; Mt. Chi-Ag-San

GG : Mt. So-Yo-San; Mt. Deog-Am-San; Gwang-Neung; Mt. Su-Rag-San; Neung-Nae-Ri, vic. Seoul; Seoul City; Mt. Nam-San, Seoul; Mt. Gwan-Ag-San

CN : On-Yang

JN : Is. Dae-Heung-San-Do; Is. Hong-Do

GB : Mt. So-Baeg-San; Bu-Seog-Sa; Dae-Gu; Mt. Un-Mun-San; Mt. Nae-Yeon-San; Do-Dong and Jeo-Dong, Is. Ul-Lung-Do

GN : Ul-San

***Chlorophorus motschulskyi* (Ganglbauer) (1887) (Uribeom-Haneulso)**

Clytus (Clytanthus) motschulskyi Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 135 (Korea)

Clytanthus plebejus Fabricius, Bates, 1888, Proc. Zool. Soc. London, : 379 (Korea)

Chlorophorus figuratus Scopoli, Okamoto, 1927, Ins. Mats., 2 (2) : 74 (Korea)

Chlorophorus figuratus var. *latifasciatus* Fischer, Okamoto, 1927, Ins. Mats., 2 (2) : 75 (Sharei = Cha-Ryeong)

Chlorophorus motschulskyi, Okamoto, 1927, Ins. Mats., 2 (2) : 75 (Korea)

Chlorophorus (Clytanthus) figuratus, Kamijo, 1932, J. Chosen Nat. Hist. Soc., 13 : 20 (Dae-Gu)

Chlorophorus diadema var. *itoi* Matsushita, 1934, Trans. Nat. Hist. Soc. Formosa, 24 (133) : 240 (Shuotsu = Ju-Eul)

Chlorophorus motschulskyi ab. *blessigi* Plavilstshikov, Cho, 1946, Bull. Zool. Sec. Nat. Sci.

S.M. LEE: Longicorn beetles of Korea

Mua. Korea, 1 (3) : 47 (Korea)

Rhaphuma motschulskyi, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 294, pl. 147, f. 15-a (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San; Mt. Chi-Ag-San

GG : Mt. Gam-Ag-San; Mt. So-Yo-San; Mt. Deog-Am-San; Mt. Cheon-Ma-San; Weol-San-Ni, Yang-Ju-Gun; Mt. Myeong-Ji-San

GB : Mt. Pal-Gong-San

Chlorophorus japonicus (Chevrolat) (1863) (Gasibeom-Haneulso)

Anthoboscus japonicus Chevrolat, 1863, Mem. Soc. Roy. Sc. Liege, 18 : 298 (Japan)

Chlorophorus japonicus, Mitono, 1940, Cat. Col. Jap., 8 : 117 (Korea)

Rhaphuma japonica, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 294, pl. 147, f. 14 (Korea)

Collected Locality

no Specimen

Chlorophorus notabilis (Pascoe) (1862) (Noranbeom-Haneulso)

Clytus notabilis Pascoe, 1862, J. Ent., 1 : 360 (Japan)

Chlorophorus notabilis, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 412 (Korea)

Grammographus notabilis, Kojima et Hayashi, 1969, Ins. Life Jap., 1 : 84, pl. 25, f. 16 (Korea)

Collected Locality

no Specimen

Chlorophorus quinquefasciatus (Castelnau et Gory) (1841) (Nejulbeom-Haneulso)

Clytus quinquefasciatus Castelnau et Gory, 1841, Hist. Nat. Ico. Ins. Col., : 101, pl. 19, f. 120 (Japan)

Chlorophorus quinquefasciatus, Cho, 1934, J. Chosen Nat. Hist. Soc., 17 : 43, pl. 5, f. 3 (Is. Je-Ju-Do)

Collected Locality

no Specimen

Chlorophorus muscosus (Bates) (1873) (Holjugbeom-Haneulso)

Clytanthus muscosus Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 198 (Hyogo, Japan)

Chlorophorus muscosus, Cho, 1941, J. Chosen Nat. Hist. Soc., 8 (32) : 38 (Do-Dong and Na-Ri-Dong, Is. Ul-Lung-Do)

Collected Localities

JN : Is. Dae-Heug-San-Do; Is. So-Heug-San-Do; Is. Hong-Do

GB : Do-Dong and Jeo-Dong, Is Ul-Lung-Do

Chlorophorus annularis (Fabricius) (1787) (Daebeom-Haneulso)

Callidium annularis Fabricius, 1787, Ment. Ins., 1 : 156 (Siam)

Chlorophorus annularis, Morita, 1936, Ent. World, 4 (34) : 858 (Gan-San)

Rhaphuma annularis, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 293, pl. 147, f. 13 (Korea)

Collected Locality

no Specimen

Genus *Rhaphuma* Pascoe (1858) (Gindaribeom-Haneulso-Sog)

Rhaphuma Pascoe, 1858, Trans. Ent. Soc. London, 2 (4) : 240

Type species : *Clytus quadricolor* Castelnau et Gory (1841) (Philippines)

Rhaphuma gracilipes (Faldermann) (1835) (Gindaribeom-Haneulso)

Clytanthus gracilipes Faldermann, 1835, Mem. Acad. Petr., 2 : 436 (Siberia)

Chlorophorus gracilipes, Okamoto, 1927, Ins. Mats., 2 (2) : 75 (Suigen = Su-Weon; Sharei = Cha-Ryeong; Mt. Kongo = Mt. Geum-Gang-San)

Rhaphuma gracilipes, Hirayama, 1937, Nat. Col. 1000 Ins. Ico., 2 : 160, pl. 71, f. 2 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. O-Dae-San; Mt. Tae-Baeg-San

GG : Mt. Aeng-Mu-Bong; Mt. Cheon-Ma-San; Mt. Myeong-Ji-San

JB : Mt. Nae-Jang-San

GB : Jig-Ji-Sa; Mt. Su-Do-San

GN : Mt. Weon-Hyo-San; Sam-Nam-Myeon

Rhaphuma diminuta (Bates) (1873) (Ggomagindari-Haneulso)

Clytanthus diminuta Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 199 (Nagasaki)

Rhaphuma diminuta, S.M. Lee, 1981, Korean J. Ent., 11 (2) : 46 (Mt. Seol-Ag-San; Mt. So-Baeg-San; Mt. Nae-Jang-San)

Collected Localities

GW : Mt. Seol-Ag-San

JB : Mt. Nae-Jang-San

GB : Mt. So-Baeg-San

GN : Mt. Ga-Ji-San; Mt. Weon-Hyo-San

Genus *Demonax* Thomson (1860) (Gasisuyeombeom-Haneulso-Sog)

Demonax Thomson, 1860, Classif. Cer., : 216, 226

Type species : *Demonax nigrofasciatus* Thomson (1860) (Is. Batjan, Moluccas)

Demonax transilis Bates (1884) (Gasisuyeombeom-Haneulso)

Demonax transilis Bates, 1884, J. Linn. Soc. London, 18 : 229 (Japan)

Demonax transilis, S.M. Lee, 1981, Korean J. Ent., 11 (1) : 49 (Mt. Seol-Ag-San)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Chi-Ag-San

GG : Mt. So-Yo-San; Mt. Aeng-Mu-Bong; Mt. Myeong-Ji-San; Mt. Cheon-Ma-San

GB : Jig-Ji-Sa; Mt. Sam-Bang-San; Mt. Pal-Gong-San

GN : Sam-Nam-Myeon; Mt. Ga-Ji-San; Tong-Do-Sa

Demonax seourensis Mitono et Cho (1942) (Seoulgasisuyeombeom-Haneulso)

Demonax seourensis Mitono et Cho, 1942, Bull. Agr. For. Taihoku Univ., 3 : 105, text-f. 4, pl. 8, f. 18 (Seoul)

Collected Localities

GG : Mt. Gam-Ag-San; Mt. Myeong-Ji-San

CN : On-Yang

Tribe ANAGLYPTINI Lacordaire (1869) (Ppyojugbeol-Haneulso-Jog)

Genus *Anaglyptus* Mulsant (1839) (Ppyojugbeom-Haneulso-Sog)

Anaglyptus Mulsant, 1839, Col. France Long., : 91

Type species : *Callidium gibbosum* Fabricius (1787) (Europe)

S.M. LEE: Longicorn beetles of Korea

Anaglyptus niponensis Bates (1884) (Ppyojugbeom-Haneulso)

Anaglyptus niponensis Bates, 1884, J. Linn. Soc. London, 18 : 234 (Japan)

Anaglyptus niponensis, Koo, 1963, Kor. J. Zool., 6 (1) : 27 (Mt. Myeong-Ji-San)

Collected Locality

no Specimen

Genus *Aglaophis* Thomson (1857) (Hintebeom-Haneulso-Sog)

Aglaophis Thomson, 1857, Arch. Ent., 1 : 315

Type species : *Aglaophis fasciata* Thomson (1857) (Sikkim)

Metaglaophis Ohbayashi, 1960, Ent. Rev. Japan, 12 (1) : 10

Type species : *Aglaophis colobotheoides* Bates (1884) (Japan)

Aglaophis (*Metaglaophis*) *colobotheoides* Bates (1884) (Hintebeom-Haneulso)

Aglaophis colobotheoides Bates, 1884, J. Linn. Soc. London, 18 : 235, pl. 1, f. 12 (Sapporo)

Aglaophis colobotheoides, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 442 (Suigen = Su-Weon)

Anaglyptus (*Aglaophis*) *colobotheoides*, Gressitt, 1951, Longicornia, 2 : 305 (Korea)

Anaglyptus colobotheoides, Cho, 1961, J. Nat. Acad. Sci, Korea, 3 : 81 (Su-Weon)

Aglaophis (*Metaglaophis*) *colobotheoides*, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 78 (Korea)

Collected Locality

GW : Mt. Seol-Ag-San

Tribe CLEOMENINI Lacordaire (1869) (Bandi-Haneulso-Jog)

Genus *Dere* White (1855) (Bandi-Haneulso-Sog)

Dere White, 1855, Cat. Col. Brit. Mus., 8 : 248

Type species : *Dere thoracica* White (1855) (North China)

Dere thoracica White (1855) (Bandi-Haneulso)

Dere thoracica White, 1855, Cat. Col. Brit. Mus., 8 : 249 (North China)

Dere thoracica, Okamoto, 1924, Bull. Agr. Exp. Sta. Chosen, 1 (2) : 190 (Quelpart Is. = Is. Je-Ju-Do)

Collected Localities

JB : Mt. Nae-Jang-San

GN : Sam-Nam-Myeon; Mt. Weon-Hyo-San

Tribe PURPURICENINI Fairmaire (1864) (Juhong-Haneulso-Jog)

Genus *Purpuricen* Germar (1824) (Juhong-Haneulso-Sog)

Purpuricen Germar, 1824, Ins. Spec. Nov., : 500

Type species : *Cerambyx desfontainei* Fabricius (1792) (Turkey)

Sternoplistes Guérin, 1844, Icon. Regne Anim. Ins., : 224

Type species : *Sternoplistes temminckii* Guérin (1844) (Shanghai)

Purpuricenus (Sternoplistes) temminckii* (Guerin-Meneville) (1844) (Juhong-Haneulso)Sternoplistes temminckii* Guerin-Meneville, 1844, Icon. Regne Anim. Ins., : 224 (Shanghai)*Sternoplistes temminckii*, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)*Purpuricenus temminckii*, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 472 (Korea)*Purpuricenus (Sternoplistes) temminckii*, Gressitt, 1951, Longicornia, 2 : 319 (Korea)

Collected Locality

no Specimen

Purpuricenus (Sternoplistes) spectabilis* Motschulsky (1857) (Jeombagijuhong-Haneulso)Purpuricenus spectabilis* Motschulsky, 1857, Etud. Ent., 6 : 36 (Japan)*Purpuricenus lituratus* Ganglbauer var. *ritsemai* Villard, Machida et Aoyama, 1930, Chosen Gaichu Hen, 2 : 43, f. 20 (Korea)*Sternoplistes spectabilis*, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 453 (Korea)*Purpuricenus spectabilis*, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 49 (Korea)*Purpuricenus (Sternoplistes) spectabilis*, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 416 (Korea)

Collected Locality

no Specimen

Purpuricenus (Purpuricenus) lituratus* Ganglbauer (1887) (Heuggaseumjuhong-Haneulso)Purpuricenus lituratus* Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 136 (Korea)*Purpuricenus* (s. str.) *lituratus*, Gressitt, 1951, Longicornia, 2 : 318 (Korea)

Collected Locality

no Specimen

Purpuricenus (Purpuricenus) petasifer* Fairmaire (1888) (Mojamunijuhong-Haneulso)Purpuricenus petasifer* Fairmaire, 1888, Rev. d'Ent., 7 : 140 (Peking)*Purpuricenus lituratus* Ganglbauer var. *ritsemai* Villard, Okamoto, 1924, Bull. Agr. Exp. Sta. Chosen, 1 (2) : 190 (Quelpart Is. = Is. Je-Ju-Do)*Purpuricenus ritsemai*, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 453 (Kaijo = Gae-Seong)*Purpuricenus lituratus ritsemai*, Kamiya et Adachi, 1933, Nat. Col. Col. Ico. Tokyo, : pl. 41, f. 1 (Korea)*Purpuricenus lituratus*, Hirayama, 1937, Nat. Col. 1000 Ins. Ico., 2 : 161, pl. 72, f. 6 (Korea)*Purpuricenus* (s. str.) *petasifer*, Gressitt, 1951, Longicornia, 2 : 318 (Korea)*Purpuricenus petasifer*, Hayashi, 1961, Col. Ill. Ins. Jap. Osaka, Col., : 163, pl. 50, f. 1139 (Korea)*Purpuricenus (Sternoplistes) lituratus*, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 79 (Korea; Is. Je-Ju-Do)

Collected Localities

GG : Mt. Wang-Bang-San; Ga-San-Ni, Po-Cheon-Gun; Weol-San-Ni, Yang-Ju-Gun; Mt. Nam-San, Seoul

GB : Ga-Chang; An-Sim

Purpuricenus (Purpuricenus) sideriger* Fairmaire (1888) (Dalmunijuhong-Haneulso)Purpuricenus sideriger* Fairmaire, 1888, Rev. d'Ent., 7 : 139 (Kiangsi)*Purpuricenus ritsemai* Villard ssp. *coreanus* Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 441 (Bukkokuji = Bul-Gug-Sa)*Purpuricenus pratti* Gahan, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 49 (Bul-Gug-Sa; Dae-Gu)

S.M. LEE: Longicorn beetles of Korea

Purpuricen (s. str.) *sideriger*, Gressitt, 1951, Longicornia, 2 : 319 (Korea)

Purpuricen (*Sternoplistes*) *sideriger*, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 64 (Gwang-Neung; Byeog-Je-Ri; Mt. Gu-Bong-San; Bul-Gug-Sa)

Collected Localities

GG : Gwang-Neung; Byeog-Je-Ri

GB : Mt. Gu-Bong-San; Bul-Gug-Sa

Genus *Amarysius* Fairmaire (1888) (Sojuhong-Haneulso-Sog)

Amarysius Fairmaire, 1888, Rev. d'Ent., 7 : 140

Type species : *Amarysius dilatatus* Fairmaire (1888) (North China) = *Anoplistes sanguinipennis* Blessig (1872) (Siberia)

Amarysius sanguinipennis (Blessig) (1872) (Sojuhong-Haneulso)

Anoplistes sanguinipennis Blessig, 1872, Hor. Soc. Ent. Ross., 9 : 175 (Amurland)

Anoplistes sanguinipennis, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Asiates sanguinipennis, Okamoto, 1927, Ins. Mats., 2 (2) : 77 (Koryo = Gwang-Neung)

Amarysius sanguinipennis, Gressitt, 1951, Longicornia, 2 : 324 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Bang-Dae-San; Gang-Chon

GG : Mt. Aeng-Mu-Bong; Gwang-Neung; Bang-Chug-Ni; Mt. Cheon-Ma-San; Ma-Seog; Nam-Han-San-Seong, vic. Seoul; Mt. Myeong-Ji-San

GN : Mil-Yang

Amarysius altaicensis (Laxmann) (1770) (Munisojuhong-Haneulso)

Leptura altaicensis Laxmann, 1770, Nov. Com. Acad. Peter., 14 (1) : 697 (Siberia)

Anoplistes altaicensis, Ganglbauer, 1887, Hoe. Soc. Ent. Ross., 20 : 132 (Korea)

Anoplistes ephippium Stevens et Dalman var. *coreanum* Okamoto, 1924, Bull. Agr. Exp. Sta. Chosen, 1 (2) : 191 (Quelpart Is. = Is. Je-Ju-Do)

Asiates altaicensis, Okamoto, 1927, Ins. Mats., 2 (2) : 76 (Korea)

Asiates coreanum, Okamoto, 1927, Ins. Mats., 2 (2) : 77 (Quelpart Is. = Is. Je-Ju-Do; Suigen = Su-Weon; Koryo = Gwang-Neung)

Asias ephippium, Plavilstshikov, 1940, Faune URSS, 22 : 590, f. 368 - 9 (Korea)

Asiates altaicensis coreanum, Mitono, 1943, Kyushu Univ. For. Bull., 13 : 144 (Mu-San)

Asiates altaicensis var. *coreanum*, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 49 (Korea)

Amarysius altaicensis, Gressitt, 1951, Longicornia, 2 : 323 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Bang-Dae-San; Mt. Tae-Baeg-San; Mt. Chi-Ag-San; Gang-Chon; Yeong-Weol

GG : Mt. So-Yo-San; Mt. Wang-Bang-San; Mt. Aeng-Mu-Bong; Mt. Deog-Am-San; Deog-So; Gwang-Neung; Mt. Cheon-Ma-San; Mt. Myeong-Ji-San; Mt. Hwa-Ag-San; Nam-Han-San-Seong, vic. Seoul

JB : Mt. Nae-Jang-San

Genus *Asias* Semenov (1914) (Meogjuhong-Haneulso-Sog)

Asias Semenov, 1914, Rev. Russe Ent., 14 : 18

Type species : *Anoplistes halodendri* Pallas (1776) (Siberia)

***Asias haldendri* (Pallas) (1776) (Meogjuhong-Haneulso)**

Cerambyx halodendri Pallas, 1776, Reisen Russ. Reich., 2 : 724 (Siberia)

Anoplistes halodendri, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Asiates halodendri, Okamoto, 1927, Ins. Mats., 2 (2) : 77 (Sharei = Cha-Ryeong)

Purpuricenus pirus Arakawa, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 443
(Chotan = Jang-Dan; Suigen = Su-Weon)

Asias halodendri, Gressitt, 1951, Longicornia, 2 : 322 (Korea)

Collected Localities

GG : Gae-Seong; Mt. So-Yo-San; Gwang-Neung; Mt. Cheon-Ma-San; Mt. Gwan-Ag-San

GB : Bi-An, Eui-Seong-Gun; Yong-Yeon-Sa

Subfamily LAMIINAE Latreille (1825) (Mog-Haneulso-Agwa)

Tribe MESOSINI Thomson (1860) (Ggaedasi-Haneulso-Jog)

Genus *Mesosa* Latreille (1829) (Ggaedasi-Haneulso-Sog)

***Mesosa* Latreille, 1829, in Cuvier, Regne Anim. Ins., 2 (2) : 124**

Type species : *Lamia curculionoides* Linnaeus (1761) (Europe)

***Aphelocnemia* Stephens, 1831, Brit. Ent. Man., 4 : 236, errata : 414**

Type species : *Lamia nebulosa* Fabricius (1781) (Germany)

***Perimesosa* Breuning, 1939, Nov. Ent., 3, Suppl. fasc., 52 : 409**

Type species : *Mesosa hirsuta* Bates (1884) (Japan)

***Mesosa (Mesosa) myops* (Dalman) (1817) (Ggaedasi-Haneulso)**

Lamia myops Dalman, 1817, in Schonher Syn. Ins., 1 (3) App., : 168 (Europe)

Mesosa myops, Bates, 1888, Proc. Zool. Soc. London, : 379 (Korea)

Mesosa curculionides Linnaeus, Okamoto, 1927, Ins. Mats., 2 (2) : 81 (Mt. Hakuyo = Mt. Baeg-Yang-San; Koryo = Gwang-neung; Mt. Kongo = Mt. Geum-Gang-San; Gesseiji = Weol-Jeong-Sa; Sharei = Cha-Ryeong)

Mesosa japonica Bates, Nakatomi, 1934, Ent. World, 11 (12) : 655 (Seoul)

Mesosa myops var. *japonica*, Matsushita, 1940, Kontyu, 14 (3) : 128 (Korea)

Mesosa (s. str.) *curculionides*, Gressitt, 1951, Longicornia, 2 : 415 (Korea)

Mesosa (s. str.) *myops*, Gressitt, 1951, Longicornia, 2 : 415 (Korea)

Mesosa (Mesosa) myops japonica, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 426 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Gang-Chon; Mt. Chi-Ag-San

GG : Mt. Gam-Ag-San; Mt. Aeng-Mu-Bong; Gwang-Neung; Ma-Seog; Mt. Cheon-Ma-San; Cheong-Pyeong; Mt. Myeong-Ji-San

GB : Mt. So-Baeg-San; Jig-Ji-Sa; Mt. Pal-Gong-San

JJ : Mt. Hal-La-San

***Mesosa (Aphelocnemia) longipennis* Bates (1873) (Ginggaedasi-Haneulso)**

Mesosa longipennis Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 313 (Japan)

Mesosa longipennis, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 445 (Kaijo = Gae-Seong)

Mesosa (Aphelocnemia) longipennis, Gressitt, Longicornia, 2 : 419 (Korea)

S.M. LEE: Longicorn beetles of Korea

Collected Locality
no Specimen

Mesosa '*Perimesosa*) *hirsuta* Bates (1884) (Hinggaedasi-Haneulso)

Mesosa *hirsuta* Bates, 1884, J. Linn. Soc. London, 18 : 244 (Kobe, Japan)

Mesosa *hirsuta*, Bates, 1888, Proc. Zool. Soc. London, : 379 (Korea)

Mesosa (*Perimesosa*) *hirsuta*, Gressitt, 1951, Longicornia, 2 : 420 (Korea)

Mesosa (*Perimesosa*) *hirsuta continentalis* Hayashi, 1965, Ent. Rev. Japan, 18 (1) : 29 – 30
(Keijo = Seoul)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Gwang-Neung; Mt. Nam-San, Seoul

CB : Mt. Chu-Heul-San

GB : Mt. So-Baeg-San

Tribe HOMONOEINI Thomson (1864) (Someori-Haneulso-Jog)

Genus *Bumetopia* Pascoe (1858) (Someori-Haneulso-Sog)

Bumetopia Pascoe, 1858, Trans. Ent. Soc. London, 2 (4) : 252

Type species : *Bumetopia oscitans* Pascoe (1856) (Hongkong)

Bumetopia oscitans Pascoe (1856) (Someori-Haneulso)

Bumetopia oscitans Pascoe, 1856, Trans. Ent. Soc. London, 2 (4) : 252 (Hongkong)

Bumetopia oscitans, S.M. Lee, 1980, Korean J. Ent., 10 (1) : 53 (Mt. Hal-La-San, Is. Je-Ju-Do)

Collected Locality

JJ : Mt. Hal-La-San

Tribe APOMEYCYNINI Lacordaire (1872) (Oi-Haneulso-Jog)

Genus *Apomecyna* Latreille (1829) (Oi-Haneulso-Sog)

Apomecyna Latreille, 1829, in Cuvier, Regne Anim. Ins., 2 (5) : 126

Type species : *Saperda alboguttata* Megerle (1802) (India) = *Lamia histrio* Fabricius (1792)
Tranquebar, India)

Apomecyna histrio (Fabricius) (1792) (Oi-Haneulso)

Lamia histrio Fabricius, 1792, Ent. Syst., 1 (2) : 288 (Tranquebar, India)

Apomecyna maculaticollis Pic, Matsushita, 1938, Ins. Mats., 12 (2, 3) : 103 (Korea)

Apomecyna histrio, Hayashi, 1961, Col. Ill. Ins. Jap. Osaka, Col., : 176 (Korea)

Collected Locality

no Specimen

Genus *Xylariopsis* Bates (1884) (Hingaseum-Haneulso-Sog)

Xylariopsis Bates 1884, J. Linn. Soc. London, 18 : 247

Type species : *Xylariopsis mimica* Bates (1884) (Japan)

Xylariopsis (*Xylariopsis*) *mimica* Bates (1884) (Hingaseum-Haneulso)

Xylariopsis mimica Bates, 1884, J. Linn. Soc. London, 18 : 247, pl. 2, f. 7 (Japan)

Xylariopsis mimica, Cho, 1941, J. Chosen Nat. Hist. Soc., 8 (32) : 38 (Go-Yang, Gyeong-Gi-Do)

Xylariopsis (Xylariopsis) mimica, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 66 (Gwang-Neung)

Collected Localities

GG : Gwang-Neung

JB : Mu-Ju

Genus *Microlera* Bates (1873) (Jobssal-Hanulso-Sog)

Microlera Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 380

Type species : *Microlera ptinoides* Bates (1873) (Japan)

Microlera ptinoides Bates (1873) (Jobassal-Haneulso)

Microlera ptinoides Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 381 (Japan)

Microlera ptinoides, S.M. Lee, 1981, Korean J. Ent., 11 (2) : 46 (Mt. Cheon-Ma-San)

Collected Locality

GG : Mt. Cheon-Ma-San

Tribe AGAPANTHINI Mulsant (1839) (Choweon-Haneulso-Jog)

Genus *Agapanthia* Serville (1835) (Choweon-Haneulso-Sog)

Agapanthia Serville, 1835, Ann. Soc. Ent. France, 4 : 35

Type species : *Saperda cardui* Linnaeus (1767) (Europe)

Agapanthia daurica Ganglbauer (1884) (Choweon-Haneulso)

Agapanthia daurica Ganglbauer, 1884, Best.-Tab. Eur. Col., 8 : 110 (Amurland; Dauria)

Agapanthia daurica, Okamoto, 1927, Ins. Mats., 2 (2) : 83 (Sharei = Cha-Ryeong; Mt. Kongo = Mt. Geum-Gang-San)

Agapanthia lineatocollis Donovan, Kamiya et Adachi, 1933, Nat. Col. Col. Ico. Tokyo, : pl. 36 f. 8 (Korea)

Collected Locality

no Specimen

Agapanthia alternans Fischer (1842) (Bugbangchoweon-Haneulso)

Agapanthia alternans Fischer, 1842, Cat. Col. Karelina, : 26 (Siberia)

Agapanthia alternans, Heyrovsky, 1932, Ent. Nachr., 6 : 29 (Seishin = Cheong-Jin)

Collected Locality

no Specimen

Agapanthia pilicornis (Fabricius) (1787) (Namsaegchoweon-Haneulso)

Saperda pilicornis Fabricius, 1787, Mant. Ins., 1 : 148 (East Siberia)

Agapanthia pilicornis, Kolbe, 1886, Arch. Naturg., 52 (1) : 225 (Korea)

Agapanthia amurensis Kraatz, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Collected Localities

GW : Mt. Chi-Ag-San; Gang-Chon

GG : Mt. Wang-Bang-San; Mt. Aeng-Mu-Bong; Mt. Deog-Am-San; Gwang-Neung; Pal-Dang, vic. Seoul; Mt. Cheon-Ma-San; Mt. Myeong-Ji-San; Mt. Yong-Mun-San; Mt. Hwa-Ag-San

CB : Mt. Sog-Ni-San

JB : Mt. Nae-Jang-San

JN : Hae-Nam

GB : Jig-Ji-Sa

S.M. LEE: Longicorn beetles of Korea

GN : Mt. Ga-Ya-San; Bu-San; Mt. Og-Nyeo-Bong, Is. Geo-Je-Do

Tribe HIPPOPSINI Thomson (1860) (Weontong-Haneulso-Jog)

Genus *Pseudocalamobius* Kraatz (1879) (Weontong-Haneulso-Sog)

Pseudocalamobius Kraatz, 1879, Deut. Ent. Zeit., 22 : 116

Type species : *Calamobius japonicus* Bates (1873) (Japan)

Pseudocalamobius japonicus (Bates) (1873) (Weontong-Haneulso)

Calamobius japonicus Bates, 1873, Ann. Mag. Nat. Hisi., 4 (12) : 383 (Nagasaki)

Pseudocalamobius japonicus, Heyrovsky, 1974, Frag. Fauni. Warszawa, 20 (3) : 36 (Mr. Mjohjang
-San = Mt. Myo-Hyang-San)

Collected Localities

GW : Mt. Seol-Ag-San

CB : Mt. Sog-Ni-San

GB : Mt. So-Baeg-San; Mt. Su-Do-San

GN : Mt. Weon-Hyo-San

Tribe PTEROPLIINI Thomson (1860) (Jjagji-Haneulso-Jog)

Genus *Niphona* Mulsant (1839) (Jjagji-Haneulso-Sog)

Niphona Mulsant, 1839, Col. France Long., : 368

Type species : *Niphona picticornis* Mulsant (1839) (East Europe)

Niphona furcata (Bates) (1873) (Jjagji-Haneulso)

Aelara furcata Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 169 (Japan)

Niphona furcata, Hirayama, 1937, Nat. Col. 1000 Ins. Ico., 2 : 166, pl. 73, f. 25 (Korea)

Collected Locality

no Specimen

Genus *Pterolophia* Newman (1842) (Gombo-Haneulso-Sog)

Pterolophia Newman, 1842, Entomologist, 1 : 289

Type species : *Mesosa? bigibbera* Newman (1842) (Manila)

Eurycotyle Blessig, 1873, Hor. Soc. Ent. Ross., 9 : 210

Type species : *Eurycotyle maacki* Blessig (1873) (Amurland)

Hylobrotus Lacordaire, 1872, Gen. Col., 9 : 522, 538

Type species : *Hylobrotus ploemi* Lacordaire (1872) (Molucca)

Ale Pascoe, 1865, Trans. Ent. Soc. London, 3 (3) : 96, 131

Type species : *Ale agraria* Pascoe (1865) (Is. Batjan, Moluccas)

Pterolophia (Pterolophia) angusta (Bates) (1873) (Gombo-Haneulso)

Praonetha angusta Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 317 (Nagasaki)

Pterolophia (Pterolophia) angusta, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 67 (Mt. Bug-Han-San,

vic. Seoul; Deog-Eun-Ni, vic. Seoul, Geum-Dang-Ni, Gyeong-Gi-Do; Non-San, Chung-Nam;
Mt. Pal-Gong-San; Dong-Nae, Bu-San)

Collected Localities

GG : Mt. Bug-Han-San, vic. Seoul; Deog-Eun-Ni, vic. Seoul; Geum-Dang-Ni, I-Cheon-Gun; Su-Weon

CN : Non-San

JN : Is. So-Heung-San-Do

GB : Mt. Pal-Gong-San; Is. Ul-Lung-Do

GN : Mt. Weon-Hyo-San; Dong-Nae, Bu-San

***Pterolophia (Pterolophia) zonata* (Bates) (1873) (Hinddigombo-Haneulso)**

Praonetha zonata Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 315 (Japan)

Pterolophia zonata, Mochizuki et Tsunekawa, 1937, J. Chosen Nat. Hist. Soc., 22 : 86 (Mt. So-Yo-San)

Pterolophia (Pterolophia) zonata, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 68 (Korea)

Collected Locality

no Specimen

***Pterolophia (Pterolophia) granulata* (Motschulsky) (1866) (Hinjeomgombo-Haneulso)**

Pogonocherus granulatus Motschulsky, 1866, Bull. Moscou, 38 (1) : 174 (Japan)

Pterolophia rigida Bates, Okamoto, 1927, Ins. Mats., 2 (2) : 82 (Koryo = Gwang-Neung; Suigen = Su-Weon)

Pterolophia (Pterolophia) granulatus, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 98 (Korea)

Collected Localities

GW : Mt. Tae-Baeg-San

GG : Mt. Aeng-Mu-Bong; Gwang-Neung; Mt. Cheon-Ma-San

JB : Mt. Nae-Jang-San

GB : Jig-Ji-Sa; Mt. Sam-Bang-San; Is. Ul-Lung-Do

***Pterolophia (Pterolophia) multinotata* Pic (1931) (Urigombo-Haneulso)**

Pterolophia multinotata Pic, 1931, Echange, 47 : 1 (Korea)

Collected Locality

no Specimen

***Pterolophia (Eurycotyle) maacki* (Blessig) (1873) (Daeryuggombo-Haneulso)**

Eurycotyle maacki Blessig, 1873, Hor. Soc. Ent. Ross., 9 : 211, pl. 8, f. 4 (South East Siberia)

Eurycotyle maacki, Mitono, 1943, Kyushu Univ. For. Bull., 13 : 146 (Mu-San)

Pterolophia maacki, Gressitt, 1951, Longocornia, 2 : 470 (Korea)

Pterolophia (Pterolophia) maacki, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 67 (Mt. Nae-Jang-San "error" = Mt. Bug-Han-San)

Collected Locality

GG : Mt. Bug-Han-San, vic. Seoul

***Pterolophia (Hylobrotus) annulata* (Chevrolat) (1845) (Keungombo-Haneulso)**

Coptops annulata Chevrolat, 1845, Rev. Zool., 8 : 99 (Macao)

Pterolophia annulata, Cho, 1941, J. Chosen Nat. Hist. Soc., 8 (32) : 38 (Dong-Nae, Gyeong-Nam)

Pterolophia (Hylobrotus) annulata, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 99 (Korea)

Collected Locality

JN : Is. Dae-Heug-San-Do

S.M. LEE: Longicorn beetles of Korea

Pterolophia (Ale) jugosa (Bates) (1873) (Hingombo-Haneulso)

Praonetha jugosa Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 315 (Japan)

Pterolophia jugosa, Mochizuki et Tsunekawa, 1937, J. Chosen Nat. Hist. Soc., 22 : 88 (Mt. Geum-Gang-San)

Pterolophia smaragdula Bates, Ishii, 1940, Keichu Rikabuho, 5 : 52 (Seoul)

Pterolophia (Ale) jugosa, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 68 (Korea)

Collected Locality

no Specimen

Genus *Egesina* Pascoe (1864) (Ggoma-Haneulso-Sog)

Egesina Pascoe, 1864, Trans. Ent. Soc. London, 3 (3) : 28, 49

Type species : *Egesina rigida* Pascoe (1864) (Singapore)

Niijimaia Matsushita, 1933, J. Fac. Agr. Hokkaido Univ., 34 : 386

Type species : *Niijimaia bifasciana* Matsushita (1933) (Korea; Japan)

Egesina (Niijimaia) bifasciana (Matsushita) (1933) (Ggoma-Haneulso)

Niijimaia bifasciana Matsushita, 1933, Fac. Agr. Hokkaido Univ., 34 : 387, pl. 3, f. 8 (Moshumen = Mu-Ju-Myeon, Korea; Mt. Moiwa, Sapporo Hokkaido)

Egesina (Pseudenisipia) coreana Breuning, 1950, Arkiv f. Zool. Ser. 2, 1 (19) : 266 (Korea)

Egesina bifasciana, Hayashi, 1961, Col. Ill. Ins. Jap. Osaka, Col., : 181, pl. 57, f. 1254 (Korea)

Egesina (Niijimaia) bifasciana coreana, Hayashi, 1962, Ent. Rev. Japan, 14 (1) : 16 (Korea)

Egesina (Niijimaia) bifasciana, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 68 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Mt. Cheon-Ma-San

JN : Is. Hong-Do

Tribe MORIMOPSINI Lacordaire (1869) (Duggeobi-Haneulso-Jog)

Genus *Plectrura* Mannerheim (1852) (Duggeobi-Haneulso-Sog)

Plectrura Mannerheim, 1852, Bull. Moscoe, 25 (1) : 366

Type species : *Plectrura spinicauda* Mannerheim (1852) (Sitkha Is., off. North West Coast of USA)

Phlyctidola Bates, 1884, J. Linn. Soc. London, 8 : 236

Type species : *Phlyctidola metallica* Bates (1884) (Japan)

Plectrura (Phlyctidola) mandshurica Jacobson (1899) (Duggeobi-Haneulso)

Plectrura (Phlyctidola) mandshurica Jacobson, 1899, Ann. Mus. Zool. Petr., 4 : 43 (Manchuria)

Plectrura metallica Bates, Matsushita et Tamanuki, 1937, Ins. Mats., 11 (4) : 149 (Horyuri = Pung-Yu-Ri)

Plectrura (Phlyctidola) mandshurica, Gressitt, 1951, Longicornia, 2 : 328 (Korea?)

Plectrura (Phlyctidola) metallica, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 102 (Korea)

Collected Locality

HN : Mt. Du-Un-Bong

Genus *Eodorcadion* Breuning (1947) (Samagduggeobi-Haneulso-Sog)

Eodorcadion Breuning, 1947, Misc. Ent., 43 : 142

Type species : *Lamia carinata* Fabricius (1775) (Europe)

Eodorcadion virgatum (Motschulsky) (1886) (Samaggombo-Haneulso)

Dorcadion virgatum Motschulsky, 1886, Etud. Ent., 3 : 65 (Shingai, North China)

Neodorcadion virgatum, Jakowleff, 1901, Rev. Russe Ent., 1 : 151 (Korea)

Eodorcadion (s. str.) *virgatum*, Gressitt, 1951, Longicornia, 2 : 341 (Korea)

Eodorcadion virgatum, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 89 (Korea)

Collected Locality

no Specimen

Tribe AGNIINI Thomson (1864) (Suyeom-Haneulso-Jog)

Genus *Lamia* Fabricius (1775) (Mog-Haneulso-Sog)

Lamia Fabricius, 1775, Syst. Ent., : 170

Type species : *Cerambyx textor* Linnaeus (1758) (Europe)

Lamia textor (Linnaeus) (1758) (Mog-Haneulso)

Cerambyx textor Linnaeus, 1758, Syst. Nat., 10 : 392 (Europe)

Lamia textor, Kolbe, 1886, Arch. Naturg., 52 (1) : 222 (Korea)

Collected Localities

GG : Gwang-Neung; Mt. Cheon-Ma-San; Mt. Gwan-Ag-San

JB : Mt. Nae-Jang-San

Genus *Lamiomimus* Kolbe (1886) (Urimog-Haneulso-Sog)

Lamiomimus Kolbe, 1886, Arch. Naturg., 52 (1) : 223

Type species : *Lamiomimus gottschei* Kolbe (1886) (Korea)

Lamiomimus gottschei Kolbe (1886) (Urimog-Haneulso)

Lamiomimus gottschei Kolbe, 1886, Arch. Naturg., 52 (1) : 224, pl. 11, f. 39 (Korea)

Lamia adelpha Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 137 (Korea)

Lamia gottschei, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 91 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Bang-Dae-San; Gang-Chon; Sil-Lim

GG : Mt. Gam-Ag-San; Mt. Aeng-Mu-Bong; Gwang-Neung; Mt. Do-Bong-San; Mt. Cheon-Ma-San; Cheong-Pyeong; Mae-Weol-Ri, Yang-Dong-Myeon; Mt. Myeong-Ji-San; In-Cheon

Genus *Perihammus* Aurivillius (1924) (Dujulsuyeom-Haneulso-Sog)

Perihammus Aurivillius, 1924, Ark. Zool., 15 (25) : 21

Type species : *Perihammus bifasciatus* Aurivillius (1924) (Ormei-Shan, China)

Perihammus infelix (Pascos) (1856) (Dujulsuyeom-Haneulso)

Monochamus infelix Pascos, 1856, Trans Ent. Soc. London, 2 (4) : 48 (North China)

Monochamus infelix, Matsushita, 1933, J. Fac. Agr. Hokkaido Univ., 34 : 325 (Korea)

Perihammus infelix, Gressitt, 1951, Longicornia, 2 : 382 (Korea)

Collected Locality

no Specimen

S.M. LEE: Longicorn beetles of Korea

Genus *Mecynippus* Bates (1884) (Danpungsuyeom-Haneulso-Sog)

Mecynippus Bates, 1884, J. Linn. Soc. London, 18 : 240

Type species : *Mecynippus pubicornis* Bates (1884) (Japan)

Mecynippus pubicornis Bates (1884) (Danpungsuyeom-Haneulso)

Mecynippus pubicornis Bates, 1884, J. Linn. Soc. London, 18 : 241 (Sapporo)

Mecynippus pubicornis, Mitono, 1940, Cat. Col. Jap., 8 : 146 (Korea)

Collected Locality

no Specimen

Genus *Monochamus* Guerin (1827) (Suyeom-Haneulso-Sog)

Monochamus Guerin, 1827, Dict. Class. Hist. Nat., 11 : 91

Type species : *Lamia sutor* Fabricius (1775) (Europe) = *Cerambyx sutor* Linnaeus (1758) (Europe)

Monochamus (*Monochamus*) *sutor* (Linnaeus) (1758) (Ggaedasisuyeom-Haneulso)

Cerambyx sutor Linnaeus, 1758, Syst. Nat., 10 : 392 (Europe)

Monochammus sutor, Okamoto, Ins. Mats., 2 (2) : 79 (Sharei = Cha-Ryeong)

Monochammus sutor var. *pellio* Germar, Tamanuki, 1933, Ins. Mats., 8 (2) : 87 (North Korea)

Monochamus sutor, Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 29 (Yong-Am; Yeon-Am)

Monochamus (s. str.) *sutor*, Gressitt, 1951, Longicornia, 2 : 395 (Korea)

Collected Locality

GW : Mt. Seol-Ag-San

Monochamus (*Monochamus*) *nitens* (Bates) (1884) (Keunggaedasisuyeom-Haneulso)

Monochammus nitens Bates, 1884, J. Linn. Soc. London, 18 : 238 (Japan)

Monochammus nitens, Kamijo, 1933, J. Chosen Nat. Hist. Soc., 15 : 56 (Mt. Pal-Gong-San)

Collected Locality

no Specimen

Monochamus (*Monochamus*) *urussovi* (Fischer) (1806) (Suyeom-Haneulso)

Cerambyx urussovi Fischer, 1806, Mem. Soc. Nat. Moscou, 1 : 12 (North Europe)

Monochammus sartor Fabricius, Okamoto, 1927, Ins. Mats., 2 (2) : 79 (Mt. Kongo = Mt. Geum-Gang-San; Sharey = Cha-Ryeong)

Monochamus rosenmulleri Cederhjelm, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 473 (Mt. Hakuto = Mt. Baeg-Du-San)

Monochamus sartor, Kamiya et Adachi, 1933, Nat. Col. Col. Ico. Tokyo, : pl. 35, f. 5 (Korea)

Monochamus (s. str.) *urussovi*, Gressitt, 1951, Longicornia, 2 : 396 (Korea)

Monochamus urussovi, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 421 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San

GB : Dae-Gu; Mt. Pal-Gong-San

JJ : Mt. Hal-La-San

Monochamus (*Monochamus*) *saltuarius* (Gebler) (1830) (Bugbangsuyeom-Haneulso)

Monochammus saltuarius Gebler, 1830, Ledeb. Reise, 2 (3) : 184 (Altai)

Monochammus saltuarius, Heyrovsky, 1932, Ent. Nachr., 6 : 29 (Seishin = Cheong-Jin)

Monochamus saltuarius, Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 6 (Yeon-Am)

Monochamus (s. str.) *saltuarius*, Gressitt, 1951, Longicornia, 2 : 395 (Korea)

Collected Locality

GW : Mt. Seol-Ag-San

Monochamus (*Monochamus*) *alternatus* Hope (1842) (Solsuyeom-Haneulso)

Monochamus alternatus Hope, 1842, Trans. Ent. Soc. London, : 111 (Iss. Chusyan)

Monochamus tesseraula White, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mua. Korea, 1 (3) : 51 (Korea)

Monochamus alternatus, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 419 (Korea)

Monochamus (*Monochamus*) *alternatus*, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 106 (Korea)

Collected Locality

JJ : Seo-Gui-Po

Monochamus (*Monochamus*) *subfasciatus* (Bates) (1873) (Ginsuyeom-Haneulso)

Monochamus subfasciatus Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 308 (Nagasaki)

Monochamus (*Monochamus*) *subfasciatus*, S.M. Lee, 1981, Korean J. Ent., 11 (2) : 46 (Mt. Ga-Ya-San)

Collected Locality

GN : Mt. Ga-Ya-San

Monochamus (*Monochamus*) *guttulatus* Gressitt (1951) (Jombagisuyeom-Haneulso)

Monochamus (s. str.) *guttulatus* Gressitt, 1951, Longicornia, 2 : 392, 394 (East Siberia; North East China; Korea)

Monochamus guttatus Blessig, Okamoto, 1927, Ins. Mats., 2 (2) : 79 (Gessei = Weol-Jeong-Sa)

Monochamus guttatus, Mori et Cho, 1939, Bot. Zool., 7 (10) : 34 (Mt. Geum-Gang-San)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Mt. Aeng-Mu-Bong; Gwang-Neung; Mt. Bug-Han-San, vic. Seoul; Mt. Cheon-Ma-San

GB : Mt. So-Baeg-San

GN : Mt. Weon-Hyo-San

Genus *Anoplophora* Hope (1839) (Allag-Haneulso-Sog)

Anoplophora Hope, 1839, Proc. Linn. Soc. London, 1 : 43

Type species : *Anoplophora stanleyana* Hope (1839) (Assam)

Anoplophora malasiaca (Thomson) (1865) (Allag-Haneulso)

Callophora malasiaca Thomson, 1865, Syst. Ceramb., : 553 (Malasia)

Melanauster chinensis Forster, Kolbe, 1886, Arch. Naturg., 52 (1) : 223 (Korea)

Anoplophora (*Melanauster*) *chinensis*, Bates, 1888, Proc. Zool. Soc. London, : 379 (Korea)

Melanauster chinensis var. *macularius* Thomson, Okamoto, 1927, Ins. Mats., 2 (2) : 79 (Quelpart Is. = Is. Je-Ju-Do; Mt. Chii = Mt. Ji-Ri-San; Suigen = Su-Weon; Gishiu = Gil-Ju)

Melanauster chinensis f. *macularius*, Matsumura, 1931, 6000 Ill. Ins. Jap., : 259, f. 803 (Korea)

Anoplophora (s. str.) *chinensis*, Gressitt, 1951, Longicornia, 2 : 368 (Korea)

Anoplophora malasiaca, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 424 (Korea; Is. Je-Ju-Do)

Anoplophora chinensis, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 92 (Korea)

Anoplophora (*Anoplophora*) *malasiaca*, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 108 (Korea; Is. Je-Ju-Do)

S.M. LEE: Longicorn beetles of Korea

Collected Localities

GW : Mt. Bang-Dae-San

GG : Mt. Aeng-Mu-Bong; Gwang-Neung; Mt. Do-Bong-San; Mt. Bug-Han-San, vic. Seoul; Mi-Ya-Ri-Goge, Seoul; Mt. Cheon-Ma-San

CN : Mt. Gwang-Deog-San

JN : Mt. Baeg-Yang-San

GB : Mt. Pal-Gong-San

GN : Mul-Geum; Is. Geo-Je-Do

***Anoplophora glabripennis* (Motschulsky) (1853) (Yuriiallag-Haneulso)**

Cerosterna glabripennis Motschulsky, 1853, Etud. Ent., 2 : 48 (Pekin)

Melanauster macularius Thomson, Kolbe, 1886, Arch. Naturg., 52 (1) : 238 (Korea)

Melanauster glabripennis, Cho, 1937, J. Chosen Nat. Hist. Soc., 22 : 45 (Mt. Geum-Gang-San)

Anoplophora (s. str.) *glabripennis*, Gressitt, 1951, Longicornia, 2 : 369 (Korea)

Anoplophora (s. str.) *macularius*, Gressitt, 1951, Longicornia, 2 : 371 (Korea)

Anoplophora glabripennis, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 423 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Bang-Dae-San

GG : Mt. Aeng-Mu-Bong; Gwang-Neung

Genus *Acalolepta* Pascoe (1858) (Udan-Haneulso-Sog)

Acalolepta Pascoe, 1858, Trans. Ent. Soc. London, 2 (4) : 247

Type species : *Acalolepta pusio* Pascoe (1858) (Borneo)

***Acalolepta luxuriosa* (Bates) (1873) (Keunudan-Haneulso)**

Monohammus luxuriosa Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 309 (Japan; North China)

Monochammus luxuriosus, Okamoto, 1924, Bull. Agr. Exp. Sta. Chosen, 1 (2) : 191 (Quelpart Is. = Is. Je-Ju-Do)

Dihammus luxuriosus, Okamoto, 1927, Ins. Mats., 2 (2) : 80 (Quelpart Is. = Is. Je-Ju-Do)

Cypriola luxuriosus, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 422 (Korea)

Acalolepta luxuriosa, Ohbayashi, 1963, Ico. Ins. Jap. Tokyo, Col., : 304, pl. 152, f. 9 (Korea)

Collected Localities

GW : Mt. O-Dae-San

GG : Gwang-Neung

CB : Mt. Sog-Ni-San

GB : Do-Dong, Is. Ul-Lung-Do

***Acalolepta fraudatorix* (Bates) (1873) (Udan-Haneulso)**

Monohammus fraudator Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 309 (Japan)

Haplohammus fraudator, Okamoto, 1924, Bull. Agr. Exp. Sta. Chosen, 1 (2) : 192 (Quelpart Is. = Is. Je-Ju-Do)

Dihammus cervinus Hope, Okamoto, 1927, Ins. Mats., 2 (2) : 80 (Quelpart Is. = Is. Je-Ju-Do; Suigen = Su-Weon)

Dihammus fraudator, Matsushita, 1935, Kontyu, 9 (5) : 255 (Korea)

Cypriola fraudatorix, Keihin Kotyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 421 (Korea; Is. Je-Ju-Do)

Acalolepta fraudatorix, Ohbayashi, 1963, Ico. Ins. Jap. Tokyo, Col., : 303, pl. 152, f. 5 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San
 GG : Mt. Bug-Han-San, vic. Seoul
 JB : Mu-Ju
 GB : Mt. So-Baeg-San

***Acalolepta sejuncta* (Bates) (1873) (Jageunudan-Haneulso)**

Monohammus sejunctus Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 310 (Japan)
Monohammus sejunctus, Kolbe, 1886, Arch. Naturg., 52 (1) : 225 (Seoul)
Dihammus sejunctus, Matsushita, 1935, Kontyu, 9 (5) : 255 (Korea)
Cypriola sejuncta, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 423 (Korea)
Acalolepta sejuncta, Ohbayashi, 1963, Ico. Ins. Jap. Tokyo, Col., : 303, pl. 152, f. 2 (Korea)

Collected Localities

GG : Mt. Cheon-Ma-San
 JB : Mt. Nae-Jang-San
 JN : Is. Hong-Do

***Acalolepta degener* (Bates) (1873) (Aegiudan-Haneulso)**

Monohammus degener Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 310 (Nagasaki)
Saitoa teneburosa Matsushita, 1937, Kontyu, 11 (1, 2) : 104 (Mt. Myoka, error Mt. Myoko = Mt. Myo-Hyang-San)
Dihammus degener degener, Gressitt, 1951, Longicornia, 2 : 399 (Mt. Chiisan = Mt. Ji-Ri-San)
Dihammus degener, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 98 (Mt. Myo-Hyang-San)
Acalolepta degener, Ohbayashi, 1963, Ico. Ins. Jap. Tokyo, Col., : 303, pl. 152, f. 4 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San
 GG : Mt. Bug-Han-San, vic. Seoul
 GB : Mt. So-Baeg-San
 GN : Ga-Bug

***Acalolepta kusamai* Hayashi (1969) (Bamudan-Haneulso)**

Acalolepta kusamai Hayashi, 1969, Ent. Rev. Japan, 21 (2) : 64 (Japan)
Acalolepta fraudatorix Bates, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 72 (Mt. Baeg-Yang-San)
Acalolepta kusamai, S.M. Lee, 1981, Korean J. Ent., 11 (2) : 46 (Mt. Baeg-Yang-San)

Collected Locality

JN : Mt. Baeg-Yang-San

Genus *Uraecha* Thomson (1864) (Hwasal-Haneulso-Sog)

Uraecha Thomson, 1864, Syst. Ceramb., : 84, 384

Type species : *Uraecha bimaculata* Thomson (1864) (Japan)

***Uraecha bimaculata* Thomson (1864) (Hwasal-Haneulso)**

Uraecha bimaculata Thomson, 1864, Syst. Ceramb., : 85 (Japan)
Uraecha bimaculata, Cho et al., 1963, Kor. J. Zool., 6 (1) : 3 (Sulak-San = Mt. Seol-Ag-San)

Collected Localities

GN : Mt. Og-Nyeo-Bong, Is. Geo-Je-Do
 JJ : Mt. Hal-La-San

Genus *Xenicotela* Bates (1884) (Aegisuyeom-Haneulso-Sog)

S.M. LEE: Longicorn beetles of Korea

Xenicotela Bates, 1884, J. Linn. Soc. London, 18 : 242

Type species : *Xenicotela fuscata* Bates (1884) (Japan) = *Monohammus pardalinus* Bates (1884) (Japan)

Xenicotela pardalina (Bates) (1884) (Aegisuyeom-Haneulso)

Monohammus pardalinus Bates, 1884, J. Linn. Soc. London, 18 : 239 (Japan)

Xenicotela fuscata Bates, Cho et al., 1963, Kor. J. Zool., 6 (1) : 3 (Sulak-San = Mt. Seol-Ag-San)

Collected Locality

no Specimen

Genus *Psacotha* Gahan (1888) (Byeolsuyeom-Haneulso-Sog)

Psacotha Gahan, 1888, Ann. Mag. Nat. Hist., 6 (2) : 400

Type species : *Monohammus hilaris* Pascoe (1857) (North China)

Psacotha hilaris (Pascoe) (1857) (Byeolsuyeom-Haneulso)

Monohammus hilaris Pascoe, 1857, Trans. Ent. Soc. London, 2 (4) : 103 (North China)

Psacotha hilaris, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 444 (Dagelet Is. = Is.

Ul-Lung-Do)

Psacotha hilaris hilaris, Gressitt, 1951, Longicornia, 2 : 395 (Korea)

Collected Localities

GB : Mt. Un-Mun-San; Is. Ul-Lung-Do

Tribe BATOCERINI Lacordaire (1869) (Chamnamu-Haneulso-Jog)

Genus *Apriona* Chevrolat (1852) (Ppongnamu-Haneulso-Sog)

Apriona Chevrolat, 1852, Rev. Mag. Zool., 2 (4) : 414

Type species : *Lamia germari* Hope (1831) (Sylhet, East Pakistan)

Apriona germari (Hope) (1831) (Ppongnamu-Haneulso)

Lamia germari Hope, 1831, Gray Zool. Misc., 1 : 28 (Sylhet, East Pakistan)

Apriona rugicollis Chevrolat, Okamoto, 1927, Ins. Mats., 2 (2) : 81 (Quelpart Is. = Is. Je-Ju-Do;

Suigen = Su-Weon; Fusan = Bu-San)

Apriona germari, Morita, 1936, Ent. World, 4 (34) : 859 (Gun-San)

Collected Localities

GW : Mt. Bang-Dae-San

GG : Seoul; Gyeong-An-Ni; Mt. Myeong-Ji-San

CN : Mt. Gwang-Deog-San; Mt. Ge-Ryong-San

GB : Ga-Chang

GN : Mul-Geum

Genus *Batocera* Castelnau (1840) (Chamnamu-Haneulso-Sog)

Batocera Castelnau, 1840, Hist. Nat. Col., 2 : 470

Type species : *Cerambyx rubus* Linnaeus (1758) (India)

Batocera lineolata Chevrolat (1852) (Chamnamu-Haneulso)

Batocera lineolata Chevrolat, 1852, Rev. Mag. Zool., 2 (4) : 417 (Shanghai)

Batocera rubus Linnaeus var. *coreana* Kolbe, 1886, Arch. Naturg., 52 (1) : 238 (Korea)

Batocera lineolata, Okamoto, 1927, Ins. Mats., 2 (2) : 80 (Quelpart Is. = Is. Je-Ju-Do)

Batocera rubus downesi Hope, Okamoto, 1927, Ins. Mats., 2 (2) : 80 (Korea)

Batocera rubus rubus, Gressitt, 1951, Longicornia, 2 : 408 (Korea)

Collected Locality

JN : Yeo-Su "questionable Locality"

Tribe ANCYLONOTINI Lacordaire (1869) (Allagsuyeon-Haneulso-Jog)

Genus *Palimna* Pascoe (1862) (Allagsuyeom-Haneulso-Sog)

Palimna Pascoe, 1862, J. Ent., 1 : 346

Type species : *Golsinda tessellata* Pascoe (1857) (Borneo) = *Cerambyx annulatus* Olivier (1792) (India)

Palimna liturata (Bates) (1884) (Allagsuyeom-Haneulso)

Apalimna liturata Bates, 1884, J. Linn. Soc. London, 18 : 241, pl. 2, f. 5 (Japan)

Apalimna liturata, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 444 (Kaijo = Gae-Seong)

Palimna liturata continentalis Semenov, Gressitt, 1951, Longicornia, 2 : 435 (Korea)

Palimna liturata, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 102 (Go-Seong, Gang-Weon-Do; Gae-Seong; Is. Je-Ju-Do)

Collected Locality

GG : Gwang-Neung

Tribe DORCASCHEMATINI Thomson (1860) (Yeomso-Haneulso-Jog)

Genus *Olenecamptus* Chevrolat (1835) (Yeomso-Haneulso-Sog)

Olenecamptus Chevrolat, 1835, Mag. Zool., 5 : 134

Type species : *Olenecamptus serratus* Chevrolat (1835) (India; Seylon)

Olenecamptus clarus Pascoe (1859) (Jeombagiyeomso-Haneulso)

Olenecamptus clarus Pascoe, 1859, Trans. Ent. Soc. London, 2 (5) : 44 (North China)

Olenecamptus clarus, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 445 (Mt. Kongo = Mt. Geum-Gang-San)

Olenecamptus clarus clarus, Gressitt, 1951, Longicornia, 2 : 443 (Korea)

Collected Locality

GW : So-Geum-Gang

Olenecamptus octopustulatus (Motschulsky) (1860) (Yeomso-Haneulso)

Ibidimorphum octopustulatus Motschulsky, 1860, Schrenk's Reisen Amurl. Col., : 152, pl. 10, f. 3 (Amurland)

Olenecamptus octopustulatus, Okamoto, 1927, Ins. Mats., 2 (2) : 81 (Gessei = Weol-Jeong-Sa)

Olenecamptus cretaceus Bates, Okamoto, 1927, Ins. Mats., 2 (2) : 82 (Korea)

Olenecamptus octopustulatus octopustulatus, Gressitt, 1951, Longicornia, 2 : 445 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. O-Dae-San

GG : Seoul

Tribe CROSSOTINI Thomson (1864) (Teolduggeobi-Haneulso-Jog)

Genus *Moechotypa* Thomson (1864) (Teolduggeobi-Haneulso-Sog)

S.M. LEE: Longicorn beetles of Korea

Moechotypa Thomson, 1864, Syst. Ceramb., : 55, 368

Type species : *Moechotypa arida* Thomson (1862) (Laos) = *Niphona suffusa* Pascoe (1862) (Cambodia)

Moechotypa diphysis (Pascoe) (1871) (Teolduggeobi-Haneulso)

Scotinauges diphysis Pascoe, 1871, Ann. Mag. Nat. Hist., 4 (18) : 277 (Tsushima)

Moechotypa fuliginosa Kolbe, 1886, Arch. Naturg., 52 (1) : 221 – 222 (Korea)

Thylophorus wulffi Blessig, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Moechotypa diphysis, Okamoto, 1927, Ins. Mats., 2 (2) : 82 (Koryo = Gwang-Neung; Gesseiji = Weol-Jeong-Sa; Mt. Kongo = Mt. Geum-Gang-San)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Bang-Dae-San; So-Geum-Gang; Gang-Chon; Mt. Chi-Ag-San; Mt. Tae-Baeg-San

GG : Mt. Gam-Ag-San; Mt. So-Yo-San; Mt. Wang-Bang-San; Mt. Aeng-Mu-Bong; Gwang-Neung; Byeog-Je-Ri; Weon-Neung; Mt. Bug-Han-San, vic. Seoul; Mt. Nam-San, Seoul; Geum-Dang-Ni; Mt. Cheon-Ma-San; Mt. Yong-Mun-San; Mt. Un-Ag-San; Mt. Myeong-Ji-San; Mt. Hwa-Ag-San

CB : Mt. Sog-Ni-San

CN : A-San; Mt. Ge-Ryeong-San

JB : Mt. Nae-Jang-San

GB : Mt. So-Baeg-San; Mt. Sam-Bang-San; Jig-Ji-Sa; Mt. Pal-Gong-San

JJ : Mt. Hal-La-San

Tribe RHODOPININI Gressitt (1951) (Gonbong-Haneulso-Jog)

Genus *Rhopaloscelis* Blessig (1873) (Gonbong-Haneulso-Sog)

Rhopaloscelis Blessig, 1873, Hor. Soc. Ent. Ross., 9 : 205

Type species : *Rhopaloscelis unifasciatus* Blessig (1873) (Amurland)

Rhopaloscelis bifasciatus Kraatz (1879) (Gonbong-Haneulso)

Rhopaloscelis bifasciatus Kraatz, 1879, Deut. Ent. Zeit., 23 : 113, pl. 1, f. 10 (Japan)

Rhopaloscelis bifasciatus, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 108 (Korea)

Collected Locality

no Specimen

Rhopaloscelis unifasciatus Blessig (1873) (Munigonbong-Haneulso)

Rhopaloscelis unifasciatus Blessig, 1873, Hor. Soc. Ent. Ross., 9 : 206, pl. 8, f. 3 (Amurland)

Rhopaloscelis unifasciatus, Okamoto, 1927, Ins. Mats., 2 (2) : 82 (Gesseeji = Weol-Jeong-Sa)

Collected Localities

JN : Mt. Ji-Ri-San

GB : Mt. So-Baeg-San

GN : Mt. Sin-Bul-San

Genus *Anaethetis* Mulsant (1839) (Tong-Haneulso-Sog)

Anaethetis Mulsant, 1839, Col. France Long., : 171

Type species : *Saperda testacea* Fabricius (1781) (Europe)

Anaethetis confossicollis Baeckmann (1903) (Tong-Haneulso)

Anaethetis confossicollis Baeckmann, 1903, Rev. Russe d'Ent., 3 : 394 (Amurland)

Anaesthetic confossicollis, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 75 (Jeo-Dong, Is. Ul-Lung-Do)

Collected Locality

GB : Jeo-Dong, Is. Ul-Lung-Do

Genus *Doius* Matsushita (1933) (Kwon-Haneulso-Sog)

Doius Matsushita, 1933, J. Fac. Agr. Hokkaido Imp. Univ., 34 : 379, 380

Type species : *Dious rufescens* Matsushita (1933) (Kuril Is.) = *Sydonia divaricata* Bates (1884) (Japan)

Doius divaricatus (Bates) (1884) (Kwon-Haneulso)

Sydonia divaricata Bates, 1884, J. Linn. Soc. London, 18 : 247 (Japan)

Collected Locality

GB : Is. Ul-Lung-Do, 1. Oct. 1981, 1♀ ; 2. Oct. 1981, 2♀, Leg. Y. J. Know; New to Korean fauna.

Genus *Sophronica* Blanchard (1845) (Keuntong-Haneulso-Sog)

Sophronica Blanchard, 1845, Hist. Nat. Ins., 2 : 160

Type species : *Sophronica calceata* Chevrolat (1855) (Africa)

Sophronica koreana Gressitt (1951) (Keuntong-Haneulso)

Sophronica koreana Gressitt, 1951, Longicornia, 2 : 508 (Suigen = Su-Weon)

Collected Locality

no Specimen

Tribe **POGONOCHERINI** Lacordaire (1872) (Saeddong-Haneulso-Jog)

Genus *Pogonocherus* Zetterstedt (1828) (Saeddong-Haneulso-Sog)

Pogonocherus Zetterstedt, 1828, Fauna Ins. Lappon., : 364

Type species : *Cerambyx fasciculatus* De Geer (1775) (Europe)

Eupogonocherus Linsley, 1935, Ann. Ent.Soc. Amer., 28 : 96

Type species : *Cerambyx hispidus* Linnaeus (1758) (Europe)

Pogonocherus (Eupogonocherus) seminiveus Bates (1873) (Saeddong-Haneulso)

Pogonocherus seminiveus Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 382 (Japan)

Pogonocherus seminiveus, Cho, 1936, Trans. Nat. Hist. Soc. Formosa, 26 (149) : 93 (Mt.

Shyoyosan, Keiki = Mt. So-Yo-San, Gyeong-Gi-Do)

Pogonocherus (s. str.) *dimidiatus* Blesig, Gressitt, 1951, Longicornia, 2 : 516 (Korea)

Pogonocherus dimidiatus, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 109 (Mt. So-Yo-San)

Pogonocherus (Eupogonocherus) seminiveus, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 127 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Mt. Cheon-Ma-San; Mt. Myeong-Ji-San

Tribe **ACANTHODERINI** Lacordaire (1872) (Keungonbongsuyeom-Haneulso-Jog)

S.M. LEE: Longicorn beetles of Korea

Genus *Acanthoderes* Serville (1835) (Keungonbongsuyeom-Haneulso-Sog)

Acanthoderes Serville, 1835, Ann. Soc. Ent. France, 4 : 29

Type species : *Cerambyx daviesii* Swederus (1787) (Colombia, South America)

Psapharochrus Thomson, 1864, Syst. Ceramb., : 18, 351

Type species : *Acanthoderes cylindricus* Bates (1861) (Rio de Janeiro)

Acanthoderes (Psapharochrus) clavipes (Schrank) (1781) (Keungonbongsuyeom-Haneulso)

Lamia clavipes Schrank, 1781, Enum. Ins. Austriae, : 135 (Europe)

Acanthoderes clavipes, Heyrovsky, 1932, Ent. Nachr., 6 : 29 (Seishin = Cheong-Jin)

Acanthoderes (Psapharochrus) clavipes, Gressitt, 1951, Longicornia, 2 : 517 (Korea)

Collected Locality

no Specimen

Tribe ACANTHOCININI Lacordaire (1872) (Gonbongsuyeom-Haneulso-Jog)

Genus *Acanthocinus* Guérin (1826) (Gonbongsuyeom-Haneulso-Sog)

Acanthocinus Guérin, 1829, Dict. Class. d'Hist. Nat., 9 : 186

Type species : *Cerambyx aedilis* Linnaeus (1767) (Europe)

Acanthocinus griseus (Fabricius) (1792) (Gonbongsuyeom-Haneulso)

Cerambyx griseus Fabricius, 1792, Ent. Syst., 1 (2) : 261 (Europe)

Acanthocinus griseus, Heyrovsky, 1932, Ent. Nachr., 6 : 29 (Seishin = Cheong-Jin)

Collected Locality

GW : Mt. Seol-Ag-San

Acanthocinus aedilis (Linnaeus) (1758) (Solgonbong-Haneulso)

Cerambyx aedilis Linnaeus, 1758, Syst. Nat., 10 : 392 (Europe)

Acanthocinus (Lamia) aedilis, Saito; 1928, J. Chosen Nat. Hist. Soc., 7 : 11 (Korea)

Acanthocinus aedilis, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 445 (Suigen = Su-Weon; Mt. Daitoku = Mt. Dae-Deog-San)

Collected Locality

no Specimen

Acanthocinus carinulatus Gebler (1833) (Bugbanggonbong-Haneulso)

Acanthocinus carinulatus Gebler, 1833, Bull. Moscou, 6 : 302 (Siberia)

Acanthocinus oppositus Chevrolat, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 445 (Mt. Daitoku = Mt. Dae-Deog-San)

Acanthocinus carinulatus, Tamanuki, 1933, J. Chosen Nat. Hist. Soc., 16 : 15 (Korea)

Collected Locality

no Specimen

Acanthocinus validus Matsushita (1936) (Cheongjingonbong-Haneulso)

Acanthocinus validus Matsushita, 1936, Kontyu, 10 (3) : 138 (Seishin = Cheong-Jin)

Collected Locality

no Specimen

Genus *Leiopus* Serville (1835) (Ggomasuyeom-Haneulso-Sog)

Leiopus Serville, 1835, Ann. Soc. Ent. France, 4 : 86

Type species : *Cerambyx nebulosus* Linnaeus (1758) (Europe)

Leiopus guttatus Bates (1873) (Gomasuyeom-Haneulso)

Leiopus guttatus Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 384 (Hyogo, Japan)

Leiopus guttatus, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 77 (Mt. Seol-Ag-San)

Collected Locality

GW : Mt. Seol-Ag-San

Leiopus stillatus (Bates) (1884) (Sangomasuyeom-Haneulso)

Acanthocinus stillatus Bates, 1884, J. Linn. Soc. London, 18 : 254 (Japan; Hokkaido)

Leiopus japonicus Pic. Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 7 (Yong-Am)

Acanthocinus stillatus, Cho, 1961, J. Nat. Acad. Sci. Korea, 3 : 112 (Yong-Am)

Leiopus stillatus, Kusama, 1972, Eco. Dist. List Jap. Ceramb., 128 (Korea)

Collected Locality

GW : Mt. Tae-Baeg-San

Leiopus albivittis Kraatz (1879) (Hinjeomggomasuyeom-Haneulso)

Leiopus albivittis Kraatz, 1879, Deut. Ent. Zeit., 23 : 112, pl. 1, f. 9 (Amurland)

Leiopus albivittis, Ohbayashi, 1939, Trans. Kansai Ent. Soc., 8 : 118 (Mt. Baji = Mt. Ma-Eui-San)

Collected Locality

no Specimen

Genus *Exocentrus* Mulsant (1839) (Kongal-Haneulso-Sog)

Exocentrus Mulsant, 1839, Col. France Long., : 152

Type species : *Cerambyx lusitanus* Linnaeus (1767) (Europe)

Pseudocentrus Fairmaire, 1901, Rev. d'Ent., 20 : 230

Type species : *Pseudocentrus lineellus* Fairmaire (1901) (Madagascar) = *Exocentrus reticulatus* Fairmaire (1896) (Madagascar)

Exocentrus (Exocentrus) galloisi Matsushita (1933) (Kongal-Haneulso)

Exocentrus galloisi Matsushita, 1933, Fac. Agr. Hokkaido Univ., 34 : 397 (Chuzenji, Japan)

Exocentrus galloisi, Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 7 (Yong-Am; Yeon-Am)

Exocentrus (Exocentrus) galloisi, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 77 (Korea)

Collected Locality

GG : Mt. Cheon-Ma-San

Exocentrus (Exocentrus) testudineus Matsushita (1931) (Munikongal-Haneulso)

Exocentrus testudineus Matsushita, 1931, Trans. Sapporo Nat. Hist., 12 (1) : 47 (Mt. Daisetsu, Hokkaido)

Exocentrus testudineus, Cho et al., 1963, Kor. J. Zool., 6 (1) : 4 (Sulak-San = Mt. Seol-Ag-San)

Exocentrus (Exocentrus) testudineus, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 77 (Korea)

Collected Locality

no Specimen

Exocentrus (Exocentrus) lineatus Bates (1873) (Julkongal-Haneulso)

Exocentrus lineatus Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 384 (Japan)

Exocentrus (Exocentrus) lineatus, S.M. Lee, 1981, Korean J. Ent., 11 (2) : 47 (Mt. Bug-Han-

S.M. LEE: Longicorn beetles of Korea

San, vic. Seoul; Mt. Cheon-Ma-San)

Collected Localities

GG : Mt. Bug-Han-San, Vic. Seoul; Mt. Cheon-Ma-San

***Exocentrus (Pseudocentrus) zikaweiensis* Savio (1929) (Urikongal-Haneulso)**

Exocentrus zikaweiensis Savio, 1929, Notes d'Ent. Chinoise, 1 (3) : 3 (Shanghai)

Exocentrus saitoi Matsushita, 1935, Trans. Nat. Hist. Soc. Formosa, 25 (114) : 313 (Suigen = Su-Weon)

Collected Locality

no Specimen

***Exocentrus (Pseudocentrus) fisheri* Gressitt (1935) (Geomunkongal-Haneulso)**

Exocentrus fisheri Gressitt, 1935, Kontyu, 9 (4) : 175 (Sapporo)

Exocentrus (Pseudocentrus) fisheri, S.M. Lee, 1981, Korean J. Ent., 11 (2) : 47 (Mt. Bug-Han-San, vic. Seoul)

Collected Locality

GG : Mt. Bug-Han-San, vic. Seoul

Tribe **ASTATHINI** Thomson (1864) (Namsaeg-Haneulso-Jog)

Genus *Bacchisa* Pascoe (1867) (Namsaeg-Haneulso-Sog)

Bacchisa Pascoe, 1867, Trans. Ent. Soc. London, 3 (3) : 329, 342

Type species : *Bacchisa coronata* Pascoe (1867) (Is. Flores, Indonesia)

***Bacchisa (Bacchisa) fortunei* (Thomson) (1857) (Namsaeg-Haneulso)**

Plaxomicrus fortunei Thomson, 1857, Arch. Ent., 1 : 58 (Shanghai)

Chreonoma fortunei, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Chreonoma fortunei fortunei, Gressitt, 1951, Longicornia, 2 : 618 (Korea)

Chreonoma fortunei japonica Gahan, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, 2 : 459 (Korea)

Bacchisa (Bacchisa) fortunei, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 78 (Mt. Og-Nyeo-Bong, Is. Geo-Je-Do) "partial"

Collected Localities

GN : Mt. Weon-Hyo-Son; Mt. Og-Nyeo-Bong, Is. Geo-Je-Do

Genus *Astathes* Newman (1842) (Keunnamsaeg-Haneulso-Sog)

Astathes Newman, 1842, Entomologist, 1 : 299

Type species : *Astathes perplexa* Newman (1842) (Manila)

***Astathes episcopalis* Chevrolat (1852) (Keunnamsaeg-Haneulso)**

Astathes episcopalis Chevrolat, 1852, Rev. Zool., 2 (4) : 418 (shanghai)

Chreonoma fortunei Thomson, Okamoto, 1927, Ins. Mat., 2 (2) : 86 (Moppo = Mog-Po; Mt. Chii = Mt. Ji-Ri-San; Mt. Kongo = Mt. Geum-Gang-San) "partial"

Astathes episcopalis, Nakatomi, 1934, Ent. World, 11 (12) : 655 (Seoul)

Bacchisa (Bacchisa) fortunei, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 78 (So-Geum-Gang; Gwang-Neung; Mt. Cheon-Ma-San; Is. Hong-Do; Ga-Chang) "partial"

Collected Localities

GW : So-Geum-Gang

GG : Gwang-Neung; Mt. Cheon-Ma-San

JN : Is. Hong-Do

GN : Ga-Chang

Tribe SAPERDINI Mulsant (1839) (Gin-Haneulso-Jog)

Genus *Saperda* Fabricius (1775) (Gin-Haneulso-Sog)

Saperda Fabricius, 1775, Syst. Ent., : 184

Type species : *Cerambyx scalaris* Linnaeus (1758) (Europe)

Saperda alberti Plavilstshikov (1915) (Yeoldujeomgin-Haneulso)

Saperda alberti Plavilstshikov, 1915, Rev. Russ. d'Ent., 15 : 80 (Siberia)

Saperda alberti, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 314, pl. 157, f. 24 (Korea)

Saperda (Saperda) alberti, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 78 (Mt. Seol-Ag-San)

Collected Locality

GW : Mt. Seol-Ag-San

Saperda mandschukuoensis Breuning (1943) (Manjupaljeomgin-Haneulso)

Saperda mandschukuoensis Breuning, 1943, Misc. Ent., 40 : 104 (Harbin)

Saperda mandschukuoensis, Kim et Kim, 1971, Rep. Korean Comm. Cons. Nat. Resour., 4 : 159 (Mt. O-Dae-San)

Saperda (Saperda) mandschukuoensis, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 78 (Mt. Seol-Ag-San; Mt. Cheon-Ma-San; Mt. Myeong-Ji-San; Mt. Ga-San)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Mt. Cheon-Ma-San; Mt. Myeong-Ji-San

GB : Mt. Ga-San

Saperda octomaculata Blessig (1873) (Paljeomgin-Haneulso)

Saperda octomaculata Blessig, 1873, Hor. Soc. Ent. Ross., 9 : 221 (Amurland)

Saperda (Saperda) octomaculata, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 79 (Mt. Ge-Ryong-San; Mt. Bang-Dae-San; Mt. Tae-Baeg-San)

Collected Localities

GW : Mt. Bang-Dae-San; Mt. Tae-Baeg-San

CN : Mt. Ge-Ryong-San

Saperda tetrastigma Bates (1879) (Noranpaljeomgin-Haneulso)

Saperda tetrastigma Bates, 1879, Ann. Mag. Nat. Hist., 5 (4) : 466 (Japan)

Saperda (Saperda) tetrastigma, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 79 (Mt. Myeong-Ji-San)

Collected Locality

GG : Mt. Myeong-Ji-San

Saperda interrupta Gebler (1825) (Munibagigin-Haneulso)

Saperda interrupta Gebler, 1825, Hummel Essais Ent., 4 : 52 (Amurland)

Saperda interrupta var. *laterimaculata* Motschulsky, Matsushita et Tamanuki, 1937, Ins. Mats., 11 (4) : 148 (Taihyo = Dae-Pyeong, North Korea)

Saperda interrupta laterimaculata, Uchida et Kojima, 1944, Nat. Sci. Mus. Tokyo, 15 (4) : 7 (Yeon-Am)

Saperda (Saperda) interrupta, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 135 (Korea)

S.M. LEE: Longicorn beetles of Korea

Collected Locality

GW : Mt. Seol-Ag-San

Saperda scalaris (Linnaeus) (1758) (Gin-Haneulso)

Cerambyx scalaris Linnaeus, 1758, Syst. Nat., 10 : 394 (Europe)

Saperda scalaris, Cho, 1937, J. Chosen Nat. Hist. Soc., 22 : 46, f. 2 (Mt Un-Su-Ryeong, Ham-Nam)

Saperda (*Saperda*) *hieroglyphica* Pallas, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 79 (Korea)

Collected Locality

no Specimen

Genus *Anaerea* Mulsant (1839) (Sangin-Haneulso-Sog)

Anaerea Mulsant, 1839, Col. France Long., : 184

Type species : *Cerambyx carcharias* Linnaeus (1758) (Europe)

Anaerea carcharias (Linnaeus) (1785) (Baegdusangin-Haneulso)

Cerambyx carcharias Linnaeus, 1758, Syst. Nat., 10 : 394 (Europe)

Saperda carcharias, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 444 (Kyochorei = Heo-Jeong-Ryeong)

Saperda (*Saperda*) *carcharias*, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 78 (Korea)

Collected Locality

no Specimen

Genus *Compsidia* Mulsant (1839) (Byeolgin-Haneulso-Sog)

Compsidia Mulsant, 1839, Col. France Long., : 195

Type species : *Cerambyx populneus* Linnaeus (1758) (Europe)

Compsidia populnea (Linnaeus) (1758) (Jageunbyeolgin-Haneulso)

Cerambyx populneus Linnaeus, 1758, Syst. Nat., 10 : 394 (Europe)

Saperda populnea, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Saperda balsamifera Motschulsky, Kojima et Hayashi, 1969, Ins. Life Japan, 1 : 153, pl. 48, f. 7 (Korea)

Saperda (*Saperda*) *balsamifera*, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 134 (Korea)

Compsidia populnea, Villiers, 1978, Faune Col. France, 1 : 517, f. 1747 (Korea)

Collected Locality

GG : Mt. Cheong-Ge-San

Compsidia balsamifera Motschulsky (1860) (Byeolgin-Haneulso)

Compsidia balsamifera Motschulsky, 1860, Schrenk's Reisen Amurl. Col., 2 : 151 (East Siberia)

Saperda balsamifera, Tamanuki, 1933, Ins. Mats., 8 (2) : 87 (North Korea)

Saperda (*Saperda*) *balsamifera*, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 78 (Sin-Tan-Ni)

Collected Locality

GW : Sin-Tan-Ni

Genus *Eutetrappa* Bates (1884) (Nemo-Haneulso-Sog)

Eutetrappa Bates, 1884, J. Linn. Soc. London, 18 : 256

Type species : *Eutetrappa variicornis* Bates (1884) (Japan)= *Saperda sedecimpunctata* Motschulsky (1860) (East Siberia)

***Eutetrappa sedecimpunctata* (Motschulsky) (1860) (Nemo-Haneulso)**

Saperda sedecimpunctata Motschulsky, 1860, Schrenk's Reisen Amurl. Col., 2 : 151 (East Siberia)

Eutetrappa variicornis Bates, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 466 (Korea)

Saperda variicornis, Mochizuki, 1936, Kontyu, 10 (4) : 208 (Mt. Kongo = Mt. Geum-Gang-San)

Eutetrappa sedecimpunctata, Mori et Cho, 1939, Vol. Jub. Prof. Yoshida, Osaka, : 545 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Bang-Dae-San

***Eutetrappa ocelota* (Bates) (1873) (Paljeomnemo-Haneulso)**

Glenea ocelota Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 387 (Japan)

Eutetrappa ocelota, Narita, 1937, Keichu Rikabuho, 2 : 69 (Mt. So-Yo-San)

Collected Locality

GG : Mt. Yong-Mun-San

***Eutetrappa metallescens* (Motschulsky) (1860) (Nogsaegnemo-Haneulso)**

Saperda metallescens Motschulsky, 1860, Schrenk's Reisen Amurl. Col., 2 : 150 (East Siberia)

Eutetrappa metallescens, Okamoto, 1927, Ins. Mata., 2 (2) : 83 (Mt. Kongo = Mt. Geum-Gang-San; Gesseiji = Weol-Jeong-Sa)

Eutetrappa chrysargyrea Bates, Nakatomi, 1934, Ent. World, 11 (12) : 654 (Mt. Geum-Gang-San)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Bang-Dae-San; So-Geum-Gang; Mt. O-Dae-San

Genus *Pareutetrappa* Breuning (1952) (Aeginemo-Haneulso-Sog)

Pareutetrappa Breuning, 1952, Ent. Arb. Mus. Frey, 3 : 135

Type species : *Paraglenea eximia* Bates (1884) (Japan)

***Pareutetrappa eximia* (Bates) (1884) (Aeginemo-Haneulso)**

Paraglenea eximia Bates, 1884, J. Linn. Soc. London, 18 : 257 (Japan)

Paraglenea eximia, Okamoto, 1927, Ins. Mats., 2 (2) : 86 (Sharei = Cha-Ryeong)

Pareutetrappa eximia, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, : 455 (Korea)

Collected Locality

no Specimen

Genus *Menesia* Mulsant (1856) (Hwang-Haneulso-Sog)

Menesia Mulsant, 1856, Ann. Soc. Linn. Lyon, 2 (3) : 157

Type species : *Menesia perrisi* Mulsant (1856) (Landes, France) = *Saperda bipunctata* Zoubkoff (1829) (Germany)

***Menesia flavotecta* Heyden (1886) (Hwang-Haneulso)**

Menesia sulphurata Gebler var. *flavotecta* Heyden, 1886, Deut. Ent. Zeit., 30 : 276 (Amurland)

Menesia flavotecta, Ohbayashi, 1963, Ico. Ins. Jap. Col. Tokyo, 2 : 317, pl. 158, f. 2 (Korea)

Collected Locality

GW : So-Geum-Gang

***Menesia sulphurata* (Gebler) (1825) (Byeolhwang-Haneulso)**

Saperda sulphurata Gebler, 1825, Hummel Essais Ent., 4 : 52 (West Siberia)

Saperda sulphurata, Okamoto, 1927, Ins. Mats., 2 (2) : 84 (Shakuoji = Seog-Wang-Sa; Gesseiji = Weol-Jeong-Sa)

S.M. LEE: Longicorn beetles of Korea

- Menesia sulphurata*, Hirayama, 1940, Nat. Col. Beet. Ico., : 152, pl. 48, f. 19 (Korea)
Eutetrappa sulphurata, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 58 (Seog-Wang-Sa; Sin-Chon, Hwang-Hae-Do; Weol-Jeong-Sa)
Menesia sulphurata sulphurata, Gressitt, 1951, Longicornia, 2 : 557 (Korea)

Collected Localities

- GW : Mt. Seol-Ag-San
GG : Mt. Cheon-Ma-San
GB : Mt. So-Baeg-San; Mt. Pal-Gong-San; Mt. Su-Do-San

Genus *Thyestilla* Aurivillius (1923) (Sam-Haneulso-Sog)

Thyestilla Aurivillius, 1923, Col. Cat., 74 : 491

Type species : *Thyestes pubescens* Thomson (1864) (Japan) = *Saperda gebleri* Faldermann (1835) (North China)

***Thyestilla gebleri* (Faldermann) (1835) (Sam-Haneulso)**

- Saperda gebleri* Faldermann, 1835, Mem. Acad. Petr., 2 : 434, pl. 5, f. 5 (North China)
Thyestes gebleri, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)
Saperda gebleri, Bates, 1888, Proc. Zool. Soc. London, : 380 (Korea)
Thyestilla gebleri, Okamoto, 1927, Ins. Mats., 2 (2) : 84 (Koryo = Gwang-Neung; Gesseiji = Weol-Jeong-Sa; Kwainei = Hoe-Ryeong; Sharei = Cha-Ryeong)
Thyestilla (*Thyestes*) *gebleri*, Matsumura, 1931, 6000 Ill. Ins. Jap., : 269 (Korea)
Thyestes gebleri gebleri, Mochizuki et Tsunekawa, 1937, J. Chosen Nat. Hisi. Soc., 22 : 87 (Mt. So-Yo-San)

Collected Localities

- GW : Mt. Seol-Ag-San; Mt. Bang-Dae-San; Yong-Dae-Ri; So-Geum-Gang; Mt. O-Dae-San; Gang-Chon; Mt. Chi-Ag-San; Mt. Tae-Baeg-San
GG : Mt. So-Yo-San; Mt. Aeng-Mu-Bong; Gwang-Neung; Nae-Cheon-Ni; Mt. Cheon-Ma-San; Mt. Un-Ag-San; Mt. Myeong-Ji-San

Genus *Glenea* Newman (1842) (Hinjeom-Haneulso-Sog)

Glenea Newman, 1842, Entomologist, 1 : 301

Type species : *Sphenura novemguttata* Guerin (1831) (Java)

***Glenea* (*Glenea*) *relictata* Pascoe (1858) (Hinjeom-Haneulso)**

- Glenea relictata* Pascoe, 1858, Trans. Ent. Soc. London, 2 (4) : 258 (North China)
Glenea relictata, Hirayama, 1937, Nat. Col. 1000 Ins. Ico., 2 : 165, pl. 73, f. 18 (Korea)
Glenea (*Glenea*) *relictata*, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo, : 454 (Korea)

Collected Localities

- GW : Mt. O-Dae-San
GN : Mt. Weon-Hyo-San

Genus *Eumecocera* Solsky (1870) (Dangnagui-Haneulso-Sog)

Eumecocera Solsky 1870, Hor. Soc. Ent. Ross., 7 : 391

Type species : *Saperda impustulata* Motschulsky (1860) (Amurland)

***Eumecocera unicolor* (Kano) (1933) (Meogdanagui-Haneulso)**

- Stenostola unicolor* Kano, 1933, Kontyu, 6 (5, 6) : 290 (Japan)
Eumecocera unicolor, S.M. Lee, 1979, Korean J. Ent., 9 (2) : 81 (Mt. Aeng-Mu-Bong; Hyang-

No-Bong; Mt. Tae-Baeg-San)

Collected Localities

GW : Mt. Hyang-No-Bang; Mt. Tae-Baeg-San

GG : Mt. Aeng-Mu-Bong

GN : Mt. Weon-Hyo-San

Eumecocera impustulata (Motschulsky) (1860) (Dangnagui-Henulso).

Saperda impustulata Motschulsky, 1860, Schurenk's Reisen Amurl. Col., 2 : 151 (Amurland)

Eumecocera impustulata, Okamoto, 1927, Ins. Mats., 2 (2) : 85 (Koryo = Gwang-Neung)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Tae-Baeg-San

GG : Mt. Cheon-Ma-San

Genus *Phytoecia* Mulsant (1839) (Gughwa-Haneulso-Sog)

Phytoecia Mulsant, 1839, Col. France Long., : 199

Type species : *Cerambyx cylindricus* Linnaeus (1758) (Europe)

Phytoecia (*Phytoecia*) *rufiventris* Gautier (1870) (Gughwa-Haneulso)

Phytoecia rufiventris Gautier, 1870, Petit. Nouv. Ent., 1 : 104 (East Siberia)

Phytoecia punctigera Blessig, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Phytoecia rufiventris, Okamoto, 1927, Ins. Mats., 2 (2) : 85 (Korea)

Phytoecia ventralis Chevrolat, Okamoto, 1927, Ins. Mats., 2 (2) : 85 (Koryo = Gwang-Neung; Moppo = Mog-Po)

Phytoecia rufiventris f. *ventralis* Bates, Masaki, 1936, Kontyu, 10 (5) : 262 (Sin-Bong-Ni and Dan-San-Ni, Is. Gang-Hwa-Do)

Phytoecia (s. str.) *rufiventris*, Gressitt, 1951, Longicornia, 2 : 612 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. Chi-Ag-San; Mt. O-Bong-San, vic. Chun-Cheon; Mt. Tae-Baeg-San

GG : Mt. So-Yo-San; Mt. Wang-Bang-San; Gwang-Neung; Mt. Cheon-Ma-San; Weol-San-Ni; Mt. Myeong-Ji-San; Mt. Hwa-Ag-San; Geum-Dang-Ni; Mt. Seol-Seong-San

CB : Mt. Sog-Ni-San

CN : Mt. Ji-Ri-San

JB : Non-San

JN : Mt. Ma-Eui-San; Mt. Nae-Jang-San

GB : Mt. So-Baeg-San; Mt. Sam-Bang-San; Jig-Ji-Sa; Dae-Gu; Mt. Pal-Gong-San

GN : Mt. Ga-Ji-San; Sam-Nam-Myeon; Mt. Geum-Jeong-San

Phytoecia (*Phytoecia*) *sibirica* (Gebler) (1833) (Meoggughwa-Haneulso)

Saperda sibirica Gebler, 1833, Bull. Moscou, 6 : 504 (Siberia)

Phytoecia sibirica, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 444 (Mosan = Mu-San)

Phytoecia (s. str.) *sibirica*, Gressitt, 1951, Longicornia, 2 : 613 (Korea)

Collected Locality

GW : Mt. Seol-Ag-San

Genus *Epiglenea* Bates (1884) (Noranjuljeom-Haneulso-Sog)

Epiglenea Bates, 1884, J. Linn. Soc. London, 18 : 259

Type species : *Epiglenea comes* Bates (1884) (Japan)

S.M. LEE: Longicorn beetles of Korea

Epiglenea comes Bates (1884) (Noranjuljeom-Haneulso)

Epiglenea comes Bates, 1884, J. Linn. Soc. London, 18 : 259 (Japan)

Epiglenea comes, Okamoto, 1927, Ins. Mats., 2 (2) 86 (Koryo = Gwang-neung; Mt. Kongo = Mt. Geum-Gang-San)

Epiglenea comes comes, Gressitt, 1951, Longicornia, 2 : 607 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Mt. Cheon-Ma-San

JB : Mt. Nae-Jang-San

GB : Mt. Pal-Gong-San

Genus *Nupserha* Thomson (1860) (Seonduri-Haneulso-Sog)

Nupserha Thomson, 1860, Classif. Ceramb., : 41, 60

Type species : *Stibara cosmopolita* Thomson (1857) (India; Manila; East Asia)

Nupserha marginella (Bates) (1873) (Seonduri-Haneulso)

Oberea marginella Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 390 (Japan)

Oberea marginella, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Oberea japonica Thunberg, Okamoto, 1924, Bull. Agr. Exp. Sta. Chosen, 1 (2) : 192 (Quelpart Is. = Is. Je-Ju-Do)

Nupserha marginella, Gressitt, 1951, Longicornia, 2 : 584 (Korea)

Collected Localities

GW : Mt. Geum-Gang-San

JJ : Mt. Hal-La-San

Genus *Oberea* Mulsant (1839) (Sagwa-Haneulso-Sog)

Oberea Mulsant, 1839, Col. France Long., : 192, 194

Type species : *Cerambyx oculatus* Linnaeus (1758) (Europe)

Oberea atropunctata Pic (1916) (Keunsagwa-Haneulso)

Oberea atropunctata Pic, 1916, Mat. Long., 10, 1 : 17 (Yunnan)

Oberea atropunctata forma *coreensis* Breuning, 1947, Misc. Ent., 44 : 58 (Korea)

Oberea atropunctata coreensis, Gressitt, 1951, Longicornia, 2 : 633 (Korea)

Collected Locality

no Specimen

Oberea herzi Ganglbauer (1887) (Urisagwa-Haneulso)

Oberea herzi Ganglbauer, 1887, Hor. Soc. Ent. Ross., 21 : 23 (Peking)

Oberea coreana Pic, 1911, Mat. Long., 8 (2) : 21 (Korea)

Oberea linearis Linnaeus, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 444 (Mt. Kokyo = Mt. Gwang-Gyo-San)

Oberea morio Kraatz, Cho, 1946, Bull. Zool. Sec. Nat. Sci. Mus. Korea, 1 (3) : 59 (Korea)

Oberea herzi coreana, Keihin Kontyu Dokokai, 1959, New Ins. Coll. Tokyo. : 456 (Korea)

Oberea herzi ssp. *teranishii* Ohbayashi, Kojima et Hayashi, 1969, Ins. Life Japan, 1 : 162, pl. 52, f. 7 (Korea)

Oberea herzi var. *teranishii*, Kusama, 1972, Eco. Dist. List Jap. Ceramb., : 156 (Korea)

Collected Locality

GG : Gwang-Neung

***Oberea inclusa* Pascoe (1858) (Sagwa-Haneulso)**

Oberea inclusa Pascoe, 1858, Trans. Ent. Soc. London, 2 (4) : 261 (North China)

Oberea vittata Blessig, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Oberea japonica Thunberg, Saito, 1932, Mem. Bull. 25th Anniv. Suigen College, : 458 (Kasan = Mt. Haw-San, vic. Su-Weon; Mt. Daitoku = Mt. Dae-Deog-San)

Oberea inclusa infranigrescens Breuning, Kojima et Hayashi, 1969, Ins. Life Japan, 1 : 161, pl. 52, f. 4 (Korea)

Oberea inclusa, Hayashi, 1973, Bull. Japan Ent. Acad., 7 (2) : 25, f. 1 (An-Dong)

Oberea infranigrescens, Hayashi, 1973, Bull. Japan Ent. Acad., 7 (2) : 26, f. 2 (Mt. Su-Do-San)

Collected Localities

GW : Mt. Seol-Ag-San; Mt. O-Dae-San; Mt. Tae-Baeg-San

GG : Mt. Gam-Ag-San; Mt. Wang-Bang-San; Mt. Aeng-Mu-Bong; Mt. Deog-Am-San; Gwang-Neung; Neung-Nae-Ri; Mt. Cheon-Ma-San; Jeon-Deung-Sa, Is. Gang-Hwa-Do

CB : Mt. Sog-Ni-San

GB : Mt. So-Baeg-San

***Oberea fuscipennis* (Chevrolat) (1852) (Holjugsagwa-Haneulso)**

Isosceles fuscipennis Chevrolat, 1852, Rev. Mag. Zool., 2 (4) : 419 (Shanghai)

Oberea vittata Blessig, Saito, 1931, Bull. Suigen College, 4 : 14, pl. 1, f. 6 (Su-Weon)

Oberea holoxantha Fairmaire var. *formosana* Pic, Saito, 1932, Mushi, 5 : 111 (Su-Weon)

Oberea fuscipennis, Ohbayashi, 1936, Trans. Kansai Ent. Soc., 7 : 24 (Seoul)

Oberea formosana, Gressitt, 1951, Longicornia, 2 : 595 (Korea)

Collected Localities

GW : Mt. Seol-Ag-San

GG : Mt. Bug-Han-San, vic. Seoul; Mt. Cheon-Ma-San; Mt. Myeong-Ji-San

GB : Seo-Gui-Po

JJ : Yong-Yeon-Sa

***Oberea nigriventris* Bates (1873) (Weolseosagwa-Haneulso)**

Oberea nigriventris Bates, 1873, Ann. Mag. Nat. Hist., 4 (12) : 389 (Japan)

Oberea nigriventris, S.M. Lee, 1981, Korean J. Ent., 11 (1) : 53 (Mt. Seol-Ag-San)

Collected Locality

GW : Mt. Seol-Ag-San

***Oberea oculata* (Linnaeus) (1758) (Dununsagwa-Haneulso)**

Cerambyx oculata Linnaeus, 1758, Syst. Nat., 10 : 394 (Europe)

Oberea oculata, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

Oberea (s. str.) *oculata*, Villiers, 1978, Faune Col. France, 1 : 546 (Korea)

Collected Localities

GG : Nae-Chon-Ni; Gwang-Neung; Mt. Cheon-Ma-San; Byeog-Je-Ri; Mt. Un-Ag-San

***Oberea pupillata* (Gyllenhal) (1817) (Gorisagwa-Haneulso)**

Saperda pupillata Gyllenhal, 1817, in Schonherr, Synon. Ins., 1 (3) App., : 185 (Suisse)

Collected Locality

GW : Mt. Seol-Ag-San, 1. Sep. 1969, 1♂; 12. Jun. 1970, 1♀; 6. Jul. 1971, 1♂; New to Korean fauna.

***Oberea depressa* Gebler (1825) (Tongsagwa-Haneulso)**

Oberea depressa Gebler, 1825, Hummel Essais Ent., 4 : 51 (Siberia)

Oberea depressa, Ganglbauer, 1887, Hor. Soc. Ent. Ross., 20 : 132 (Korea)

S.M. LEE: Longicorn beetles of Korea

Collected Localities

GW : Mt. Seol-Ag-San

GG : Yang-Su-Ri; Mt. Cheon-Ma-San

GB : Jeung-San

INDEX

Index of Subfamily and Tribe

(A)

ACANTHOCININI Lacordaire 63
ACANTHODERINI Lacordaire 62
AGAPANTHIINI Mulsant 50
AGNIINI Thomson 54
ANACOLINI Thomson 5
ANAGLYPTINI Lacordaire 44
ANCYLONOTINI Lacordaire 60
APOMECCYNINI Lacordaire 49
ASEMINAE Thomson 6
ASEMINI Thomson 6
ASTATHINI Thomson 65

(B)

BATOCERINI Lacordaire 59

(C)

CALLICHRUMINI Thomson 32
CALLIDIINI Mulsant 35
CALLIDIOPINI Lacordaire 29
CALLIPOGONINI Lameere 3
CERAMBYCINAE Latreille 27
CERAMBYCINI Leach 27
CLEOMENINI Lacordaire 45
CLYTINI Mulsant 38
CROSSOTINI Thomson 60

(D)

DISTENIINAE Lacordaire 3
DISTENIINI Thomson 3
DORCASCHEMATINI Thomson 60

(E)

EROSCHEMINI Lacordaire 26
EURYPODINI Gahan 3

(H)

HESPEROPHANINI Mulsant 28
HIPPOPSINI Thomson 51
HOMONOEINI Thomson 49

(L)

LAMIINAE Latreille 48
LEPTURINAE Leach 8
LEPTURINI Mulsant 17

(M)

MEGOPIDINI Gressitt 4
MESOSINI Thomson 48
METHINI Lacordaire 27
MOLORCHINI Mulsant 30
MORIMOPSINI Lacordaire 53

(N)

NECYDALINI Thomson 26

(O)

OBRINI Mulsant 30

(P)

PHORACANTHINI Lacordaire 29
POGONOCHEMINI Lacordaire 62
PRIONINAE Latreille 3
PRIONINI Fairmaire 4
PTEROPLINI Thomson 51
PURPURICENINI Fairmaire 45
PYRESTINI Lacordaire 31

(R)

RHAGIINI Mulsant 8
RHODOPININI Gressitt 61
ROSALIINI Fairmaire 32

(S)

SAPERDINI Mulsant 66
SPONDYLINAE Serville 5
STENOCORINI Thomson 8

Index of Species

(A)

Acalolepta Pascoe 57, 58
Acanthocinus Guérin 63, 64
Acanthoderes Serville 63
achardi Pic *Chloridolum japonicum* ab. 34
Acmaeops Le Conte 12, 13
acutivittis Kraatz *Hayashiclytus* 41
adelpha Ganglbauer *Lamia* 54
adspersus Gebler *Xylotrechus* 38
adustipennis Solsky *Leptura* 23
aedilis Linnaeus *Acanthocinus* 63
Aegosoma Serville 4
aegrota Bates *Pseudopidonia* 16
Aelara 51
aemula Mannerheim *Gaurotes* 11
aethiops Poda *Leptura* 23
Agapanthia Serville 50
Aglaophis Thomson 45
agraria Pascoe *Ale* 51
alberti plavilstshikov *Saperda* 66
albicinctus Bates *Phymatodes* 37
albivittis Kraatz *Leiopus* 64
albofasciatus Motschulsky *Phymatodes* 37
alboguttata Megerle *Saperda* 49
Ale Pascoe 51, 53
Allotraeus Bates 29
alni Linnaeus *Leptura* 37
Alosterna Mulsant 17
alpinus Linnaeus *Cerambyx* 32
altajensis Laxmann *Amarysius* 47
alternans Fischer *Agapanthia* 50
alternatus Hope *Monochamus* 56
alticollis Kraatz *Pidonia* 15
Amarysius Fairmaire 47
ambrosiaca Steven *Aromia moschata* f. 33;
amurense Kraatz *Asemum* 7
amurense Kraatz *Agapanthia* 50
amurensis Kraatz *Brachyta* 10
amurensis Kraatz *Stenocorus* 9
amurensis Pic *Pidonia* 14
Anaerea Mulsant 67
Anaesthetis Mulsant 61
Anaglyptus Mulsant 44, 45
Anastrangalia Gasey 19, 21, 22
angusta Bates *Pterolophia* 51
angusticollis Gebler *Acmaeops* 12
annularis Fabricius *Chlorophorus* 42 43

annulata Chevrolat *Pterolophia* 52
Anoplistes 47, 48
Anoplodera Mulsant 15, 18, 19, 20, 21, 22
Anoplocleromorpha Pic 19, 20
Anoplophora Hope 56, 57
antenata Saunders *Eurypoda* 3
Anthoboscus 43
anthracina Mannerheim *Dinoptera* 13
Avalimna 60
Aphelocnemis Stephens 48
Apheres 3
Apomecyna Latreille 49
Apriona Chevrolat 59
arcuata Panzer *Leptura* 23, 24
Aredolpona 21, 22
argentatus Dalman *Cerambyx* 33
Arhopalus Serville 6, 7
arida Thomson *Moechotypa* 61
arietis Linnaeus *Leptura* 40
arietoides Reitter *Clytus* 40
Aromia Serville 32, 33, 34
Asemum Eschscholtz 7
Asias Semenov 47, 48
Asiates 47, 48
Astathes Newman 65
atra Fabricius *Leptura* 23
atronotatus Pic *Xylotrechus* 39
atropunctata Pic *Oberea* 71
Attelabus 5
attenuata Linnaeus *Strangalia* 26

(B)

Bacchisa Pascoe 65
baeckmanni Plavilstshikov *Anoplodera* 20
balsamifera Motschulsky *Compsidia* 67
Bandar 4
bangi Pic *Judolidia* 19
bangi Reitter *Aromia* 34
barbatus Fabricius *Prionus* 4
batesi Gahan *Eurypoda* 3
batesi Harold *Rosalia* 32
Batocera Castelnau 59, 60
bicolor Ganglbauer *Sivana* 13
bicuneata Motschulsky *Pachyta* 9
bifasciana Matsushita *Egesina* 53

bifasciata Olivier *Brachyta* 10
bifasciatus Aurivillius *Perihammus* 54
bifasciatus Kraatz *Rhopaloscelis* 61
bifasciatus Motschulsky *Semanotus* 36
bigibbera Newman *Mesosa* 51
bimaculata Thomson *Uraecha* 58
bipunctata Zoubkoff *Saperda* 68
bisbimaculata Pic *Pachyta bicu neata* ab. 9
bivittata White *Callichroma* 33
bivittis Motschulsky *Alosterna tabacicolor* 17
blessigi Plavilstshikov *Chlorophorus motschulski*
 ab. 42
borealis Gyllenhal *Evodinus* 11
bowringii White *Rhytidodera* 28
Brachyclytus Kraatz 40, 41
Brachyta Fairmaire 8, 9, 10
brevicollis Gebler *Pronocera* 35
Bumetopia Pascoe 49
bungii Faldermann *Aromia* 32
buprestoides Linnaeus *Spondylis* 5

(C)

Calamobius 51
calceata Chevrolat *Sophronica* 62
Callichroma 32, 33
Callidiellum Linsley 36
Callidium Fabricius 28, 35, 36, 40, 42, 43, 44
Callipogon Serville 4
Callopliphora 56
campestris Faldermann *Trichoferus* 28, 29
cantharinus Linnaeus *Cerambyx* 30
capra Germar *Cyrtoclytus* 40
caproides Bates *Cyrtoclytus* 40
carcharias Linnaeus *Anaerea* 67
cardinalis Pascoe *Pyrestes* 31
cardui Linnaeus *Saperda* 50
Carilia Mulsant 11
carinata Fabricius *Lamia* 54
carinulatus Gebler *Acanthocinus* 63
castaneum Linnaeus *Tetropium* 7
castaneus Linnaeus *Cerambyx* 7
Cephalallus Sharp 6
cerambyciformis Schrank *Leptura* 18
Cerambyx 5, 6, 7, 8, 27, 28, 30, 32, 33, 36, 37,
 45, 54, 55, 59, 60, 62, 63, 64, 66, 67, 70, 71,
 72
Ceresium Newman 28, 30
Cerosterna 57

cervinus Hope *Dihammus* 57
Chelidonium Thomson 33
chinensis Chevrolat *Xylotrechus* 38
chinensis Forster *Melanauster* 56
Chloridolum Thomson 33, 34
chlorizans Solsky *Palaeocallidium* 36
Chlorophorus Chevrolat 41, 42, 43, 44
Chreonoma 65
christophi Kraatz *Plagionotus* 41
chrysargyrea Bates *Eutetrappa* 68
chrysogaster Schrank *Stenocorus meridianus* 9
cincta Fabricius *Leptura* 21
cinereus Villers *Cerambyx* 28
cinnabarinum Blessig *Oupyrhidium* 37
cinnamopterum Kirby *Tetropium* 7
clarinus Bates *Xylotrechus* 38
clarus Pascoe *Olenecamptus* 60
clavigera Bates *Stenodryas* 29, 30
clavipes Schrank *Acanthoderes* 63
Clytanthus 42, 43, 44
Clytus Laicharting 38, 39, 40, 41, 42, 43,
coelestis Semenov *Rosalia* 32
collaris Linnaeus *Leptura* 13
colobothoeides Bates *Aglaophis* 45
columbina Serville *Distenia* 3
comes Bates *Epiglenea* 70, 71
cometes Bates *Judolia* 19, 24
Compsidiab Mulsant 67
confossicollis Baekmann *Anaesthetis* 61, 62
conjunctum Matsushita *Stenygrinum*
quadrinotatum ab. 29
continentalis Hayashi *Mesosa hirsuta* 49
continentalis Plavilstshikov *Anoplodera scotodes*
 21
continentalis Semenov *Palimna liturata* 60
Coptops 52
coreana Breuning *Nijimaia*
coreana Fairmaire *Aromia* 34
coreana Kolbe *Batocera rubus* Linnaeus var. 59
coreana Matsushita *Pseudosieversia* 14
coreana Matsushita *Strangalia* 23
coreana Okamoto *Sieversia* 13
coreana Pic *Oberea* 71
coreanum Okamoto *Anoplistes ephippium*
 Stevens et Dalman var. 47
coreanum Okamoto *Chloridolum sieversi*
 Ganglbauer var. 34
coreanum Saito *Ceresium* 28
coreanus Okamoto *Leptoxenus* 31

coreanus Saito *Purpuricen* *ritsemai* Villard ssp.
46

coreanus Sharp *Criocephalus* 6
coreensis Breuning *Oberea atropunctata* f. 71
Corennys Bates 26
coriaceum Paykull *Callidium* 36
coriarius Linnaeus *Cerambyx* 5
Cornumutilla Letzner 17
coronata Pascoe *Bacchisa* 65
Corymbia Des Gozis 19, 22
Cosmopolita Thomson *Stibara* 71
cretaceus Bates *Olenecamptus* 60
Criocephalus 6, 7
cuneipennis Kraatz *Xylotrechus* 38, 39
cupressi Van Dyke *Semanotus* 36
curculionides Linnaeus *Mesosa* 48
curculionoides Linnaeus *Lamia* 48
cyanea Gebler *Anoploclera* 20
cyanicornis Guérin-Meneville *Aromia* 32
cyanipennis Say *Leptura* 11
cylindricus Bates *Acanthoderes* 63
cylindricus Linnaeus *Cerambyx* 70
Cypriola 57, 58
Cyrtoclytus Ganglbauer 40

(D)

daurica Ganglbauer *Agapanthia* 50
daurica Gebler *Pachyta* 10
daurica Motschulsky *Pronocera* 35
daurica Motschulsky *Pronocera brevicollis* var. 35
daviesii Swederus *Cerambyx* 63
debilis Kraatz *Pidonia* 14, 16
decemmaculata Matsushita *Strangalia* 25
degener Bates *Acalolepta* 58
Demonax Thomson 42, 44
depressa Gebler *Oberea* 72
Dere White 45
desfontainei Fabricius *Cerambyx* 45
detrita Linnaeus *Leptura* 41
diadema Motschulsky *Chlorophorus* 42
dichroa Blanchard *Anoploclera rubra* 22
Dihammus 57, 58
dilatatus Fairmaire *Amarysius* 47
dimidiatus Blessig *Pogonocherus* 62
diminuta Bates *Rhaphuma* 44
dinorpha Bates *Leptura* 23
Dinoptera Mulsant 13
diphysis Pascoe *Moechotypa* 61

Distenia Serville 3
divaeicatus Bates *Sydonia* 62
Dorcadion 54
doris Bates *Gaurotes* 12
downesi Hope *Batocera rubus* 60
dubia Fabricius *Oedecema* 25
dubia Scopoli *Leptura* 21
duodecimguttata Fabricius *Leptura* 24
duodecimmaculatus Kraatz *Chlorophorus* 42

(E)

edenina Bates *Necydalis pennata* f. 27
egenus Pascoe *Cerambyx* 28
Egesina Pascoe 53
elegantula Kraatz *Alosterna* 17
emarginata Fabricius *Leptura* 23
Eodorcadion Breuning 53, 54
Eoxenus Semenov 4
Epania 31
ephippium Stevens et Dalman *Anoplistes* 47
Epiglenea Bates 70, 71
episcopalis Chevrolat *Astathes* 65
erratica Dalman *Judolia* 18
Eumecocera Solsky 69, 70
Eupogonocherus Linsley 62
Eurycotyle 51, 52
Eurypoda Saunders 3
Eutetrappa Bates 67, 68, 69
Evodinellus Plavilstschikov 11
Evodinus Le Conte 10, 11
excavata Bates *Leptura* 19
eximia Bates *Pareutetrappa* 68
eximius Pascoe *Pyrestes* 31
Exocentrus Mulsant 64, 65
extensa Gebler *Nivellia* 18

(F)

faldermanni Faldermann *Chlorophorus herbsti*
Brahm 42
faldermannii Saunders *Tomentaronia* 33
fasciata Thomson *Aglaophis* 45
fasciatum Villers *Callidium* 37
fasciatus Fabricius *Polyzonus* 35
fasciculatus De Geer *Cerambyx* 62
femoralis Motschulsky *Leptura* 25
fenestratus White *Stenhomalus* 30
figuratus Scopoli *Chlorophorus* 42
fisheri Gressitt *Exocentrus* 65
fisheri Waterhouse *Macrotoma* 4

flavipes Fabricius *Ceresium* 30
flaviventris Bates *Omphalodera puziloi* var. 16
flavopubescens Kolbe *Hesperophanes* 28
flavotecta Heyden *Menesia* 68
formosana 72
formosan Pic *Oberea holoxantha* Fairmaire var. 72
fortunei Thomson *Bacchisa* 65
fraudatorix Bates *Acalolepta* 57, 58
fuliginosa Kolbe *Moechotypa* 61
fulva De Geer *Leptura* 21
fulvidus Pascoe *Margites* 28
fulvohirsutus Pic *Clytus* 40
furcata Bates *Niphona* 51
fuscipennis Chevrolat *Oberea* 72
fuscula Bates *Xenicotela* 59

(G)

galloisi Matsushita *Exocentrus* 64
Gaurotes Le Conte 11, 12
gebleri Faldermann *Thyestilla* 69
germari Hope *Apriona* 59
gibbicollis Blessig *Pidonia* 15
gibbosum Fabricius *callidum* 44
giabripennis, Motschulsky *Anoplophora* 57
Glenea Newman 68, 69
globosa Olivier *Xystrocera* 27
globosus Olivier *Cerambyx* 27
Gnathacmaeops Linsley et Chemsak 12, 13
Golsinda 60
gottschei Kolbe *Lamiomimus* 54
gracilicorne Reitter *Tetropium* 7
gracilipes Faldermann *Rhaphuma* 44
gracilis Blessig *Distenia* 3
gracilis Brancsik *Grammoptera* 17
Grammographus 43
Grammoptera Serville 14, 15, 16, 17
grayi White *Xylotrechus* 38
grayii White *Xylotrechus* 39
granulata Motschulsky *Pterolophia* 52
granulatus Motschulsky *Pogonocherus* 52
griseus Fabricius *Acanthocinus* 63
guttatus Bates *Leiopus* 64
guttatus Blessig *Monochamus* 56
guttulatus Gressitt *Monochamus* 56

(H)

haematicus Pascoe *Pyrestes* 31, 32
halodendri Pallas *Asias* 48
Haplohammus 57
Hargium 8
Hayashiclytus Ohbayashi 41
herbsti Brahm *Chlorophorus* 42
herzi Ganglbauer *Oberea* 71
herzianus Ganglbauer *Clytus* 42
Hesperophanes 28, 29
hieroglyphica Pallas *Saperda* 67
hilaris Pascoe *Psacotheta* 59
hircus Gebler *Xylotrechus* 38
hirsuta Bates *Mesosa* 48, 49
hispidus Linnaeus *Cerambyx* 62
histrio Fabricius *Apomecyna* 49
holophaeum Bates *Ceresium* 30
holoxantha Fairmaire *Oberea* 72
Hylobrotus Lacordaire 51, 52
Hylotrupes 36

(I)

ibidiiformis Bates *Leptoxenus* 27
Ibidimorphum 60
impustulata Motschulsky *Eumecocera* 69, 70
inclusa Pascoe *Oberea* 72
incolumis Heyden *Pachyta bicuneata* ab. 9
infrangrescens Breuning *Oberea inclusa* 72
infelix Pascoe *Perihammus* 54
inquisitor Linnaeus *Cerambyx* 8
inquisitor Linnaeus *Rhagium* 8
insubricum Germar *Callidium* 35
insularis Motschulsky *Prionus* 5
integra Kolbe *Rhytidodera* 28
interrogationis Linnaeus *Brachyta* 9, 10
interrupta Gebler *Saperda* 66
Isosceles 72
itoi Matsushita *Chlorophorus diadema* var. 42

(J)

japonica Bates *Distenia* 3
japonica Bates *Mesosa* 48
japonica Harold *Callichroma* 33, 34
japonica Hayashi, *Leptepania* 31
japonica Gahan *Chreonoma fortunei* 65
japonica Thunberg *Oberea* 71, 72
japonicum Bates *Rhagium inquisitor* 8
japonicum Harold *Chloridolum* 34
japonicus Bates *Pseudocalamobius* 51

japonicus Bates *Stenocorus inquisitor* 8
japonicus Chevrolat *Chlorophorus* 43
japonicus Hayashi *Molorchus* 31
japonicus Pic *Leiopus* 64
jeholensis Kano *Xylotrechus* 39
Judolia Mulsant 18, 19, 24
Judolidia Plavilstshikov 19
jugosa Bates *Pterolophia* 53

(K)

kassjanowi Sokolow *Strangalia* 23
kobotokensis Ohbayashi *Molorchus* 31
kojimai Matsushita *Molorchus* 31
koltzei Heyden *Sachalinobia* 8
komensis Tamanuki *Gaurotes kozhevnikovi* f. 11
koreana Gressitt *Sophronica* 62
kozhevnikovi Plavilstshikov *Gaurotes virginea* 11
kraatzii Ganglbauer *Evodinus interrogationis* 10
kusamai Hayashi *Acalolepta* 58

(L)

lamed Linnaeus *Pachyta* 9
Lamia Fabricius 48, 49, 54, 55, 59, 63
Lamiomimus Kolbe 54
laterimaculata Motschulsky *Saperda interrupta*
var. 66
latifasciatus Fischer *Chlorophorus figuratus* var.
42
latofasciatus Motschulsky *Clytus plebejus*
Fabricius 42
Leiopus Serville 63, 64
Leontium Thomson 34
Leptepania Heller 31
Leptoxenus Bates 27, 31
Leptura Linnaeus 8, 9, 10, 11, 12, 13, 14, 15, 17,
18, 19, 20, 21, 22, 23, 24, 25, 26, 37, 38, 40,
41, 47
linearis Linnaeus *Oberea* 71
lineata Letzner *Cornumutilla* 17
lineatocollis Donovan *Agapanthia* 50
lineatus Bates *Exocentrus* 64
lineellus Fairmaire *Pseudocentrus* 64
Linomius Mulsant 31
lineolata Chevrolat *Batocera* 59
liturata Bates *Palimna* 60
lituratus Ganglbauer *Purpuricenus* 46
longicollis Heller *Epania* 31
longicorne Pic *Ceresium* 30

longipennis Bates *Mesosa* 48
longipes Gebler *Judolia* 18, 19
lurida Fabricius *Leptura* 14
Luteicornis Fabricius *Leptura* 26
lusitanus Linnaeus *Cerambyx* 64
luxuriosa Bates *Acalolepta* 57
luxuriosus 57

(M)

maacki Blessig *Pterolophia* 51, 52,
maacki Kraatz *Phymatodes* 37
Macroleptura 24, 25
Macrotoma 4
macularis Thomson *Melanauster* 57
macularius Thomson *Melanauster chinensis* var.
56
maculaticollis Pic *Apomecyna* 49
maculithorax Pic *Pidonia* 15, 16
maindroni Pic *Leptura* 24
major Linnaeus *Necydalis* 26
malasiaca Thomson *Anoplophora* 56
malthinoides Kraatz *Pidonia* 15
Mallambyx 28
mandschukuoensis Breuning *Saperda* 66
mandschurica Jacobson *Plectrura* 53
mandibularis Fairmaire *Megopsis* 4
marginata Fabricius *Acmaeops* 12
marginella Bates *Nupserha* 71
Margites Gahan 28
Marthaleptura 21
Massicus Pascoe 27, 28
Mecynippus Bates 55
Megaleptura Casey 23, 24, 25
Megasemum Kraatz 6, 7
Megopsis Serville 4
melaenus Bates *Clytus* 40
Melanauster 56, 57
Menesia Mulsant 68, 69
meridiana Linnaeus *Leptura* 8
meridianus Linnaeus *Stenocorus* 9
Mesosa Latreille 48, 49, 51
metallica Bates *Phlyctidola* 53
Metaglaophis Ohbayashi 45
metallesens Motschulsky *Eutetrappa* 68
metallica Bates *Plectrura* 53
Microlera Bates 50
mimica Bates *Xylariopsis* 49, 50
minor Linnaeus *Molorchus* 31

minuta Gebler *Dinoptera* 13
misella Bates *Anoplodera* 19, 20
Moechotypa Thomson 60, 61
Molorchus Fabricius 31
Monochamus Guérin 54, 55, 56
Monochammus 55, 56, 57, 58, 59
monticola Randall *Leptura* 11
mordox De Geer *Rhagium* 8
morio Kraatz *Oberea* 71
moschata Linnaeus *Aromia* 32, 33, 34
moschatus Linnaeus *Cerambyx* 32
motschulskyi Ganglbauer *Chlorophorus* 42, 43
multinotata Pic *Pterolophia* 52
Mumon Hayashi 14, 16
murayamai Matsushita *Strangalia xanthoma* Bates
 f. 25
muscosus Bates *Chlorophorus* 43
mutica Serville *Megopis* 4
myops Dalman *Mesosa* 48

(N)

nebulosa Fabricius *Lamia* 48
nebulosus Linnaeus *Cerambyx* 64
Necydalis Linnaeus 26, 27, 31
Necydalisca 27
Neocerambyx 28
Neodorcadion 54
Neoprion Lacordaire 3
nigrina Pic *Pachyta lamed* ab. 9
nigriventris Bates *Oberea* 72
nigriventris Plavilstshikov *Omphalodera*
puziloi ab. 16
nigriventris Tamanuki *Gaurotes thalassina* f. 11
nigrofasciatus Thomson *Demonax* 44
Nijimaia Matsushita 53
Niphona Mulsant 51, 61
niponensis Bates *Anaglyptus* 45
nitens Bates *Monochamus* 55
Nivellia Mulsant 17, 18
notabilis Pascoe *Chlorophorus* 43
Nupserha Thomson 71

(O)

Oberea Mulsant 71, 72
oberthuri Sharp *Cephalallus* 6
Obrium Curtis 30

obscuripenne Pic *Obrium* 30
obscurissimus Pic *Stenocorus amurensis* ab. 9
ocelota Bates *Eutetrarcha* 68
ochraceofasciata Motschulsky *Leptura* 24
octomaculata Blesig *Saperda* 66
octopustulatus Motschulsky *Olenecamptus* 60
oculatus Linnaeus *Cerambyx* 71
Oculata Linnaeus *Oberea* 72
Oedecnema Thomson 25
okamotoi Plavilstshikov *Chloridolum sieversi* ab.
 34
Olenecamptus Chevrolat 60
Omphalodera Solsky 14, 16
oppositus Chevrolat *Acanthocinus* 63
orientalis Plavilstshikov *Aromia moschata* var.
 33
orientalis Plavilstshikov *Pseudalosterna* 19
oscitans Pascoe *Bumetopia* 49
Oupyrhridium Pic 37

(P)

Pachydissus 28
Pachyta Zetterstedt 9, 10, 12, 13, 19
Pachytodes Pic 18, 19
Palaeocallidium Plavilstshikov 36
Palimna Pascoe 60
pallipennis Matsumura *Xylotrechus* 39
Parachloridolum Plavilstshikov 33, 34
Paragaurotis Plavilstshikov 11, 12
Paraglenea 68
parallelopipeda Motschulsky *Judolia sexmaculata*
 var. 18
parandraeformis Lacordaire *Neoprion* 3
Paraphymatodes Plavilstshikov 37
pardalina Bates *Xenicotela* 59
pardalinus Bates *Monochammus* 59
Pareutetrarcha Breuning 68
pascoe Thomson *Cerambyx* 27
Pedostrangalia sokolow 23, 25
Pellio Germar *Mohochammus sytor* var 55
Pehhata Lewis *Necydalis* 27
Perihammus Aurivillius 54
Perimesosa Breuning 48, 49
perplexa Newman *Astathes* 65
perrisi Mulsant *Menesia* 68
petasifer Fairmaire *Purpuricenus* 46
Phlyctidola Bates 53
Phymatodes Mulsant 37

Phyrridium 37
Phytoecia Mulsant 70
picticornis Mulsant *Niphona* 51
Pidonia Mulsant 14, 15, 16
pilicornis Fabricius *Agapanthia* 50
pirus Arakawa *Purpuricen* 48
Plagionotus Mulsant 41
Plaxomicrus 65
plebejus Fabricius *Clytamthus* 42
plebejus Fabricius *Clytus* 42
Plectrura Mannerheim 53
ploemi Lacordaire *Hylobrotus* 51
pliginskii Plavilstshikov *Strangalia thoracica* ab.
 24
Poecilium Fairmaire 37
Pogonocherus Zetterstedt 52, 62
Polyzonus Castelnau 34, 35
polyzonus Fairmaire *Xylotrechus* 39
Populnea 67
populneus Linnaeus *Compsidia* 67
praeusta Fabricius *Leptura* 17
Praonetha 51, 52, 53
pratensis Laicharting *Gnathacmaeops* 13
pratti Gahan *Purpuricen* 46
Prionus Geoffroy 4, 5
projectum Okamoto *Megasemum* 6
Pronocera Motschulsky 35
Prorrhopalopus Plavilstshikov 35
proteus Kirby *Leptura* 12
provosti Fairmaire *Chelidonium* 33
Psacotha Gahan 59
Psapharochrus Thomson 63
Psephactus Harold 5
Pseudalosterna Plavilstshikov 19, 20
Pseudenispia 53
Pseudocalamobius Kraatz 51
Pseudocehrus Fairmaire 64, 65
Pseudopidonia 14, 15, 16
Pseudosieversia Pic 13, 14
Pterolophia Newman 51, 52, 53
ptinoides Bates *Microdera* 50
pubescens Thomson *Thyestes*
pubicornis Bates *Mecynippus* 55
punctigera Blessig *Phytoecia* 70
pulcher Blessig *Plagionotus* 41
punctate 10
punctatus Faldermann *Evodinus* 10
punctulatum Blessig *Asemum* 7

pupillata Gyllenhal *Oberea* 72
Purpuricen Germar 45, 46, 47, 48
pusio Pascoe *Acalolepta* 57
puziloi Solsky *Pidonia* 14, 16
Pyrestes Pascoe 31, 32
pyrrhoderus Bates *Xylotrechus* 39

(Q)

quadricolle Bates *Chelidonium* 33
quadricolor Castelnau et Gory *Clytus* 43
quadricostulatum Kraatz *Megasemum* 6, 7
quadrifasciata Linnaeus *Leptura* 22, 23
quadrinotata Bates *Stenogrinum* 29
quadrivittata Gebler *Cornumutilla* 17
quinquefasciatus Castelnau et Gory *Chlorophorus*
 43

(R)

raddei Blessig *Massicus* 28
raddensis Pic *Clytus* 40
raripilum Newman *Ceresium* 30
regalis Bates *Leptura* 24
relicta Pascoe *Glenea* 69
relictus Semenov *Callipogon* 48
remiger Harold *Psephactus* 5
renardi Gebler *Anoploclera* 20
reticulatus Fairmaire *Exocentrus* 64
Rhagium Fabricius 8
Rhaphuma Pascoe 41, 42, 43, 44
Rhopalopus Mulsant 35
Rhopaloscelis Blessig 61
Rhytidodera White 28
rigida Bates *Pterolophia* 52
rigida Pascoe *Egesina* 53
ritsemai Villard *Purpuricen* *lituratus* Ganglbauer
 var. 46
Rosalia Serville 32
rosenmulleri Cederhjelm *Monochamus* 55
rubus Linnaeus *Batocera* 59, 60
rubra Linnaeus *Anoploclera* 20, 22
rufa Kraatz *Pseudosieversia* 14
rufescens Matsushita *Dious* 62
ruficollis Redtenbacher *Aromia* 32
rufihumeralis Tamanuki *Anoploclera* 21
rufilius Bates *Xylotrechus* 39
rufipenne Motschulsky *Palaeocallidium* 36

rufiventris Gautier *Phytoecia* 70
rugicollis Chevrolat *Apriona* 59
rugipenne Reitter *Rhagium* 8
rugipennis 8
rusticus Ganglbauer *Hesperophanes* 29
rusticus Linnaeus *Arhopalus* 6
rusticus Linnaeus *Xylotrechus* 38

(S)

sachalinensis Matsumura et Tamanuki *Necydalis* 27
sachalinensis Matsushita? *Leptura* 21
Sachalinobia Jacobson 8
saltuarius Gebler *Monochamus* 55, 56
Saitoa 58
saitoi Matsushita *Exocentrus* 65
sanguinea La Conte *Leptura* 19
sanguineum Linnaeus *Phyrridium* 37
sanguinipennis Blessig *Amarysius* 47
sanguinolenta Gyllenhal *Nivellia* 18
sanguinolenta Linnaeus *Leptura* 21
sanguinosa Gyllenhal *Nivellia* 18
Saperda Fabricius 35, 49, 50, 61, 66, 67, 68, 69, 70, 72
sartor Fabricius *Monochammus* 55
sartorii Chevrolat *Clytus* 38
scabricornis Scopoli *Prionus* 4
scalaris Linnaeus *Saperda* 66, 67
Scotinages 61
scotodes Bates *Anoplodera* 21
sedecimpunctata Motschulsky *Eutetrappa* 67, 68
sejuncta Bates *Acalolepta* 58
sejunctus Bates *Monochammus* 58
Semanotus Mulsant 35, 36
seminiveus Bates *Pogonocherus* 62
Seourensis Mitono et Cho *Demonax* 44
septentrionis Thomson *Acmaeops* 12
sequensi Reitter *Anoplodera* 21, 22
sericata Bates *Corenys* 26
serratus Chevrolat *Olenecamptus* 60
sexguttata Fabricius *Leptura* 19
sexmaculata Linnaeus *Judolia* 18
sexmaculatus Motschulsky *Chlorophorus* 42
sharpi Reitter *Megasemum* 6
sibirica Gebler *Phytoecia* 70
sideriger Fairmaire *Purpuricenus* 46, 47
sieversii Ganglbauer *Chloridolum* 34
Sieversia 13, 14

signaticollis Solsky, *Rhopalopus* 35
signifera Bates *Pidonia* 14
similis Kraatz *Pidonia* 16
similis Plavilstshikov *Asemum amurense* ab. 7
simulans White *Rhytidodera* 28
sinensis Gahan *Semanotus* 36
singularis Kraatz *Brachyclytus* 41
sinica White *Megopsis* 4
sinicum White *Aegosoma* 4
Sivana Strand 13
smaragdula Fabricius *Leptura* 12
smaragdula Bates *Pterolophia* 53
smaragdulus Fabricius *Acmaeops* 12
Sophronica Blanchard 62
spectabilis Motschulsky *Purpuricenus* 46
sphaerioninus Bates *Allotraeus* 29
Sphenalia 25
Sphenura 69
spinicauda Mannerheim *Plectrura* 53
Spondylis Fabricius 5
stanleyana Hope *Anoplophora* 56
Stenomalus White 30
Stenocorus Fabricius 8, 9
Stenodryas Bates 29, 30
Stenocorus 8, 9
Stenostola 69
Stenura 23, 24, 25
Stenygrinum Bates 29
Sternoplistes Guerin 45, 46, 47
Stibara 71
stillatus Bates *Leiopus* 64
Strangalia Serville 18, 23, 24, 25, 26
Strangalomrpha Solsky 25, 26
striatum Linnaeus *Asemum* 7
striatus Linnaeus *Cerambyx* 7
subcalaris Pic *Xylotrechus atronotatus* var. 39
subfasciatus Bates *Monochamus* 56
succedanea Lewis *Leptura* 22
suffusa Pascoe *Niphona* 61
sulphurata Gebler *Menesia* 68, 69
sutor Linnaeus *Monochamus* 55
suvorovi Baeckmann *Pidonia* 15, 16
Sydonia 62
Sympiezocera 36

(T)

tabacicolor De Geer *Alosterna* 17
taiwanus Matsushita *Stenomalus* 30
temminckii Guerin-Meneville *Purpuricenus* 45,

46

teneburosa Matsushita *Saitoa* 58
tenuis Solsky *Strangalomorpha* 25, 26
teranishii Ohbayashi *Oberea herzi* ssp. 71
Tessellata Pascoe *Golsinda* 60
tesserula White *Monochamus* 56
testacea Fabricius *Saperda* 61
testaceus Linnaeus *Cerambyx* 37
testudineus Matsushita *Exocentrus* 64
tetrastigma Bates *Saperda* 66
Tetropium Kirby 7
textor Linnaeus *Lamia* 54
thalassina Schrank *Gaurotes* 11
thaliodes Bates *Chloridolum* 34
thoracica Creutzer *Leptura* 24
thoracica White *Dere* 45
Thyestes 69
Thyestilla Aurivillius 69
Thylophorus 61
Toxotus 9
Tomentaromia Plavilstshikov 33
transilis Bates *Demonax* 42
transilis Bates *Demonax* 44
Trichoferus Wollaston 28, 29
trifasciata Fabricius *Strangalia* 18
tristicula Kraatz *Pseudopidonia* 15
turkestanicus Heyden *Hesperophanes* 29

(U)

undatus Linnaeus *Cerambyx* 36
unicolor Gahan *Cephalallus* 6
unicolor Kano *Eumecocera* 69
unifasciatus Blessig *Rhopaloscelis* 61
Upyrrhidium 37
Uraecha Thomson 58
urussovi Fischer *Monochamus* 55
ussuriensis Blessig *Gaurotes* 11, 12

(V)

validus Matsushita *Acanthocinus* 63
variabile Linnaeus *Cerambyx* 37
variabilis Gebler *Brachyta* 10
variicornis Dalman *Anoplodera* 22
variicornis Bates *Eutetrappa* 68
ventralis Bates *Phytoecia rufiventris* f. 70
ventralis Chevrolat *Phytoecia* 70

victori Plavilstshikov *Chlorophorus diadema* ab.
42

violaceum Linnaeus *Callidium* 37
violaceus Linnaeus *Cerambyx* 36, 37
viride Thomson *Leontium* 34
virens Linnaeus *Leptura* 22
virgatum Motschulsky *Eodorcadion* 54
virginea Linnaeus *Gaurotes* 11
virginea Linnaeus *Leptura* 11
vittata Blessig *Oberea* 72

(W)

wulffi Blessig *Thylophorus* 61

(X)

xanthoma Bates *Strangalia* 25
Xenicotela Bates 58, 59
Xylariopsis Bates 49, 50
Xylotrechus Chevrolat 38, 39, 41
Xystrocera Serville 27

(Z)

zikaweiensis Savio *Exocentrus* 65
znojko Plavilstshikov *Judolidia* 19
zonata Bates *Pterolophia* 52

PLATE

Plate I

- 1a *Distenia gracilis* (Blessig) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 28. VII. 1969
- 1b *Distenia gracilis* (Blessig) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 25. VII. 1973
- 2a *Megopis (Aegosoma) sinica* (White) ♀
Mt. Nam-San, Seoul, 12 VII. 1870
- 2b *Megopis (Aegosoma) sinica* (White) ♂
An-Dong, Gyeong-Bug, 20. VII. 1979
- 3a *Psephactus remiger* Harold ♂
So-Geum-Gang, Gang-Weon-Do, 29. VII. 1971
- 3b *Psephactus remiger* Harold ♀
Mt. Ga-Ya-San, Gyeong-Nam, 22 VIII. 1971
- 4a *Spondylis buprestoides* (Linnaeus) ♂
Chu-Pung-Ryeong, Chung-Bug, 29. VII. 1972
- 4b *Spondylis buprestoides* (Linnaeus) ♀
So-Geum-Gang, Gang-Weon-Do, 28. VII. 1971
- 5a *Callipogon (Eoxenus) relictus* Semenov ♂
Gwang-Neung, Gyeong-Gi-Do, 11. VIII. 1967
- 5b *Callipogon (Eoxenus) relictus* Semenov ♂
Gwang-Neung, Gyeong-Gi-Do, 3. VIII. 1967
- 6a *Arhopalus rusticus* (Linnaeus) ♂
Is. Hong-Do, Jeon-Nam, 9. VIII. 1981
- 6b *Arhopalus rusticus* (Linnaeus) ♀
Mt. Nam-San, Seoul, 11. VII. 1970
- 7a *Cephalallus unicolor* (Gahan) ♀
So-Geum-Gang, Gang-Weon-Do, 28. VII. 1971
- 7b *Cephalallus unicolor* (Gahan) ♂
So-Geum-Gang, Gang-Weon-Do, 29. VII. 1971
- 8a *Megasemum quadricostulatum* Kraatz ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 6. VIII. 1968
- 8b *Megasemum quadricostulatum* Kraatz ♂
So-Geum-Gang, Gang-Weon-Do, 31. VII. 1971
- 9a *Asemum striatum* (Linnaeus) ♀
Mt. Cheon-Ma-San, Gyeong-Gi-Do, 17. V. 1980
- 9b *Asemum striatum* (Linnaeus) ♂
Nam-Han-San-Seong, vic. Seoul, 3. V. 1976
- 10 *Eurypoda (Neoprion) batesi* Gahan ♀
Seo-Gui-Po, Is. Je-Ju-Do, 18. VIII. 1976
- 11a *Prionus insularis* Motschulsky ♀
Jung-Mun, Is. Je-Ju-Do, 20. VII. 1978
- 11b *Prionus insularis* Motschulsky ♂
Ga-Bug, Gyeong-Nam, 29. VII. 1979




Plate II

- 12 *Rhagium rugipenne* Reitter ♂
Weol-San-Ni, vic. Seoul, 16. V. 1974
- 13 *Pachyta bicuneata* Motschulsky ♀
Mt. Nang-Nim-San, Pyeong-Nam, 29. VII. 1936
- 14 *Pachyta lamed* (Linnaeus) ♀
Hu-Chang, Pyeong-Bug, 5. VIII. 1937
- 15 *Stenocorus amurensis* (Kraatz) ♂
Mt. O-Dae-San, Gang-Weon-Do, 27. VII. 1958
- 16 *Brachyta variabilis* (Gebler) ♀
Mt. Gwan-Mo-Bong, Ham-Bug, —. VII. 1934
- 17 *Brachyta interrogationis* (Linnaeus) ♂
Mt. Gwan-Mo-Bong, Ham-Bug, 18. VII. 1932
- 18a *Brachyta amurensis* (Kraatz) ♀
Mt. Chi-Ag-San, Gang-Weon-Do, 21. V. 1979
- 18b *Brachyta amurensis* (Kraatz) ♂
Mt. Chi-Ag-San, Gang-Weon-Do, 21. V. 1979
- 19 *Brachyta bifasciata* (Olivier) ♀
Mt. Geum-Gang-San, Gang-Weon-Do, 8. VII. 1938
- 20 *Evodinus (Enodinellus) borealis* (Gyllenhal) ♂
Mt. Un-Su-Ryeong, Ham-Nam, 18. VII. 1935
- 21a *Gaurotes (Carilia) thalassina* (Schrank) ♂
Mt. Wang-Bang-San, Gyeong-Gi-Do, 5. V. 1978
- 21b *Gaurotes (Carilia) thalassina* (Schrank) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 21. VI. 1980
- 22 *Gaurotes (Paragaueotes) ussuriensis* Blessig ♀
Mt. Myeong-Ji-San, Gyeong-Gi-Do, 27. V. 1978
- 23 *Acmaeops septentrionis* (Thomson) ♀
Han-Dae-Ri, Ham-Nam, 23. VII. 1935
- 24a *Sivana bicolor* (Ganglbauer) ♂
Mt. Cheon-Ma-San, Gyeong-Gi-Do, 30. V. 1970
- 24b *Sivana bicolor* (Ganglbauer) ♀
Gwang-Neung, Gyeong-Gi-Do, —. VI. 1970
- 25a *Pseudosieversia rufa* (Kraatz) ♂
Mt. Bang-Dae-San, Gang-Weon-Do, 28. VII. 1974
- 25b *Pseudosieversia rufa* (Kraatz) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 18. VI. 1978
- 26 *Dinoptera minuta* (Gebler) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 19. VI. 1980
- 27a *Pidonia (Pidonia) amurensis* (Pic) ♂
Mt. So-Baeg-San, Gyeong-Bug, 5. VI. 1981
- 27b *Pidonia (Pidonia) amurensis* (Pic) ♀
Mt. Chi-Ag-San, Gang-Weon-Do, 21. V. 1979
- 27c *Pidonia (Pidonia) amurensis* (Pic) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 1. VI. 1981
- 28a *Pidonia (Pidonia) gibbicollis* (Blessig) ♂
Mt. So-Baeg-San, Gyeong-Bug, 4. VI. 1981
- 28b *Pidonia (Pidonia) gibbicollis* (Blessig) ♀
Mt. So-Baeg-San, Gyeong-Bug, 28. VI. 1978
- 29a *Pidonia (Pidonia) similis* (Kraatz) ♀
Mt. Tae-Baeg-San, Gang-Weon-Do, 26. VI. 1976
- 29b *Pidonia (Pidonia) similis* (Kraatz) ♂
Mt. Ji-Ri-San, Jeon-Nam, 13. VII. 1981
- 30a *Pidonia (Pidonia) alticollis* (Kraatz) ♀
Mt. So-Baeg-San, Gyeong-Bug, 5. VI. 1981
- 30b *Pidonia (Pidonia) alticollis* (Kraatz) ♂
Mt. So-Baeg-San, Gyeong-Bug, 5. VI. 1981
- 31a *Pidonia (Pidonia) suvorovi* Baeckmann ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 21. VI. 1980
- 31b *Pidonia (Pidonia) suvorovi* Baeckmann ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 18. VI. 1978



12



13



14



15



16



17



18a



18b



19



20



21a



21b



22



23



24a




24b



25a



25b



26



27a



27b



27c




28a



28b




29a



29b




30a



30b




31a




31b

Plate III

- 32 *Pidonia (Mumon) debilis* (Kraatz) ♀
Mt. So-Baeg-San, Gyeong-Bug, 5. VI. 1981
- 33 *Pidonia (Omphalodera) puziloi* (Solsky) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 21. VI. 1980
- 34 *Grammoptera gracilis* Brancsik ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 1 VI. 1981
- 35 *Alosterna elegantula* (Kraatz) ♀
Mt. Tae-Baeg-San, Gang-Weon-Do, 27. VI. 1976
- 36 *Alosterna tabacicolor* (De Geer) ♂
Mt. Tae-Baeg-San, Gang-Weon-Do, 27. VI. 1976
- 37 *Nivellia (Nivellia) sanguinosa* (Gyllenhal) ♀
Mt. Un-Su-Ryeong, Ham-Nam, 27. VII. 1935
- 38 a *Nivellia (Nivellia) extensa* (Gebler) ♀
Mt. Tae-Baeg-San, Gang-Weon-Do, 28. VI. 1976
- 38 b *Nivellia (Nivellia) extensa* (Gebler) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 19. VI. 1978
- 39 *Judolia (Judolia) sexmaculata* (Linnaeus) ♀
Mt. Nam-Seol-Ryeong, Ham-Bug, 18. VII. 1936
- 40 *Judolia (Pachytodes) longipes* (Gebler) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 16. VI. 1978
- 41 *Judolia bangi* (Pic) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 16. VI. 1978
- 42 *Anoploclera (Pseudalosterna) misella* (Bates) ♂
Mt. Chi-Ag-San, Gang-Weon-Do, 21. V. 1979
- 43 *Anoploclera (Anoplocleromorpha) cyanea* (Gebler) ♂
Mt. Sog-Ni-San, Chung-Bug, 9. VI. 1977
- 44 *Anoploclera (Anastrangalia) rufihumeralis* (Tamanuki) ♀
Mt. Du-Ryu-San, Ham-Bug, 21. VII. 1936
- 45 a *Anoploclera (Anastrangalia) scotodes* (Bates) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 18. VI. 1978
- 45 b *Anoploclera (Anastrangalia) scotodes* (Bates) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 20. VI. 1978
- 46 *Anoploclera (Anastrangalia) sequensi* (Reitter) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 18. VI. 1978
- 47 *Anoploclera (Corymbia) rubra* (Linnaeus) ♂
Mt. O-Dae-San, Gang-Weon-Do, 8 VIII. 1976
- 48 *Anoploclera (Corymbia) variicornis* (Dalman) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 27. VII. 1969
- 49 a *Leptura (Leptura) aethiops* Poda ♂
Mt. So-Baeg-San, Gyeong-Bug, 4. VI. 1981
- 49 b *Leptura (Leptura) aethiops* Poda ♂
An-Dong, Gyeong-Bug, 18. V. 1979
- 50 *Leptura (Leptura) arcuata* Panzer ♀
Mt. Myeong-Ji-San, Gyeong-Gi-Do, 27. V. 1978
- 51 *Leptura (Leptura) duoecimguttata* Fabricius ♀
Mt. Nae-Jang-San, Jeon-Bug, 7. VI. 1981
- 52 *Leptura (Megaleptura) thoracica* Creutzer ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 20. VII. 1970
- 53 *Leptura (Pedostrangalia) femoralis* (Motschulsky) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 30. V. 1981
- 54 a *Oedecnema dubia* (Fabricius) ♀
Mt. So-Yo-San, Gyeong-Gi-Do, 14. V. 1978
- 54 b *Oedecnema dubia* (Fabricius) ♂
Mt. Myeong-Ji-San, Gyeong-Gi-Do, 26. V. 1976
- 55 *Strangalomorpha tenuis* Solsky ♂
Mt. So-Baeg-San, Gyeong-Bug, 5. VI. 1981
- 56 *Strangalia (Strangalia) attenuata* (Linnaeus) ♂
Mt. Su-Do-San, Gyeong-Bug, 27. VII. 1979
- 57 *Necydalis pennata* Lewis ♂
Mt. Tae-Baeg-San, Gang-Weon-Do, 27. VI. 1976



32



33



34



35



36



37



38a



38b




39



40



41



42



43



44



45a



45b



46



47



48




49a



49b



50



51



52



53



54a



54b



55




56




57

Plate IV

- 58 *Massicus raddei* (Blessig) ♀
Jung-Mun, Is. Je-Ju-Do, 22. VII. 1978
- 59 *Xystrocera globosa* (Olivier) ♂
Is. Hong-Do, Jeon-Nam, 20. VII. 1976
- 60 *Margites fulvidus* (Pascoe) ♂
Dae-Gu, Gyeong-Bug, 19. V. 1970
- 61 *Allotraeus (Allotraeus) sphaerioninus* Bates ♂
Mt. Nae-Jang-San, Jeon-Bug, 8. VI. 1968
- 62 *Allotraeus (Allotraeus) aphaerioninus* Bates ♀
Mt. Nae-Jang-San, Jeon-Bug, 6. VI. 1968
- 63 *Stenygrinum quadrinotatum* Bates ♀
Mt. So-Baeg-San, Gyeong-Bug, 28. VI. 1978
- 64 *Obrium obscuripenne* Pic ♂
Gwang-Neung, Gyeong-Gi-Do, 10. VI. 1972
- 65 *Leptepania japonica* (Hayashi) ♀
Sam-Nam-Myeon, Gyeong-Nam, 24. V. 1980
- 66 *Molorchus kobotokensis* Ohbayashi ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 1. VI. 1981
- 67a *Molorchus kojimai* (Matsushita) ♀
Mt. So-Baeg-San, Gyeong-Bug, 5. VI. 1981
- 67b *Molorchus kojimai* (Matsushita) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 1. VI. 1981
- 68 *Ceresium holophaeum* Bates ♀
Jeo-Dong, Is. Ul-Lung-Do, Gyeong-Bug, 9. VII. 1978
- 69 *Ceresium longicorne* Pic ♀
Yeong-Cheon, Gyeong-Bug, 10. IX. 1969
- 70 *Leptoxenus ibidiiiformis* Bates ♂
Mt. Weon-Hyo-San, Gyeong-Nam, 6. VI. 1981
- 71 *Trichoferus campestris* (Faldermann) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 21. VII. 1970
- 72 *Stenhomalus taiwanus* Matsushita ♂
Mt. Cheon-Ma-San, Gyeong-Gi-Do, —. IV. 1981 reared.
- 73a *Pyrestes haematicus* Pascoe ♀
Jeon-Deung-Sa, Is. Gang-Hwa-Do, Gyeong-Gi-Do, 30. VI. 1977
- 73b *Pyrestes haematicus* Pascoe ♂
Jeon-Deung-Sa, Is. Gang-Hwa-Do, Gyeong-Gi-Do, 30. VI. 1977
- 74 *Aromia bungii* (Faldermann) ♂
Mt. Wang-Bang-San, Gyeong-Gi-Do, 23. VII. 1978
- 75 *Chelidonium quadricolle* Bates ♀
Gwang-Neung, Gyeong-Gi-Do, 23. VI. 1970
- 76 *Chloridolum (Chloridolum) sieversi* (Ganglbauer) ♂
Yong-Dae-Ri, In-Je-Gun, Gang-Weon-Do, 4. IX. 1969
- 77 *Chelidonium provosti* (Fairmaire) ♀
Dae-Gu, Gyeong-Bug, 15. VII. 1933
- 78 *Chloridolum (Parachloridolum) japonicum* (Harold) ♂
So-Geum-Gang, Gang-Weon-Do, 28. VII. 1971
- 79 *Chloridolum (Chloridolum) sieversi* (Ganglbauer) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 18. IX. 1973
- 80 *Aromia moschata* (Linnaeus) ♀
Gyeong-Weon, Ham-Bug, —. VIII. 1929
- 81 *Polyzonus fasciatus* (Fabricius) ♀
Cheong-Pyeong, Gyeong-Gi-Do, 15. VIII. 1981




58



59




60



61



62



74




75



63



64



65



66



67a




67b



68



69



76



77



79



78




80



70



71



72



81



73a



73b

Plate V

- 82 a *Pronocera brevicollis* (Gebler) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 11. VI. 1970
- 82b *Pronocera brevicollis* (Gebler) ♂
Mt. Geum-Gang-San, Gang-Weon-Do, 1 VI. 1934
- 83 *Semanotus bifasciatus* (Motschulsky) ♀
Chang-Gyeong-Weon, Seoul, 2. V. 1978
- 84 *Palaeocallidium (Callidiellum) rufipenne* (Motschulsky) ♀
Su-Weon, Gyeong-Gi-Do, 20. VI. 1930
- 85 *Oupyrrhidium cinnabarinum* (Blessig) ♂
Mt. Ga-Ri-San, Gang-Weon-Do, 25. V. 1961
- 86 *Phymatodes (Paraphymatodes) albicinctus* Bates ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 16. VI. 1978
- 87 *Phymatodes (Poecilium) maaki* (Kraatz) ♀
Mt. Pal-Gong-San, Gyeong-Bug, 23. V. 1981
- 88 *Xylotrechus chinensis* (Chevrolat) ♀
Seog-Po, Is. Ul-Lung-Do, Gyeong-Bug, 6. VIII. 1969
- 89 *Xylotrechus rusticus* (Linnaeus) ♀
Seoul, 7. VI. 1968
- 90 *Xylotrechus clarinus* Bates ♂
Mt. Nam-San, Seoul, 18. VII. 1971
- 91 *Xylotrechus cuneipennis* (Kraatz) ♀
Mt. So-Baeg-San, Gyeong-Bug, 21. VII. 1977
- 92 *Xylotrechus grayii* (White) ♀
Mt. Gwang-Deog-San, Chung-Nam, 26. VII. 1967
- 93 *Xylotrechus pyrrhoderus* Bates ♂
Su-Weon, Gyeong-Gi-Do, 26. VII. 1976
- 94 *Xylotrechus polyzonus* (Fairmaire) ♀
Mt. Do-Bong-San, vic. Seoul, 11. VIII. 1967
- 95 *Clytus melaenus* Bates ♀
Mt. Gam-Ag-San, Gyeong-Gi-Do, 14. VI. 1971
- 96 *Clytus raddensis* Pic ♀
Mt. Tae-Baeg-San, Gang-Weon-Do, 27. VI. 1976
- 97 *Cyrtoclytus capra* (Germar) ♀
Mt. Myeong-Ji-San, Gyeong-Gi-Do, 27. V. 1978
- 98 *Plagionotus pulcher* (Blessig) ♂
So-Geum-Gang, Gang-Weon-Do, 17. VII. 1971
- 99 *Plagionotus christophi* (Kraatz) ♂
Mt. Hal-La-San, Is. Je-Ju-Do, 31. V. 1972
- 100 *Hayashiclytus acutivittis* (Kraatz) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 17. VI. 1978
- 101 *Chlorophorus duodecimmaculatus* (Kraatz) ♀
Su-Weon, Gyeong-Gi-Do, 9. VI. 1963
- 102 *Chlorophorus diadema* (Motschulsky) ♂
Mt. Nae-Yeon-San, Gyeong-Bug, 12. VII. 1978
- 103 *Chlorophorus motschulskyi* (Ganglbauer) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 19. VI. 1980
- 104 *Chlorophorus muscosus* (Bates) ♂
Do-Dong, Is. Ul-Lung-Do, Gyeong-Bug, 9. VII. 1978
- 105 *Rhaphuma gracilipes* (Faldermann) ♀
Mt. O-Dae-San, Gang-Weon-Do, 7 VIII. 1976
- 106 *Rhaphuma diminuta* (Bates) ♂
Mt. So-Baeg-San, Gyeong-Bug, 5. VI. 1981
- 107 *Demonax transilis* Bates ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 2. VI. 1981
- 108 *Demonax seourensis* Mitono et Cho ♀
Mt. Gam-Ag-San, Gyeong-Gi-Do, 14. VI. 1971
- 109 *Aglaphis (Metaglaophis) colobotheoides* Bates ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 2. VI. 1981
- 110 *Dere thoracica* White ♀
Mt. Weon-Hyo-San, Gyeong-Nam, 30. V. 1980




82a



82b




83



84



85



86



87



88



89



90



91



92



93



94



95



96



97



98



99



100



101



102



103



104



105



106




107



108



109




110

Plate VI


- 111 *Purpuricenus (Purpuricenus) petasifer* Fairmaire ♂
Weol-San-Ni, vic. Seoul, 13. VI. 1974
- 112 *Purpuricenus (Purpuricenus) sideriger* Fairmaire ♂
Byeog-Je-Ri, Gyeong-Gi-Do, 30. VI. 1968
- 113 *Amarysius sanguinipennis* (Blessig) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 16. VI. 1978
- 114 *Amarysius altaiensis* (Laxmann) ♀
Mt. Chi-Ag-San, Gang-Weon-Do, 21. V. 1979
- 115 *Asias halodendri* (Pallas) ♂
Gwang-Neung, Gyeong-Gi-Do, 2. VI. 1968
- 116 *Agapanthia pilicornis* (Fabricius) ♂
Mt. Sog-Ni-San, Chung-Bug, 9. VI. 1977
- 117 *Mesosa (Mesosa) myops* (Dalman) ♂
Mt. Hal-La-San, Is. Je-Ju-Do, 18. V. 1968
- 118 *Mesosa (Perimesosa) hirsuta* Bates ♂
Mt. Chu-Heul-San, Chung-Bug, 10. VIII. 1978
- 119 *Bumetopia oscitans* Pascoe ♂
Mt. Hal-La-San, Is. Je-Ju-Do, 5. VI. 1979
- 120 *Xylariopsis (Xylariopsis) mimica* Bates ♀
Mu-Ju, Jeon-Bug, 13. VIII. 1975
- 121 *Microlera ptinoides* Bates ♂
Mt. Cheon-Ma-San, Gyeong-Gi-Do, 16. VII. 1981
- 122 *Exocentrus (Exocentrus) lineatus* Bates ♂
Mt. Bug-Han-San, Seoul, 11. VII. 1981
- 123 *Lamiomimus gottschei* Kolbe ♂
Mt. Myeong-Ji-San, Gyeong-Gi-Do, 19. VI. 1976
- 124 *Egesina (Nijimaia) bifasciana* (Matsushita) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 29. VI. 1980
- 125 *Pterolophia (Pterolophia) angusta* (Bates) ♂
Dong-Nae, Bu-San, 12. VI. 1977
- 126 *Pterolophia (Pterolophia) granulata* (Motschulsky) ♀
Jig-Ji-Sa, Gyeong-Bug, 2. VI. 1978
- 127 *Pseudocalamobius japonicus* (Bates) ♂
Mt. Pal-Gong-San, Gyeong-Bug, 20. VII. 1975
- 128 *Pterolophia (Pterolophia) maacki* (Blessig) ♀
Mt. Bug-Han-San, Seoul, 11. VII. 1981
- 129 a *Monochamus (Monochamus) urussovi* (Fischer) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 14. IX. 1973
- 129 b *Monochamus (Monochamus) urussovi* (Fischer) ♀
Mt. Hal-La-San, Is. Je-Ju-Do, 22. VII. 1978
- 130 *Monochamus (Monochamus) alternatus* Hope ♀
Seo-Gui-Po, Is. Je-Ju-Do, 5. VII. 1965
- 131 *Pterolophia (Hylobrotus) annulata* (Chevrolat) ♀
Is. Dae-Heung-San-Do, Jeon-Nam, 26. VII. 1975
- 132 *Monochamus (Monochamus) saltuarius* (Gebler) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 14. VII. 1971
- 133 *Lamia textor* (Linnaeus) ♀
Mt. Gwan-Ag-San, vic. Seoul, 12. VI. 1971
- 134 *Monochamus (Monochamus) subfasciatus* (Bates) ♀
Mt. Ga-Ya-San, Gyeong-Nam., 9. X. 1960
- 135 *Monochamus (Monochamus) sutor* (Linnaeus) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 26. VI. 1970
- 136 *Monochamus (Monochamus) guttuiatus* Gressitt ♀
Mt. So-Baeg-San, Gyeong-Bug, 5. VI. 1981



111



112



113



114




115



116



117




118



119



120



121



122



123




124



125



126



127



128



129a




129b



133



130



134



131



135




132



136

Plate VII

- 137 *Anoplophora glabripennis* (Motschulsky) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 22. VIII. 1974
- 138 *Anoplophora malasiaca* (Thomson) ♀
Mt. Cheon-Ma-San, Gyeong-Gi-Do, 2. VIII. 1973
- 139 *Acalolepta sejuncta* (Bates) ♀
Is. Hong-Do, Jeon-Nam, 20. VII. 1976
- 140 *Acalolepta kusamai* Hayashi ♀
Mt. Baeg-Yang-San, Jeon-Nam, 5. VIII. 1974
- 141 *Acalolepta fraudatorix* (Bates) ♀
Mt. Bug-Han-San, Seoul, 11. VII. 1981
- 142 *Acalolepta degener* (Bates) ♀
Mt. Bug-Han-San, Seoul, 12. VII. 1976
- 143 *Doiis divaricatus* (Bates) ♂
Is. Ul-Lung-Do, Gyeong-Bug, 1. X. 1981
- 144 *Moechotypa diphysis* (Pascoe) ♀
Mt. Nae-Jang-San, Jeon-Bug, 7. VI. 1981
- 145 *Anaesthetis confossicollis* Baeckmann ♀
Jeo-Dong, Is. Ul-Lung-Do, Gyeong-Bug, 9. VII. 1978
- 146 *Rhopaloscelis unifasciatus* Blessig ♂
Mt. Ji-Ri-San, Jeon-Nam, 27. V. 1976
- 147 *Acalolepta luxuriosa* (Bates) ♀
Mt. Sog-Ni-San, Chung-Bug, 9. VIII. 1979
- 148 *Batocera lineolata* Chevrolat ♀
Yeo-Su, Jeon-Nam, 4. VIII. 1976 "questionable date"
- 149 *Psacotheta hilaris* (Pascoe) ♀
Jeo-Dong, Is. Ul-Lung-Do, Gyeong-Bug, 9. VII. 1978
- 150 *Plectrura (Phlyctidola) mandschurica* Jacobson ♀
Mt. Du-Un-Bong, Ham-Nam, 2. VIII. 1936
- 151 *Leiopus guttatus* Bates ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 23. VII. 1970
- 152 *Acanthocinus griseus* (Fabricius) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 5. VII. 1971
- 153 *Pogonocherus (Eupogonocherus) seminiveus* Bates ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 30. V. 1981
- 154 *Apriona germari* (Hope) ♂
Mt. Bang-Dae-San, Gang-Weon-Do, 27. VII. 1974
- 155 *Olenecamptus clarus* Pascoe ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 21. VII. 1971
- 156 *Olenecamptus octopustulatus* (Motschulsky) ♂
So-Geum-Gang, Gang-Weon-Do, 27. VII. 1971
- 157 *Palimna liturata* (Bates) ♀
Gwang-Neung, Gyeong-Gi-Do, 21. VII. 1968
- 158 *Uraecha bimaculata* Thomson ♀
Mt. Og-Nyeo-Bong, Is. Geo-Je-Do, Gyeong-Nam, 11. VII. 1970
- 159 *Leiopus stillatus* (Bates) ♀
Mt. Tae-Baeg-San, Gang-Weon-Do, 27. VI. 1976



137



138



139




140



141



142



148



143




144



145



146



147



149



150




151




152



153



154



155



156



157



158



159

Plate VIII


- 160 *Exocentrus (Pseudocentrus) fisheri* Gressitt ♂
Mt. Bug-Han-San, Seoul, 11. VII. 1981
- 161 *Exocentrus (Exocentrus) galloisi* Matsushita ♂
Mt. Cheon-Ma-San, Gyeong-Gi-Do, 16. VII. 1981
- 162 *Bacchisa (Bacchisa) fortunei* (Thomson) ♀
Mt. Og-Nyeo-Bong, Is. Geo-Je-Do, Gyeong-Bug, 13. VI. 1977
- 163 *Astathes episcopalis* Chevrolat ♂
Gwang-Neung, Gyeong-Gi-Do, 25. VII. 1976
- 164 *Saperda tetrastigma* Bates ♂
Mt. Myeong-Ji-San, Gyeong-Gi-Do, 26. V. 1978
- 165 *Saperda alberti* Plavilstshikov ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 24. VI. 1970
- 166 *Saperda mandschukuoensis* Breuning ♀
Mt. Ga-San, Gyeong-Bug, 12. VI. 1976
- 167 *Saperda interrupta* Gebler ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 20. VII. 1970
- 168 *Compsidia populnea* (Linnaeus) ♀
Mt. Cheong-Ge-San, Gyeong-Gi-Do, 1. IV. 1973
- 169 *Compsidia balsamifera* Motschulsky ♀
Sin-Tan-Ni, vic. Cheol-Weon, Gang-Weon-Do, 3. VII. 1971
- 170 *Saperda octomaculata* Blesig ♂
Mt. Tae-Baeg-San, Gang-Weon-Do, 16. VI. 1974
- 171 *Eutetrappa sedecimpunctata* (Motschulsky) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 26. VI. 1973
- 172a *Eutetrappa metallescens* (Motschulsky) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 24. VI. 1973
- 172b *Eutetrappa metallescens* (Motschulsky) ♀
Mt. Seol-Ag-San, Gang-Weon-Do, 23. VII. 1970
- 173 *Menesia flavotecta* Heyden ♂
So-Geum-Gang, Gang-Weon-Do, 27. VII. 1971
- 174 *Menesia sulphurata* (Gebler) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 19. VI. 1980
- 175 *Thyestilla gebleri* (Faldermann) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 17. VI. 1978
- 176 *Glenea (Glenea) relicta* Pascoe ♀
Mt. Weon-Hyo-San, Gyeong-Nam, 6. VI. 1981
- 177 *Eumecocera unicolor* (Kano) ♀
Mt. Aeng-Mu-Bong, Gyeong-Gi-Do, 28. VI. 1968
- 178 *Eumecocera impustulata* (Motschulsky) ♂
Mt. Cheon-Ma-San, Gyeong-Gi-Do, 21. V. 1978
- 179 *Epiglenea comes* Bates ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 16. VII. 1980
- 180 *Phytoecia (Phytoecia) rufiventris* Gautier ♀
Geum-Dang-Ni, Ga-Nam-Myeon, Gyeong-Gi-Do, 25. V. 1975
- 181 *Nupserha marginella* (Bates) ♂
Mt. Hal-La-San, Is. Je-Ju-Do, 19. VIII. 1968
- 182 *Oberea oculata* (Linnaeus) ♀
Mt. Un-Ag-San, Gyeong-Gi-Do, 28. V. 1978
- 183 *Oberea depressa* Gebler ♂
Jeung-San, Gyeong-Bug, 1. VI. 1979
- 184 *Oberea pupillata* (Gyllenhal) ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 1. IX. 1969
- 185 *Oberea herzi* Ganglbauer ♂
Gwang-Neung, Gyeong-Gi-Do, 29. V. 1970
- 186 *Oberea nigriventris* Bates ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 16. VII. 1980
- 187 *Oberea fuscipennis* (Chevrolat) ♂
Seo-Gui-Po, Is. Je-Ju-Do, 21. VI. 1976
- 188 *Oberea inclusa* Pascoe ♂
Mt. Seol-Ag-San, Gang-Weon-Do, 17. VI. 1978



160



161



162



163



164



165



166



167



168



169



170



171



172a



172b



173



174



175



176



177



178



179



180



181



182



183



184



185



186



187



188